

| (((●))) RFID Elatec Systems       |                                  | TWN4 MultiTech (125 kHz + 134.2 kHz + 13.56 MHz + NFC + Bluetooth Low Energy) |   |  |                          |                              |                 |
|-----------------------------------|----------------------------------|---|---|--|--------------------------|------------------------------|-----------------|
| Options →                         |                                  | Option Standard   | Option P                                    | Option PI                                      | Option Standard          | Option P                     |                 |
| with antenna →                    |                                  | MT LF+HF, SmartCard   | MT LF+HF P, SmartCard P                     | MT LF+HF PI, Smart Card PI                     | MT LEGIC LF+HF           | MT LEGIC LF+HF P             |                 |
|                                   |                                  | MT 2 BLE, MT 2 LF+HF  | MT 2 BLE P, MT2 LF+HF P                     | MT 2 BLE PI, MT 2 LF+HF PI                     | SmartCard LEGIC          | SmartCard LEGIC P            |                 |
|                                   |                                  | MT 3 BLE, MT 3 LF+HF<br>USB Frontreader                                       | MT 3 BLE P, MT 3 LF+HF<br>USB Frontreader P | MT 3 BLE PI, MT 3 LF+HF<br>USB Frontreader PI  | USB Frontreader LEGIC    | USB Frontreader LEGIC P      |                 |
|                                   |                                  | Palon PCB, Palon Wall,<br>Palon Panel   | Palon PCB P, Palon Wall P,<br>Palon Panel P | Palon PCB PI, Palon Wall PI,<br>Palon Panel PI |                          |                              |                 |
| without antenna →                 |                                  | Slim  | Slim-P                                      | Slim-PI  |                          |                              |                 |
|                                   |                                  | Core<br>Nano  | Core P<br>Nano P                            | Core PI<br>Nano PI                             | Core LEGIC<br>Nano LEGIC | Core LEGIC P<br>Nano LEGIC P |                 |
| 13.56 MHz                         | ISO14443A                        | LEGIC Advant  | ✓ <sup>1)</sup>                             | ✓ <sup>1)</sup>                                | ✓ <sup>1)</sup>          | ✓                            |                 |
|                                   |                                  | MIFARE Classic, Mini  | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   |                                  | MIFARE Classic EV1  | ✓ <sup>2)</sup>                             | ✓ <sup>2)</sup>                                | ✓ <sup>2)</sup>          | ✓ <sup>2)</sup>              |                 |
|                                   |                                  | MIFARE DESFire Light  | ✓ <sup>11)</sup>                            | ✓ <sup>11)</sup>                               | ✓ <sup>11)</sup>         | ✓ <sup>11)</sup>             |                 |
|                                   |                                  | MIFARE DESFire EV1  | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   |                                  | MIFARE DESFire EV2  | ✓ <sup>11)</sup>                            | ✓ <sup>11)</sup>                               | ✓ <sup>11)</sup>         | ✓ <sup>11)</sup>             |                 |
|                                   |                                  | MIFARE Plus S, X  | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   |                                  | MIFARE Pro X  | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              |                 |
|                                   |                                  | MIFARE Smart MX   | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              |                 |
|                                   |                                  | MIFARE Ultralight   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   |                                  | MIFARE Ultralight C   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   |                                  | MIFARE Ultralight EV1   | ✓ <sup>2)</sup>                             | ✓ <sup>2)</sup>                                | ✓ <sup>2)</sup>          | ✓ <sup>2)</sup>              |                 |
|                                   |                                  | NTAG2xx   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   |                                  | PayPass   | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              |                 |
|                                   |                                  | SLE44R35  | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              |                 |
|                                   | SLE66Rxx (my-d move)             | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          |                              |                 |
|                                   | Topaz                            | ✓   | ✓   | ✓  |                          |                              |                 |
|                                   | ISO14443B                        | HID iCLASS SEOS   | ✓ <sup>1)</sup>                             | ✓ <sup>1)</sup>                                | ✓ <sup>10)</sup>         | ✓ <sup>1)</sup>              | ✓ <sup>1)</sup> |
|                                   |                                  | Calypso   | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              | ✓ <sup>3)</sup> |
|                                   |                                  | Calypso Innovatron protocol   | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          |                              |                 |
|                                   |                                  | CEPAS   | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              | ✓ <sup>3)</sup> |
|                                   |                                  | HID iCLASS  | ✓ <sup>1)</sup>                             | ✓ <sup>1)</sup>                                | ✓                        | ✓ <sup>1)</sup>              | ✓ <sup>1)</sup> |
|                                   |                                  | CTS   | ✓   | ✓  | ✓                        |                              |                 |
|                                   |                                  | Moneo   | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              | ✓ <sup>3)</sup> |
|                                   |                                  | Pico Pass   | ✓ <sup>4)</sup>                             | ✓ <sup>4)</sup>                                | ✓ <sup>4)</sup>          | ✓ <sup>1)</sup>              | ✓ <sup>1)</sup> |
|                                   |                                  | SRI4K, SR1X4K   | ✓   | ✓  | ✓                        |                              |                 |
|                                   |                                  | SRI512, SRT512  | ✓   | ✓  | ✓                        |                              |                 |
|                                   | ISO18092/<br>ECMA-340            | NFC Forum Tag Type 1-5  | Type 1-5                                    | Type 1-5                                       | Type 1-5                 | Type 2-5                     | Type 2-5        |
|                                   |                                  | NFC Peer-to-Peer  | ✓   | ✓  | ✓                        |                              |                 |
|                                   |                                  | Sony FelICa   | ✓ <sup>5)</sup>                             | ✓ <sup>5)</sup>                                | ✓ <sup>5)</sup>          | ✓ <sup>5)</sup>              | ✓ <sup>5)</sup> |
|                                   | ISO15693                         | EM4x33  | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              | ✓ <sup>3)</sup> |
|                                   |                                  | EM4x35  | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              | ✓ <sup>3)</sup> |
|                                   |                                  | HID iCLASS  | ✓ <sup>1)</sup>                             | ✓ <sup>1)</sup>                                | ✓                        | ✓ <sup>1)</sup>              | ✓ <sup>1)</sup> |
|                                   |                                  | HID iCLASS SE/SR/Elite  | ✓ <sup>1)</sup>                             | ✓ <sup>1)</sup>                                | ✓                        | ✓ <sup>1)</sup>              | ✓ <sup>1)</sup> |
|                                   |                                  | ICODE SLI   | ✓   | ✓  | ✓                        | ✓                            | ✓               |
| LEGIC Advant                      |                                  | ✓ <sup>1)</sup>   | ✓ <sup>1)</sup>                             | ✓ <sup>1)</sup>                                | ✓                        | ✓                            |                 |
| M24LR16/64                        |                                  | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
| MB89R118/119                      |                                  | MT2, MT3, Nano, Palon, Wall, Panel, Slim                                      | MT2, MT3, Nano, Palon, Wall, Panel, Slim    | MT2, MT3, Nano, Palon, Wall, Panel, Slim       |                          |                              |                 |
| SRF55Vxx (my-d vicinity)          |                                  | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>                             | ✓ <sup>3)</sup>                                | ✓ <sup>3)</sup>          | ✓ <sup>3)</sup>              |                 |
| Tag-it                            |                                  | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
| Pico Pass                         |                                  | ✓ <sup>4)</sup>   | ✓ <sup>4)</sup>                             | ✓ <sup>4)</sup>                                | ✓ <sup>1)</sup>          | ✓ <sup>1)</sup>              |                 |
| LEGIC Prime                       |                                  | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
| 125 kHz / 134.2 kHz <sup>8)</sup> | AWID                             | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | Cardax                           | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | CASI-RUSCO                       | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | Cotag                            | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | Deister                          | ✓ <sup>6)</sup>   | ✓ <sup>6)</sup>                             | ✓ <sup>6)</sup>                                | ✓ <sup>6)</sup>          | ✓ <sup>6)</sup>              |                 |
|                                   | EM4100, 4102, 4200 <sup>7)</sup> | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | EM4050, 4150, 4450, 4550         | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | EM4305                           | ✓ <sup>8)</sup>   | ✓ <sup>8)</sup>                             | ✓ <sup>8)</sup>                                | ✓ <sup>8)</sup>          | ✓ <sup>8)</sup>              |                 |
|                                   | FDX-B, EM4105                    | ✓ <sup>8)</sup>   | ✓ <sup>8)</sup>                             | ✓ <sup>8)</sup>                                | ✓ <sup>8)</sup>          | ✓ <sup>8)</sup>              |                 |
|                                   | G-Prox                           | ✓ <sup>6)</sup>   | ✓ <sup>6)</sup>                             | ✓ <sup>6)</sup>                                | ✓ <sup>6)</sup>          | ✓ <sup>6)</sup>              |                 |
|                                   | HID DuoProx II (1336)            | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | HID ISO Prox II (1386)           | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | HID Micro Prox (1391)            | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | HID ProxKey III (1346)           | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | HID Prox                         | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | HID Prox II (1326)               | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | HITAG 1, 2, S                    | ✓ <sup>9)</sup>   | ✓ <sup>9)</sup>                             | ✓ <sup>9)</sup>                                | ✓ <sup>9)</sup>          | ✓ <sup>9)</sup>              |                 |
|                                   | ICT                              | ✓ <sup>8)</sup>   | ✓ <sup>8)</sup>                             | ✓ <sup>8)</sup>                                | ✓ <sup>8)</sup>          | ✓ <sup>8)</sup>              |                 |
|                                   | IDTECK                           | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | Indala                           | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | ioProx                           | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | ISONAS                           | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | Keri                             | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | Miro                             | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | Nedap                            | ✓ <sup>6)</sup>   | ✓ <sup>6)</sup>                             | ✓ <sup>6)</sup>                                | ✓ <sup>6)</sup>          | ✓ <sup>6)</sup>              |                 |
|                                   | Nexwatch                         | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | PAC                              | ✓ <sup>8)</sup>   | ✓ <sup>8)</sup>                             | ✓ <sup>8)</sup>                                | ✓ <sup>8)</sup>          | ✓ <sup>8)</sup>              |                 |
|                                   | Pyramid                          | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | Q5                               | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | T5557, T5567, T5577              | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | TIRIS/HDX                        | ✓ <sup>8)</sup>   | ✓ <sup>8)</sup>                             | ✓ <sup>8)</sup>                                | ✓ <sup>8)</sup>          | ✓ <sup>8)</sup>              |                 |
|                                   | TITAN (EM4050)                   | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | UNIQUE                           | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |
|                                   | ZODIAC                           | ✓   | ✓   | ✓  | ✓                        | ✓                            |                 |

1)UID only 2)r/w enhanced security features on request 3)r/w in direct chip command mode 4)UID only, read/write on request 5)UID + r/w public area 6)Hash value only 7)Only emulation of 4100, 4102 8)On request 9)Without encryption 10)UID + PAC (CSN & Facility Code), r/w on request 11)In preparation 12) 125/134.2kHz technology requires a Russian local test and import license from the ministry of Trade and Industry (MINPROMTORC). This license has to be in place before Elatec can accept any order to be shipped to Russia

| (((●))) RFID Elatec Systems      |   | Single Frequency (125 kHz or 13.56 MHz + NFC + Bluetooth Low Energy) |                 |                 |                   |                       |                  |                 |   |
|----------------------------------|---|--|-----------------|-----------------|-------------------|-----------------------|------------------|-----------------|---|
|                                  |   |  |                 |                 | Option Standard   | Option I              | Option Standard  | Option P        |   |
| with antenna →                   |   | Mini Reader  | TWN3 MIFARE     | TWN3 LEGIC NFC  | TWN4 Mini Reader  | TWN4 Mini Reader I    | MT2 LF           | MT 2 LF P       |   |
| without antenna →                |   |  |                 |                 | MT 2 HF & MT 3 HF | MT 2 HF I & MT 3 HF I | MT 3 LF          | MT 3 LF P       |   |
|                                  |   |  |                 |                 | Nano HF           | Nano HF I             | Nano LF          | Nano LF P       |   |
| <b>13.56 MHz</b>                 | <b>ISO14443A</b>                        | LEGIC Advant   | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓                 | ✓ <sup>1)</sup>       | ✓ <sup>1)</sup>  |                 |   |
|                                  |   | MIFARE Classic, Mini   | ✓               | ✓               | ✓ <sup>1)</sup>   | ✓                     | ✓                |                 |   |
|                                  |   | MIFARE Classic EV1   | ✓ <sup>2)</sup> | ✓ <sup>2)</sup> | ✓ <sup>1)</sup>   | ✓ <sup>2)</sup>       | ✓ <sup>2)</sup>  |                 |   |
|                                  |   | MIFARE DESFire Light   | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓ <sup>1)</sup>   | ✓ <sup>11)</sup>      | ✓ <sup>11)</sup> |                 |   |
|                                  |   | MIFARE DESFire EV1   | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓                 | ✓                     | ✓                |                 |   |
|                                  |   | MIFARE DESFire EV2   | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓ <sup>1)</sup>   | ✓ <sup>11)</sup>      | ✓ <sup>11)</sup> |                 |   |
|                                  |   | MIFARE Plus S, X   | ✓               | ✓ <sup>1)</sup> | ✓                 | ✓                     | ✓                |                 |   |
|                                  |   | MIFARE Pro X   | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓ <sup>2)</sup>   | ✓ <sup>3)</sup>       | ✓ <sup>3)</sup>  |                 |   |
|                                  |   | MIFARE Smart MX  | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓ <sup>2)</sup>   | ✓ <sup>3)</sup>       | ✓ <sup>3)</sup>  |                 |   |
|                                  |   | MIFARE Ultralight  | ✓               | ✓               | ✓                 | ✓                     | ✓                |                 |   |
|                                  |   | MIFARE Ultralight C  | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓                 | ✓                     | ✓                |                 |   |
|                                  |   | MIFARE Ultralight EV1  | ✓ <sup>2)</sup> | ✓ <sup>2)</sup> | ✓ <sup>2)</sup>   | ✓ <sup>2)</sup>       | ✓ <sup>2)</sup>  |                 |   |
|                                  |   | NTAG2xx  | ✓ <sup>2)</sup> | ✓ <sup>2)</sup> | ✓ <sup>2)</sup>   | ✓                     | ✓                |                 |   |
|                                  |   | PayPass  | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       | ✓ <sup>3)</sup>  |                 |   |
|                                  |   | SLE44R35   | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       | ✓ <sup>3)</sup>  |                 |   |
|                                  |   | SLE66Rxx (my-d move)   | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       | ✓ <sup>3)</sup>  |                 |   |
|                                  |   | Topaz  |                 |                 |                   | ✓                     | ✓                |                 |   |
|                                  | HID iCLASS SEOS                         | ✓ <sup>1)</sup>  | ✓ <sup>1)</sup> | ✓ <sup>1)</sup> | ✓ <sup>1)</sup>   | ✓ <sup>10)</sup>      |                  |                 |   |
|                                  | Calypto                                 | ✓ <sup>1)</sup>  |                 | ✓ <sup>2)</sup> | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       |                  |                 |   |
|                                  | Calypto Innovatron protocol             |  |                 |                 | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       |                  |                 |   |
|                                  | CEPAS                                   | ✓ <sup>1)</sup>  |                 | ✓ <sup>2)</sup> | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       |                  |                 |   |
|                                  | HID iCLASS                              | ✓ <sup>1)</sup>  |                 | ✓ <sup>1)</sup> | ✓ <sup>1)</sup>   | ✓                     |                  |                 |   |
|                                  | CTS                                     |  |                 |                 | ✓                 | ✓                     |                  |                 |   |
|                                  | Moneo                                   | ✓ <sup>1)</sup>  |                 | ✓ <sup>2)</sup> | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       |                  |                 |   |
|                                  | Pico Pass                               | ✓ <sup>1)</sup>  |                 | ✓ <sup>3)</sup> | ✓ <sup>4)</sup>   | ✓ <sup>4)</sup>       |                  |                 |   |
|                                  | SRI4K, SRIX4K                           | ✓  |                 |                 | ✓                 | ✓                     |                  |                 |   |
|                                  | SRI512, SRT512                          | ✓  |                 |                 | ✓                 | ✓                     |                  |                 |   |
|                                  | <b>ISO18092/ECMA-340</b>                | NFC Forum Tag Type 1-5   | Type 2-4        | Type 2-4        | Type 2-5          | Type 1-5              | Type 1-5         |                 |   |
|                                  |   | NFC Peer-to-Peer   |                 |                 |                   | ✓                     | ✓                |                 |   |
|                                  |   | Sony FeliCa  | ✓ <sup>1)</sup> |                 | ✓ <sup>3)</sup>   | ✓ <sup>5)</sup>       | ✓ <sup>5)</sup>  |                 |   |
|                                  | <b>ISO15693</b>                         | EM4x33   |                 |                 | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       | ✓ <sup>3)</sup>  |                 |   |
|                                  |   | EM4x35   |                 |                 | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       | ✓ <sup>3)</sup>  |                 |   |
|                                  |   | HID iCLASS   |                 |                 | ✓ <sup>1)</sup>   | ✓ <sup>1)</sup>       | ✓                |                 |   |
|                                  |   | HID iCLASS SE/SR/Elite   |                 |                 | ✓ <sup>1)</sup>   | ✓ <sup>1)</sup>       | ✓                |                 |   |
|                                  |   | iCODE SLI  |                 |                 | ✓ <sup>3)</sup>   | ✓                     | ✓                |                 |   |
|                                  |   | LEGIC Advant   |                 |                 | ✓                 | ✓ <sup>1)</sup>       | ✓ <sup>1)</sup>  |                 |   |
|                                  |   | M24LR16/64   |                 |                 | ✓ <sup>3)</sup>   | ✓                     | ✓                |                 |   |
|                                  |   | MB89R118/119   |                 |                 |                   | MT2, MT3, Nano        | MT2, MT3, Nano   |                 |   |
|                                  |   | SRF55Vxx (my-d vicinity)   |                 |                 | ✓ <sup>3)</sup>   | ✓ <sup>3)</sup>       | ✓ <sup>3)</sup>  |                 |   |
|                                  |   | Tag-it   |                 |                 | ✓ <sup>3)</sup>   | ✓                     | ✓                |                 |   |
|                                  | Pico Pass                               |  |                 | ✓ <sup>1)</sup> | ✓ <sup>4)</sup>   | ✓ <sup>4)</sup>       |                  |                 |   |
|                                  | <b>LEGIC Prime</b>                      |  |                 | ✓               |                   |                       |                  |                 |   |
|                                  | <b>125 kHz / 134.2 kHz<sup>8)</sup></b> | AWID   |                 |                 |                   |                       |                  | ✓               | ✓ |
|                                  |   | Cardax   |                 |                 |                   |                       |                  | ✓               | ✓ |
|                                  |   | CASI-RUSCO   |                 |                 |                   |                       |                  | ✓               | ✓ |
| Cotag                            |   |  |                 |                 |                   |                       |                  | ✓               |   |
| Deister                          |   |  |                 |                 |                   |                       | ✓ <sup>6)</sup>  | ✓ <sup>6)</sup> |   |
| EM4100, 4102, 4200 <sup>7)</sup> |   |  |                 |                 |                   |                       | ✓                | ✓               |   |
| EM4050, 4150, 4450, 4550         |   |  |                 |                 |                   |                       | ✓                | ✓               |   |
| EM4305                           |   |  |                 |                 |                   |                       | ✓ <sup>8)</sup>  | ✓ <sup>8)</sup> |   |
| FDX-B, EM4105                    |   |  |                 |                 |                   |                       | ✓ <sup>8)</sup>  | ✓ <sup>8)</sup> |   |
| G-Prox                           |   |  |                 |                 |                   |                       |                  | ✓ <sup>6)</sup> |   |
| HID DuoProx II (1336)            |   |  |                 |                 |                   |                       |                  | ✓               |   |
| HID ISO Prox II (1386)           |   |  |                 |                 |                   |                       |                  | ✓               |   |
| HID Micro Prox (1391)            |   |  |                 |                 |                   |                       |                  | ✓               |   |
| HID ProxKey III (1346)           |   |  |                 |                 |                   |                       |                  | ✓               |   |
| HID Prox                         |   |  |                 |                 |                   |                       |                  | ✓               |   |
| HID Prox II (1326)               |   |  |                 |                 |                   |                       |                  | ✓               |   |
| HITAG 1, 2, S                    |   |  |                 |                 |                   |                       | ✓ <sup>9)</sup>  | ✓ <sup>9)</sup> |   |
| ICT                              |   |  |                 |                 |                   |                       | ✓ <sup>8)</sup>  | ✓ <sup>8)</sup> |   |
| IDTECK                           |   |  |                 |                 |                   |                       | ✓                | ✓               |   |
| Indala                           |   |  |                 |                 |                   |                       |                  | ✓               |   |
| ioProx                           |   |  |                 |                 |                   |                       |                  | ✓               |   |
| ISONAS                           |   |  |                 |                 |                   |                       | ✓                | ✓               |   |
| Keri                             |   |  |                 |                 |                   |                       | ✓                | ✓               |   |
| Miro                             |   |  |                 |                 |                   |                       | ✓                | ✓               |   |
| Nedap                            |   |  |                 |                 |                   |                       | ✓ <sup>6)</sup>  | ✓ <sup>6)</sup> |   |
| Nexwatch                         |   |  |                 |                 |                   |                       |                  | ✓               |   |
| PAC                              |   |  |                 |                 |                   |                       | ✓ <sup>8)</sup>  | ✓ <sup>8)</sup> |   |
| Pyramid                          |   |  |                 |                 |                   |                       | ✓                | ✓               |   |
| Q5                               |   |  |                 |                 |                   |                       | ✓                | ✓               |   |
| T5557, T5567, T5577              |   |  |                 |                 |                   |                       | ✓                | ✓               |   |
| TIRIS/HDX                        |   |  |                 |                 |                   | ✓ <sup>8)</sup>       | ✓ <sup>8)</sup>  |                 |   |
| TITAN (EM4050)                   |   |  |                 |                 |                   | ✓                     | ✓                |                 |   |
| UNIQUE                           |   |  |                 |                 |                   | ✓                     | ✓                |                 |   |
| ZODIAC                           |   |  |                 |                 |                   | ✓                     | ✓                |                 |   |

<sup>1)</sup>UID only <sup>2)</sup>r/w enhanced security features on request <sup>3)</sup>r/w in direct chip command mode <sup>4)</sup>UID only, read/write on request <sup>5)</sup>UID + r/w public area <sup>6)</sup>Hash value only <sup>7)</sup>Only emulation of 4100, 4102 <sup>8)</sup>On request <sup>9)</sup>Without encryption <sup>10)</sup>UID + PAC (CSN & Facility Code), r/w on request <sup>11)</sup>In preparation <sup>12)</sup>125/134.2kHz technology requires a Russian local test and import license from the ministry of Trade and Industry (MINPROMTORC). This license has to be in place before Elatec can accept any order to be shipped to Russia

**ELATEC GmbH**  
Zeppelinstr. 1  
82178 Puchheim • Germany  
P +4989 552 9961 0 • F +4989 552 9961 129  
E-Mail: info-rfid@elatec.com

**ELATEC USA INC.**  
4203 SW High Meadows Ave  
Palm City • FL 34990 • USA  
P +1 772 210 2263 • F +1 772 382 3749  
E-Mail: americas-info@elatec.com

**ELATEC TECHNOLOGY (SHENZHEN) LLC**  
No. 716 Industrial Bank Tower  
Futian District • Shenzhen • China  
P/F +86 755 2394 6014  
E-Mail: apac-info@elatec.com

Elatec reserves the right to change any information or data in this document without prior notice. Elatec declines all responsibility for the use of this product with any other specification but the one mentioned above. Any additional requirement for a specific customer application has to be validated by the customer himself at his own responsibility. Where application information is given, it is only advisory and does not form part of the specification. Disclaimer: All names used in this document are registered trademarks of their respective owners.