
PALCO20X





Art. 28000191 EAN Cod. 8051511392230



TELE System introduces PALCO20X the TV range that offers 360 ° entertainment at home or on vacation.

Thanks to the 12V power supply (power supply included, adapter 12V * for optional cigarette lighter), you can use PALCO2OX even outside the home: caravans, campers, trucks, boats, etc. The TV becomes a universal entertainment device for offering you hundreds of free and pay, digital terrestrial and satellite channels even during your holidays.

The PALCO TVs differ in their ease of installation and automatically perform the functions of scanning, sorting and updating channels. Connecting a hard disk to the USB2.0 port, they become Mediaplayer. All models are CI + Ready and are equipped with CI / CI + slots compatible with HD CAMs to access

pay digital terrestrial content and with the tivùsat certified CAM.

Completing the features of the PALCO20X line, two remote controls: a standard for setting the TV at the time of first installation and a "simplified" for essential functions, with large buttons, designed specifically for older people or as a replacement remote control.











CHECK THE TECHNICAL BROCHURE ON THE REAR...



()

HOME CHANNEL UPDATABLE CHANNELS LIST



COMPATIBLE CAM CI+
COMPATIBLE CAM HD
TELE SYSTEM CERTIFIED
TIVÜSAT AND SKY

MEDIAPLAYER
AUDIO, VIDEO AND
PICTURES VIA USB



HOTEL MODE AVOID INVOLUNTARY CHANGES OF TV SETTINGS



LCN AUTOMATIC CHANNELS SORTING



UNICABLE SCR SHARE THE SIGNAL BETWEEN MORE TUNERS WITH A SINGLE CABLE



DOUBLE RCU STANDARD & EASY INCLUDED



PALCO20X







Double tuner, double show!

The first line of 3rd generation HD TVs featuring a double tuner, Digital Terrestrial (DVB-T2) and Satellite (DVB-S2) both with 10-bits H.265/HEVC encoding that combines technology and maximum ease of use. TV becomes the center of home entertainment with hundreds of terrestrial and satellite channels, Italian and foreign, pay or free even in high definition.



Compatible CAM tivùsat & digital terrestrial pay

The CI+ slot offers maximum compatibility with CAMs to access the pay content of terrestrial digital and with the certified TELE System CAM tivùsat to expand the experience and the quality of vision.

Loading satellite channels in "default" mode provides the Italian channel list as defaults.





"basic" remote control

The installation of PALCO20X is performed in two simple steps, the functions of scanning, sorting and updating channels and are also commandable with the provided facilitated remote control, with large keys for essential functions, thought especially for older people.



TV programs and movies always with you

Thanks to the 12V * power supply, you can use PALCO2OX even outside the home: campers, caravans, trucks, boats, etc.

*12V cigarette lighter adapter with optional 1.5m cable.



COD. ART. 58040111 COD. EAN 8051511390830

Hotel Mode function

The Hotel Mode feature allows you to define maximum audio values, set the volume and decide the channel when you turn it on, and select the source signal in advance. It is particularly suitable for hotel facilities because it prevents users from accessing the most advanced features such as the menu for managing channels.









E LCN
ARY AUTOMATIC
TV CHANNELS
SORTING



UNICABLE SCR
SHARE THE SIGNAL
BETWEEN MORE TUNERS
WITH
A SINGLE CABLE



DOUBLE RCU STANDARD & EASY INCLUDED















PALCO20X





Type/Screen dimension	D-LED 19,5"
Video resolution (HxV)	HD 1366x768
Display diagonal	49,5 cm 16:9 Wide
Angle of view	178°/178° (H/V)
Brightness (cd/m2)	150
Audio power	3W x 2
Tuner type	DVB-T2 - DVB-S2 H.265 10bit
Contrast ratio	3000:1
Multilanguage OSD Menu	Yes
Channels sorting first installation	Yes (tivùsat channels preinstalled)
Teletext and subtitles	Yes
Timer OFF / ON	Yes
Slot CAM CI+	Yes
Function Hotel Mode	Yes
SW update	via USB
Wi-Fi / Ethernet	- / -
SCR / USALS	Yes / Yes
Function Time Shifting	Yes
Function PVR	No
Media player via USB	AVI/MP4/MKV (compatible H.265) MP3/JPG
Built-in DVD player	-
A/V inputs	HDMI - SCART - Mini YPbPr - Mini AV in - USB - VGA (DSUB15+Audio PC)
Signal TV	Video: MPEG2, MPEG4 H.264/AVC e H.265/HEVC
	Audio: MPEG1 layer1/2; Dolby Digital; Dolby Digital Plus; AAC; HE-AAC
SKY HD tested	Yes
Power supply	100V-240V, 50/60Hz, output 12V DC 3A* (PSU INCLUDED)
Consumption	<36W (<0,5W in Stand-by)
Standard remote control	Yes
Easy remote control	Yes
Energy efficiency class	F
Support wall bracket	VESA 100
Dimensions with support (mm.)	478x305x165
Dimensions without support (mm.)	461x272x79

^{*} Cigarette lighter adapter 12V with 1,5m cable optional.

















