



SECTION 1:

Identification of the substance/mixture and of the company/undertaking



### 1.1 PRODUCT IDENTIFIER

PRODUCT NAME:  
We Need to Talk

PRODUCT CODE:  
GPI084

### 1.2 RELEVANT IDENTIFIES USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

USE OF SUBSTANCE / MIXTURE:  
Light curable resin / UV gel. Only for professional use.

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

COMPANY NAME:  
By Ström AB  
Tillgängligheten 3B  
417 10 Göteborg  
Sweden

EMAIL:  
[contact@bystrom.beauty](mailto:contact@bystrom.beauty)

### 1.4 EMERGENCY TELEPHONE NUMBER

SECTION: 2

Hazards identification



### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION UNDER CLP:  
Aquatic Chronic 3: H412; Eye Irrit. 2: H319;  
Skin Irrit. 2: H315; Skin Sens. 1A: H317

MOST IMPORTANT ADVERSE EFFECTS:  
Causes skin irritation. May cause an allergic skin reaction.  
Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

### 2.2 LABEL ELEMENTS

LABEL ELEMENTS:

HAZARD STATEMENTS:

H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.  
H412: Harmful to aquatic life with long lasting effects.

HAZARD PICTOGRAMS:

GHS07: Exclamation mark 

SIGNAL WORDS:

Warning

PRECAUTIONARY STATEMENTS:

P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321: Specific treatment (see instructions on this label)  
P362+P364: Take off contaminated clothing and wash it before reuse.

### 2.3 OTHER HAZARDS

PBT:

This product is not identified as a PBT/vPvB substance.

## SECTION: 3

## Composition/information on ingredients

**3.1 MIXTURES**

## HAZARDOUS INGREDIENTS:

EINECS	CAS	PBT / WEL	CLP Classification	Percent
<b>ALIPHATIC URETHANE ACRYLATE</b>				
-	-	-	Skin Sens. 1A: H317	25-55%
<b>POLYETHYLENGLYCOL20ODIMETHACRYLATE</b>				
-	25852-47-5	-	-	5-25%
<b>ACRYLIC RESIN</b>				
-	264888-21-5	-	Skin Sens. 1A: H317; Aquatic Chronic 4: H413	5-25%
<b>TRICYCLODECANDIMETHANOLDIACRYLAT</b>				
255-901-3	42594-17-2	-	Aquatic Chronic 2: H411; Skin Sens. 1B: H317	5-25%
<b>TPO-L</b>				
282-810-6	84434-11-7	-	Aquatic Chronic 3: H412	5-25%
<b>PEG-DIACRYLATE</b>				
-	26570-48-9	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Skin Sens. 1: H317	1-5%
<b>PEG-4-DIMETHACRYLATE</b>				
-	-	-	Skin Irrit. 2: H315; Eye Irrit. 2: H31	1-5%
<b>ALIPHATIC URETHANE DIACRYLATE</b>				
-	-	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-5%
<b>NEOPENTYLGLYCOLPROPOXYALDIACRYLAT</b>				
617-546-6	84170-74-1	-	Skin Sens. 1B: H317; Aquatic Chronic 2: H411	0.1-1%
<b>METHYL TOLUENE-4-SULPHONATE</b>				
201-283-5	80-48-8	-	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1B: H317	0.1-1%

## SECTION: 4

## First aid measures

**4.1 DESCRIPTION OF FIRST AID MEASURES**

## SKIN CONTACT:

Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water.

## EYE CONTACT:

Bathe the eye with running water for 15 minutes.

Consult a doctor.

## INGESTION:

Wash out mouth with water.

Consult a doctor.

## INHALATION:

Remove casualty from exposure ensuring one's own safety whilst doing so.

Consult a doctor.

**4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

## SKIN CONTACT:

There may be irritation and redness at the site of contact.

## EYE CONTACT:

There may be irritation and redness.

The eyes may water profusely.

## INGESTION:

There may be soreness and redness of the mouth and throat.

## INHALATION:

There may be irritation of the throat with a feeling of tightness in the chest.

Exposure may cause coughing or wheezing.

## DELAYED / IMMEDIATE EFFECTS:

Immediate effects can be expected after short-term exposure.

### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

## IMMEDIATE / SPECIAL TREATMENT:

Eye bathing equipment should be available on the premises.

## SECTION: 5

## Fire-fighting measures



### 5.1 EXTINGUISHING MEDIA

## EXTINGUISHING MEDIA:

Suitable extinguishing media for the surrounding fire should be used.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

## EXPOSURE HAZARDS:

In combustion emits toxic fumes.

### 5.3 ADVICE FOR FIRE-FIGHTERS

## ADVICE FOR FIRE-FIGHTERS:

Wear self-contained breathing apparatus.

Wear protective clothing to prevent contact with skin and eyes.

## SECTION: 6

## Accidental release measures



### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

## PERSONAL PRECAUTIONS:

Refer to section 8 of SDS for personal protection details.

If outside do not approach from downwind.

If outside keep bystanders upwind and away from danger point.

Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Do not create dust.

### 6.2 ENVIRONMENTAL PRECAUTIONS

## ENVIRONMENTAL PRECAUTIONS:

Do not discharge into drains or rivers

### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

## CLEAN-UP PROCEDURES:

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4 REFERENCE TO OTHER SECTIONS

## REFERENCE TO OTHER SECTIONS:

Refer to section 8 of SDS.

SECTION: 7

## Handling and storage

**7.1 PRECAUTIONS FOR SAFE HANDLING**

HANDLING REQUIREMENTS:

- Avoid direct contact with the substance.
- Ensure there is sufficient ventilation of the area.
- Do not handle in a confined space.
- Avoid the formation or spread of dust in the air.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

STORAGE CONDITIONS:

- Store in a cool, well ventilated area. Keep container tightly closed.

**7.3 SPECIFIC END USE(S)**

SPECIFIC END USE(S):

- No data available.

SECTION: 8

## Exposure controls/personal protection

**8.1 CONTROL PARAMETERS**

WORKPLACE EXPOSURE LIMITS:

- No data available.

**DNEL/PNEC VALUES**

DNEL / PNEC

- No data available.

**8.2 EXPOSURE CONTROLS**

ENGINEERING MEASURES:

- Ensure there is sufficient ventilation of the area.

RESPIRATORY PROTECTION:

- Self-contained breathing apparatus must be available in case of emergency.
- Respiratory protective device with particle filter.

HAND PROTECTION:

- Protective gloves.

EYE PROTECTION:

- Safety glasses.
- Ensure eye bath is to hand.

SKIN PROTECTION:

- Protective clothing.

SECTION: 9

## Physical and chemical properties

**9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

STATE:

Paste

COLOUR:

Blue-Purple

ODOUR:

Characteristic odour

EVAPORATION RATE:

Negligible

OXIDISING:

Non-oxidising (by EC criteria)

SOLUBILITY IN WATER:

Insoluble

ALSO SOLUBLE IN:

Most organic solvents.

VISCOSITY:

Viscous

RELATIVE DENSITY:

> 1,0

## 9.2 OTHER INFORMATION

OTHER INFORMATION:

No data available.

SECTION: 10

## Stability and reactivity



### 10.1 REACTIVITY

REACTIVITY:

Stable under recommended transport or storage conditions.

### 10.2 CHEMICAL STABILITY

CHEMICAL STABILITY:

Stable under normal conditions.

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

HAZARDOUS REACTIONS:

Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

### 10.4 CONDITIONS TO AVOID

CONDITIONS TO AVOID:

Heat.

### 10.5 INCOMPATIBLE MATERIALS

MATERIALS TO AVOID:

Strong oxidising agents.

Strong acids.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

HAZ. DECOMP. PRODUCTS:

In combustion emits toxic fumes.

SECTION: 11

## Toxicological information



### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

RELEVANT HAZARDS FOR PRODUCT:

HAZARD	ROUTE	BASIS
Skin corrosion/irritation	DRM	Hazardous: calculated
Respiratory/skin sensitisation	OPT	Hazardous: calculated
Respiratory/skin sensitisation		Hazardous: calculated

### SYMPTOMS / ROUTES OF EXPOSURE

SKIN CONTACT:

There may be irritation and redness at the site of contact.

EYE CONTACT:

There may be irritation and redness. The eyes may water profusely.

## INGESTION:

There may be soreness and redness of the mouth and throat.

## INHALATION:

There may be irritation of the throat with a feeling of tightness in the chest.

Exposure may cause coughing or wheezing.

## DELAYED / IMMEDIATE EFFECTS:

Immediate effects can be expected after short-term exposure.

## SECTION: 12

## Ecological information

**12.1 TOXICITY**

## ECOTOXICITY VALUES:

No data available.

**12.2 PERSISTENCE AND DEGRADABILITY**

## PERSISTENCE AND DEGRADABILITY:

Biodegradable.

**12.3 BIOACCUMULATIVE POTENTIAL**

## BIOACCUMULATIVE POTENTIAL:

No bioaccumulation potential.

**12.4 MOBILITY IN SOIL****12.5 RESULTS OF PBT AND VPvB ASSESSMENT**

## PBT IDENTIFICATION:

This product is not identified as a PBT/vPvB substance.

**12.6 OTHER ADVERSE EFFECTS**

## OTHER ADVERSE EFFECTS:

Negligible ecotoxicity.

## SECTION: 13

## Disposal considerations

**13.1 WASTE TREATMENT METHODS**

## DISPOSAL OPERATIONS:

Transfer to a suitable container and arrange for collection by specialised disposal company.

## DISPOSAL OF PACKAGING:

Dispose of as normal industrial waste.

## NB:

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## SECTION: 14

## Transport information



## TRANSPORT CLASS:

This product does not require a classification for transport.

SECTION: 15

## Regulatory information



### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

SPECIFIC REGULATIONS:

Not applicable.

### 15.2 CHEMICAL SAFETY ASSESSMENT

CHEMICAL SAFETY ASSESSMENT:

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION: 16

## Other information



### OTHER INFORMATION

OTHER INFORMATION:

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

PHRASES USED IN 5.2 AND 5.3:

H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

H413: May cause long lasting harmful effects to aquatic life

LEGAL DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide.

This company shall not be held liable for any damage resulting from handling or from contact with the above product.