











Enhanced spa entertainment WORLD-CLASS AUDIO

SPECS

- \cdot Fully integrated with BP Series Spa Controls
- · Built-in power supply with global certifications
- \cdot bba[™]3 can be controlled via topside (SpaTouch[™]) or through your smart device
- · Easily stream millions of songs through the bluetooth connection without relying on any additional hardware






Visit us online: www.balboawater.com/Bluetooth-bba-3-Audio





bba³

CONFIGURATIONS & EQUIPMENT



BBATM3 TECHNICAL SPECIFICATIONS

Speaker impedance

· 2-8 ohms

Output power

- · (4 ohm load) 4x30W (42W max)
- · (8 ohm load) 4x15W (18W max)

Input voltage

- · 110V 240V AC
- · 50/60 Hz

Dimensions

- · 7.95"wide X 1.91" high X 6.24" deep · (20.20 cm X 4.85 cm X 15.85 cm)

Weight

· 3.01lbs. (1.35Kg)

4 channel Amp

- · Option 1: Sub woofer from the rear 2 channels
- · Option 2: 4 channels

Power from AV port of BP System Packs.



New Module

New Bluetooth Radio

- · BT3.0-HS/BT4.0 EDR
- · Range: up to 100 feet in open air. Ranges vary as they are dependant on installations.

New plastic enclosure

· IPx5 waterproof

bba™3 Amp Connections

Plug/Wire Bundle Chart		
Wire Color	Wire #	Wire Function
no wire (blank)	1	no wire (blank)
Green w/stripe	2	Rear Left Speaker -
Green	3	Rear Left Speaker +
no wire (blank)	4	no wire (blank)
White w/stripe	5	Front Left Speaker -
White	6	Front Left Speaker +
no wire (blank)	7	no wire (blank)
Gray w/stripe	8	Front Right Speaker -
Gray	9	Front Right Speaker +
no wire (blank)	10	no wire (blank)
Violet w/stripe	11	Rear Right Speaker -
Violet	12	Rear Right Speaker +

