

UL150[Ⓜ]

SILENT

LED VIDEO LIGHT



Godox UL150 is a 5600K daylight-balanced 150W LED video light. Different from other lights with fans in their light heads, UL150 distinguishes itself with fanless design, making it completely silent, keeping recordings free from contamination, making it super silent lighting source for professional broadcasting use, cinematography, Youtube Live, and other video applications.

Fanless Running

Designed with an elaborate heat-dissipation system, the Silent LED Video Light UL150 has boldly introduced a new design without built-in cooling fans, allowing for virtually inaudible operation, getting free from modifying the lighting positions to accommodate the fan noise.



Exceptional Color Quality

With CRI rating of **96** and TLCI rating of **97**, UL150 delivers vibrant natural light and reproduces accurate colors.

Flexible Light Placement

UL150 has a separate controlling box with a very clear display from the primary light head, keeping the balance of weight off of the top of a stand. Meanwhile, as the controlling box is at a distance from the light head, the placement of the light is far more flexible. Its UL150 is DC powered but also has the option to be powered by a V-mount battery. The rotating yoke allows underslung to go low to the ground, able to be adjusted at any angles easily.



Support **V-Mount**
Battery Power Supply



Be in control

You can select 6 groups and 16 different channels and dimming from 100% to 0% in stepless increments via the controlling box or the RC-A5II remote control (sold separately) directly. The light also allows using with GodoxPhoto App to control its lighting set-up. UL150 has an umbrella mount for softening your light easier. The light fixture is also compatible with a wide range of Bowens-mount accessories to shape and control your light.



What's in the Box

LED Light x1

Adapter x1

Cable x1

Standard Reflector x1

Hoop & Loop Fastener x1

Controller x1

Power Cord x1

Lamp Protective Cap x1

Instruction Manual x1



Specifications

Silent LED Video Light UL150		UL150
Power Supply	By DC	AC 100V-240V/2A (50/60Hz) DC 16.8V/10A
	By Lithium Battery	V Port Battery (sold separately)
Power Consumption	150W	
Color Temperature	5600±200K	
100% Illuminance(lux) (1m, dark room)	Approx.58000	
CRI	Approx. 96	
TLCI	Approx. 97	
Light Brightness Range	0-100%	
Operating Temperature	-10°C~40°C	
Channel	16	
Group	6 (A, B, C, D, E, F)	
Dimension	316.9x217.8x170mm	
Net Weight	Light: 3.09kg Controller: 0.86kg Adapter: 0.72kg	

www.godox.com

[Home](#) | [Site info](#) | [Disclaimer](#) | [Contact](#) | [Download](#)

COPYRIGHT(©) 2009-2026 GODOX PHOTO EQUIPMENT CO.,LTD. ALL RIGHTS RESERVED