

AviMax Forte ProMax Bacto

AviMax Forte ProMax Bacto

AviMax Forte ProMax Bacto

Analytische bestanddelen – Analytische Bestandteile – Analytical constituents:

Ruw eiwit – Rohprotein – Crude protein: 7,5 %, Ruw vet – Rohfett – Crude fat: 0,8 %, Ruwe celstof – Rohfaser – Crude fiber: 0,1 %, Ruwe as – Rohasche – Crude ash: 16,4 %, Calcium – Kalzium: 10,0 %, Fosfor – Phosphore: 5,2 %, Natrium – Sodium: 4,0 mg

Toevoegingsmiddelen – Zusatzstoffe – Additifs /kg: Nutritionele toevoegingsmiddelen - Ernährungsphysiologische Zusatzstoffe - Nutritional additives /kg:

Vitamin(e) A (3a672a) 400.000,0 IU, Vitamin(e) D3 (3a671) 40.000,0 IU, Vitamin(e) E (3a700) 5.000,0 mg, Vitamin(e) K3 (3a711) 100,0 mg, Vitamin(e) B1 (3a820) 60,0 mg, Vitamin(e) B2 (3a825ii) 200,0 mg, Cholin(e)chlorid(e) (3a890) 3.000,0 mg, Calcium-D-pantothenaat/ Calcium-D-Pantothenat/ Calcium D-pantothenate (3a841) 600,0 mg, Vitamin(e) B6 (3a831) 200,0 mg, Foliumzuur/ Folsäure/ Folic acid (3a316) 30,0 mg, Vitamin(e) B12 (cyanocobalamin) 1.000,0 mcg, Vitamin(e) C (3a300) 2.400,0 mg, Biotin(e) (3a880) 10.000,0 mcg, L-Carnitin(e) (3a910) 250,0 mg, L-lysin(e)- monohydrochlorid(e) (3c322): 24.800,0,0 mg, DL-Methionin(e) (3c301): 48.075,0 mg, L-Threonin(e) (3c410): 19.704,0 mg, L-Tryptofaan/ L-Tryptophan (3c440): 5.000,0 mg, 3b103 ijzer(II)sulfaat monohydraat/ Eisen(II)-sulfat- Monohydrat/ Iron(II) sulphate monohydrate: 600,0 mg, 3b201 Kaliumjodid(e)/ Potassium iodide: 14,0 mg, 3b405 Koper(II)sulfaat pentahydraat/ Kupfer(II)sulfat-Pentahydrat/Copper(II) sulphate pentahydrate: 192,0 mg, 3b503 Mangaan(II)sulfaat monohydraat/Mangan(II)-sulfat Monohydrat/Manganous sulphate monohydrate: 2.000,0 mg, 3b605 Zinksulfaat monohydraat/Zinksulfat Monohydrat/Zinc sulphate monohydrate: 1.920,0 mg, 3b801 Selenium, Natriumseleniet/Natriumselenit/Sodium selenite: 4,0 mg

Zootechnische toevoegingsmiddelen - Zootechnische Zusatzstoffe - Zootechnical additifs /kg:

Bifidobacterium animalis ssp. animalis DSM16284, Lactobacillus salivarius ssp. salivarius DSM16351, Enterococcus faecim DSM21913 (4b1890) min. 3.19×10^{-8} cfu

Bevat EG toegestane antioxidanten /Enthält EU zugelassene Antioxidantien/ Contains EC permitted antioxidants

Gebruiksaanwijzing: gelijktijdige toediening met drinkwater waaraan cholinechloride is toegevoegd, moet worden vermeden. Het geniet aanbeveling om voor volledige diervoeders het niveau van 1000 mg aanvullende cholinechlorine /kg niet te overschrijden. Het product bevat 400000 IE vitamine A. Het aanvullende diervoeder mag daarom max. 2,5 % deel uitmaken van het volledige dagrantsoen.

Gebrauchsanweisung: die gleichzeitige Verwendung mit Trinkwasser, dem Cholinchlorid zugesetzt wurde, sollte vermieden werden. Es wird ein Ergänzungsgehalt von höchstens 1000 mg Cholinchlorid /kg Alleinfuttermittel empfohlen. Das Produkt enthält 400000 IE Vitamin A. Das Ergänzungsfuttermittel darf daher maximal 2,5 % der gesamten Tagesration ausmachen.

Instructions of use: simultaneous use with water for drinking in which choline chloride has been added should be avoided. Recommended not to exceed supplemental levels of 1000 mg of choline chloride /kg of complete feed. The product contains 400000 IU of vitamin A. The complementary feed may therefore form a maximum of 2,5 % of the complete daily ration.