

AviMax Forte Protect

AviMax Forte Protect

AviMax Forte Protect

Analytische bestanddelen – Analytische Bestandteile – Analytical constituents:

Ruw eiwit – Rohprotein – Crude protein: 0,3 %, Ruw vet – Rohfett – Crude fat: 0,1 %, Ruw celstof – Rohfaser – Crude fiber: 0,0 %, Ruw as – Rohasche – Crude ash: 11,3 %, Calcium – Kalzium: 3,19 %, Fosfor – Phosphore: 2,05 %, Natrium – Sodium: 250,0 mg

Toevoegingsmiddelen – Zusatzstoffe – Additifs /kg:

Nutritionele toevoegingsmiddelen - Ernährungsphysiologische Zusatzstoffe - Nutritional additives /kg: Vitamin(e) A (3a672a) 22.500,0 IU, Vitamin(e) D3 (3a671) 2.500,0 IU, Vitamin(e) E (3a700) 375,0 mg, Vitamin(e) K3 (3a711) 37,5 mg, Vitamin(e) B1 (3a820) 25,0 mg, Vitamin(e) B2 (3a825ii) 62,5 mg, Cholin(e)chlorid(e) (3a890) 31,25 mg, Calcium-D-pantothenaat/ Calcium-D-Pantothenat/ Calcium D-pantothenate (3a841) 93,75 mg, Vitamin(e) B6 (3a831) 37,5 mg, Foliumzuur/ Folsäure/ Folic acid (3a316) 10,0 mg, Vitamin(e) B12 (cyanocobalamin) 187,5 mcg, Vitamin(e) C (3a300) 250,0 mg, Biotin(e) (3a880) 125,0 mcg, L-Carnitin(e) (3a910) 125,0 mg, L-lysin(e)monohydrochlorid(e) (3c322): 780,0 mg, DL-Methionin(e) (3c301): 420,0 mg, L-Threonin(e) (3c410): 537,5 mg, L-Tryptofaan/L-Tryptophan (3c440): 167,5 mg, 3b103 ijzer(II)sulfaat monohydraat/ Eisen(II)-sulfat-Monohydrat/ Iron(II) sulphate monohydrate: 15,0 mg, 3b201 Kaliumjodid(e)/ Potassium iodide: 0,04 mg, 3b502 Mangaan(II)oxide/ Mangan(II)-oxid/ Manganese(II)oxide: 0,38 mg, 3b605 Zinksulfaat monohydraat/ Zinksulfat Monohydrat/ Zinc sulphate monohydrate: 0,63 mg, 3b603 Zinkoxid(e)/ Zinc oxide 0,44 mg, 3b801 Selenium, Natriumseleniet/ Natriumselenit/ Sodium selenite: 0,01 mg

Bevat EG toegestane antioxidanten /Enthält EU zugelassene Antioxidantien/ Contains EC permitted antioxidants

Gebruiksaanwijzing: gelijktijdige toediening met drinkwater waaraan cholinechloride is toegevoegd, moet worden vermeden. Het geniet aanbeveling om voor volledige diervoeders het niveau van 1000 mg aanvullende cholinechloride /kg niet te overschrijden. Het product bevat 22500 IE vitamine A. Het aanvullende diervoeder mag daarom max. 44,4 % deel uitmaken van het volledige dagrantsoen.

Gebrauchsanweisung: die gleichzeitige Verwendung mit Trinkwasser, dem Cholinchlorid zugesetzt wurde, sollte vermieden werden. Es wird ein Ergänzungsgehalt von höchstens 1000 mg Cholinchlorid /kg Alleinfuttermittel empfohlen. Das Produkt enthält 22500 IE Vitamin A. Das Ergänzungsfuttermittel darf daher maximal 44,4 % der gesamten Tagesration ausmachen.

Instructions of use: simultaneous use with water for drinking in which choline chloride has been added should be avoided. Recommended not to exceed supplemental levels of 1000 mg of choline chloride /kg of complete feed. The product contains 22500 IU of vitamin A. The complementary feed may therefore form a maximum of 44,4% of the complete daily ration.