

Laboratory report

Final Report, page 1 of 6

Sample Material: serum

			Result	Unit	Initial Result	Norm
allergy diagnostics						
AllergoScreen Veggie IgG**						
	Specificity control 1 (IgG)**		<2.5	µg/ml		< 20,0
	Specificity control 2 (IgG)**		<2.5	µg/ml		< 20,0
	Specificity control 3 (IgG)**		<2.5	µg/ml		< 20,0
Cereals:						
	Amaranth IgG**	Class 0	<2.5	µg/ml		< 20,0
	Buckwheat IgG**	Class 0	3,3	µg/ml		< 20,0
	Spelt IgG**	Class 1	14,6	µg/ml		< 20,0
	Einkorn wheat IgG**	Class 1	10,1	µg/ml		< 20,0
	Emmer IgG**	Class 0	3,8	µg/ml		< 20,0
	Barley IgG**	Class 0	<2.5	µg/ml		< 20,0
↑	Gluten IgG**	Class 3	51,6	µg/ml		< 20,0
	Oat IgG**	Class 0	3,3	µg/ml		< 20,0
	Millet IgG**	Class 0	<2.5	µg/ml		< 20,0
	Kamut IgG**	Class 0	6,4	µg/ml		< 20,0
	Lupin IgG**	Class 0	7,1	µg/ml		< 20,0
	Corn IgG**	Class 0	5,6	µg/ml		< 20,0
	Quinoa IgG**	Class 0	<2.5	µg/ml		< 20,0
	Rice IgG**	Class 0	<2.5	µg/ml		< 20,0
	Rye IgG**	Class 1	10,4	µg/ml		< 20,0
	Teff IgG**	Class 0	4,8	µg/ml		< 20,0
	Wheat IgG**	Class 1	16,7	µg/ml		< 20,0
Dairy products:						
↑	Casein IgG**	Class 4	107,1	µg/ml		< 20,0
↑	Cow milk IgG**	Class 3	44,4	µg/ml		< 20,0
↑	Cooked milk IgG**	Class 3	40,0	µg/ml		< 20,0
	(Rennet) cheese IgG**	Class 1	14,8	µg/ml		< 20,0
↑	Whey protein IgG**	Class 2	24,7	µg/ml		< 20,0
↑	Fermented milk products IgG**	Class 3	46,5	µg/ml		< 20,0
↑	Sheep milk/cheese IgG**	Class 3	61,3	µg/ml		< 20,0
↑	Mare milk IgG**	Class 2	22,4	µg/ml		< 20,0

📌 Goat milk/cheese IgG**	Class 3	39,6	µg/ml	< 20,0
Nuts / Seeds:				
Cashew IgG**	Class 0	7,1	µg/ml	< 20,0
Chia seed IgG**	Class 0	<2.5	µg/ml	< 20,0
Chestnut IgG**	Class 0	2,6	µg/ml	< 20,0
Psyllium IgG**	Class 0	<2.5	µg/ml	< 20,0
Hemp seed IgG**	Class 0	<2.5	µg/ml	< 20,0
Hazelnut IgG**	Class 0	3,5	µg/ml	< 20,0
Coconut IgG**	Class 0	<2.5	µg/ml	< 20,0
Pumpkin seed IgG**	Class 0	2,8	µg/ml	< 20,0
Flaxseed IgG**	Class 0	4,4	µg/ml	< 20,0
Macadamia nut IgG**	Class 0	<2.5	µg/ml	< 20,0
Almond IgG**	Class 0	3,6	µg/ml	< 20,0
Poppy seed IgG**	Class 0	<2.5	µg/ml	< 20,0
Brazil nut IgG**	Class 0	<2.5	µg/ml	< 20,0
Pecan IgG**	Class 0	<2.5	µg/ml	< 20,0
Pine nut IgG**	Class 0	<2.5	µg/ml	< 20,0
Pistachio IgG**	Class 0	5,5	µg/ml	< 20,0
Sesame IgG**	Class 0	5,2	µg/ml	< 20,0
Sunflower seed IgG**	Class 0	5,0	µg/ml	< 20,0
Walnut IgG**	Class 0	3,6	µg/ml	< 20,0
Chicken egg:				
Egg yolk IgG**	Class 0	<2.5	µg/ml	< 20,0
Egg white IgG**	Class 0	<2.5	µg/ml	< 20,0
Chicken egg IgG**	Class 0	4,7	µg/ml	< 20,0
quail's egg IgG**	Class 0	<2.5	µg/ml	< 20,0
Vegetables:				
Alfalfa IgG**	Class 0	8,4	µg/ml	< 20,0
Artichoke IgG**	Class 0	<2.5	µg/ml	< 20,0
Aubergine IgG**	Class 0	<2.5	µg/ml	< 20,0
Oyster mushroom IgG**	Class 0	5,1	µg/ml	< 20,0
Bamboo sprouts IgG**	Class 0	<2.5	µg/ml	< 20,0
Cauliflower IgG**	Class 0	<2.5	µg/ml	< 20,0
Broccoli IgG**	Class 1	19,6	µg/ml	< 20,0
Mushroom IgG**	Class 0	5,5	µg/ml	< 20,0
Chinese cabbage IgG**	Class 0	<2.5	µg/ml	< 20,0
Fennel IgG**	Class 0	<2.5	µg/ml	< 20,0
Kale IgG**	Class 0	<2.5	µg/ml	< 20,0
Cucumber IgG**	Class 0	<2.5	µg/ml	< 20,0
Caper IgG**	Class 0	<2.5	µg/ml	< 20,0
Carrot IgG**	Class 0	2,8	µg/ml	< 20,0
Potato IgG**	Class 0	3,4	µg/ml	< 20,0
Kohlrabi IgG**	Class 0	<2.5	µg/ml	< 20,0
Pumpkin IgG**	Class 0	<2.5	µg/ml	< 20,0
Leek IgG**	Class 0	<2.5	µg/ml	< 20,0
Chard IgG**	Class 0	<2.5	µg/ml	< 20,0
Cassava IgG**	Class 0	<2.5	µg/ml	< 20,0
Marone (Pilz) IgG**	Class 0	3,2	µg/ml	< 20,0
Okra (ladies' fingers) IgG**	Class 0	6,8	µg/ml	< 20,0
Olive IgG**	Class 0	<2.5	µg/ml	< 20,0
Bell pepper IgG**	Class 0	<2.5	µg/ml	< 20,0
Parsnip IgG**	Class 0	<2.5	µg/ml	< 20,0
Chanterelle IgG**	Class 0	5,8	µg/ml	< 20,0

Laboratoryreport

Final Report, page 3 of 6

Red radish IgG**	Class 0	<2.5	µg/ml	< 20,0
White radish IgG**	Class 0	<2.5	µg/ml	< 20,0
Rhubarb IgG**	Class 0	<2.5	µg/ml	< 20,0
Brussels sprouts IgG**	Class 0	4,6	µg/ml	< 20,0
Beetroot IgG**	Class 0	<2.5	µg/ml	< 20,0
Red cabbage IgG**	Class 0	<2.5	µg/ml	< 20,0
Black salsify IgG**	Class 0	<2.5	µg/ml	< 20,0
Celery root IgG**	Class 0	3,7	µg/ml	< 20,0
Shiitake IgG**	Class 0	7,3	µg/ml	< 20,0
Asparagus IgG**	Class 1	16,5	µg/ml	< 20,0
Spinach IgG**	Class 0	<2.5	µg/ml	< 20,0
Celery stalks IgG**	Class 0	<2.5	µg/ml	< 20,0
Turnip IgG**	Class 0	<2.5	µg/ml	< 20,0
Yellow boletus IgG**	Class 0	5,3	µg/ml	< 20,0
Sweet potato IgG**	Class 0	<2.5	µg/ml	< 20,0
Tomato IgG**	Class 0	2,9	µg/ml	< 20,0
Topinambur IgG**	Class 0	<2.5	µg/ml	< 20,0
Grape leaves IgG**	Class 0	<2.5	µg/ml	< 20,0
White cabbage IgG**	Class 0	<2.5	µg/ml	< 20,0
Savoy cabbage IgG**	Class 0	<2.5	µg/ml	< 20,0
Courgette IgG**	Class 0	<2.5	µg/ml	< 20,0
Onion IgG**	Class 0	4,6	µg/ml	< 20,0
Pulse:				
Green bean IgG**	Class 0	<2.5	µg/ml	< 20,0
Pea IgG**	Class 0	3,5	µg/ml	< 20,0
Peanut IgG**	Class 0	3,6	µg/ml	< 20,0
Chick pea IgG**	Class 0	5,3	µg/ml	< 20,0
Lentil IgG**	Class 0	<2.5	µg/ml	< 20,0
Mung bean IgG**	Class 0	3,8	µg/ml	< 20,0
Soy bean IgG**	Class 0	<2.5	µg/ml	< 20,0
Salad:				
Chicory IgG**	Class 0	<2.5	µg/ml	< 20,0
Iceberg lettuce IgG**	Class 0	<2.5	µg/ml	< 20,0
Endive IgG**	Class 0	<2.5	µg/ml	< 20,0
Field salad IgG**	Class 0	<2.5	µg/ml	< 20,0
Lettuce IgG**	Class 0	<2.5	µg/ml	< 20,0
Radicchio IgG**	Class 0	<2.5	µg/ml	< 20,0
Romaine lettuce IgG**	Class 0	<2.5	µg/ml	< 20,0
Rocket salad IgG**	Class 0	<2.5	µg/ml	< 20,0
Fruit:				
↑ Pineapple IgG**	Class 3	37,2	µg/ml	< 20,0
Apple IgG**	Class 0	<2.5	µg/ml	< 20,0
Apricot IgG**	Class 0	<2.5	µg/ml	< 20,0

Avocado IgG**	Class 0	<2.5	µg/ml	< 20,0
🔥 Banana IgG**	Class 2	30,4	µg/ml	< 20,0
Pear IgG **	Class 0	<2.5	µg/ml	< 20,0
Blueberry IgG**	Class 0	<2.5	µg/ml	< 20,0
Blackberry IgG**	Class 0	<2.5	µg/ml	< 20,0
Cranberry IgG**	Class 0	<2.5	µg/ml	< 20,0
Date IgG**	Class 0	4,3	µg/ml	< 20,0
Strawberry IgG**	Class 0	<2.5	µg/ml	< 20,0
Fig IgG**	Class 0	2,9	µg/ml	< 20,0
Goji berry IgG**	Class 0	2,8	µg/ml	< 20,0
Pomegranat IgG**	Class 0	3,2	µg/ml	< 20,0
Grapefruit IgG**	Class 0	<2.5	µg/ml	< 20,0
Guav IgG**	Class 0	<2.5	µg/ml	< 20,0
Dogrose IgG**	Class 0	<2.5	µg/ml	< 20,0
Raspberry IgG**	Class 0	5,4	µg/ml	< 20,0
Elder berry IgG**	Class 0	<2.5	µg/ml	< 20,0
Honeydew melon IgG**	Class 0	<2.5	µg/ml	< 20,0
Currant berry IgG**	Class 0	<2.5	µg/ml	< 20,0
Kaki IgG**	Class 0	<2.5	µg/ml	< 20,0
Indian fig IgG**	Class 0	<2.5	µg/ml	< 20,0
Cherry IgG**	Class 0	3,5	µg/ml	< 20,0
Kiwi fruit IgG**	Class 0	2,9	µg/ml	< 20,0
Lime IgG**	Class 0	<2.5	µg/ml	< 20,0
Lychee IgG**	Class 0	<2.5	µg/ml	< 20,0
Tangerine IgG**	Class 0	6,4	µg/ml	< 20,0
Mango IgG**	Class 0	<2.5	µg/ml	< 20,0
Passion fruit IgG**	Class 0	<2.5	µg/ml	< 20,0
Yellow plum IgG**	Class 0	<2.5	µg/ml	< 20,0
Nectarine IgG**	Class 0	<2.5	µg/ml	< 20,0
Orange IgG**	Class 0	4,3	µg/ml	< 20,0
Papaya IgG**	Class 0	<2.5	µg/ml	< 20,0
Peach IgG**	Class 0	<2.5	µg/ml	< 20,0
Plum IgG**	Class 0	<2.5	µg/ml	< 20,0
Physalis IgG**	Class 0	<2.5	µg/ml	< 20,0
Lingonberry IgG**	Class 0	<2.5	µg/ml	< 20,0
Quince IgG**	Class 0	<2.5	µg/ml	< 20,0
Sea buckthorn IgG**	Class 0	<2.5	µg/ml	< 20,0
Gooseberry IgG**	Class 0	<2.5	µg/ml	< 20,0
Grape IgG**	Class 0	<2.5	µg/ml	< 20,0
Watermelon IgG**	Class 0	<2.5	µg/ml	< 20,0
Lemon IgG**	Class 0	<2.5	µg/ml	< 20,0
Herbs / spices:				
Anise IgG**	Class 0	3,6	µg/ml	< 20,0
Bear's garlic IgG**	Class 0	<2.5	µg/ml	< 20,0
Basil IgG**	Class 0	<2.5	µg/ml	< 20,0
Savory IgG**	Class 0	5,7	µg/ml	< 20,0
Nettle IgG**	Class 0	5,4	µg/ml	< 20,0
Cayenne pepper IgG**	Class 0	<2.5	µg/ml	< 20,0
Chili powder IgG**	Class 0	<2.5	µg/ml	< 20,0
Dill IgG**	Class 0	<2.5	µg/ml	< 20,0
Tarragon IgG**	Class 0	<2.5	µg/ml	< 20,0
Garden cress IgG**	Class 0	9,2	µg/ml	< 20,0
Ginger IgG**	Class 1	12,8	µg/ml	< 20,0
Cardamom IgG**	Class 0	6,6	µg/ml	< 20,0

Laboratory report

Final Report, page 5 of 6

Chervil IgG**	Class 0	<2.5	µg/ml	< 20,0
Garlic IgG**	Class 0	2,6	µg/ml	< 20,0
Coriander IgG**	Class 0	<2.5	µg/ml	< 20,0
Cumin IgG**	Class 0	<2.5	µg/ml	< 20,0
Caraway IgG**	Class 0	<2.5	µg/ml	< 20,0
Curcuma IgG**	Class 0	<2.5	µg/ml	< 20,0
Lavender IgG**	Class 0	<2.5	µg/ml	< 20,0
Lovage IgG**	Class 0	<2.5	µg/ml	< 20,0
Bay laurel IgG**	Class 0	8,7	µg/ml	< 20,0
Marjoram IgG**	Class 0	4,2	µg/ml	< 20,0
Horseradish IgG**	Class 0	<2.5	µg/ml	< 20,0
Nutmeg IgG**	Class 0	2,7	µg/ml	< 20,0
Dried cloves IgG**	Class 0	<2.5	µg/ml	< 20,0
Oregano IgG**	Class 0	<2.5	µg/ml	< 20,0
Paprika IgG**	Class 0	3,8	µg/ml	< 20,0
Parsley IgG**	Class 0	4,2	µg/ml	< 20,0
Black pepper IgG**	Class 0	7,1	µg/ml	< 20,0
Pimento IgG**	Class 0	3,8	µg/ml	< 20,0
Rosemary IgG**	Class 0	<2.5	µg/ml	< 20,0
Saffron IgG**	Class 0	<2.5	µg/ml	< 20,0
Sage IgG**	Class 0	5,0	µg/ml	< 20,0
Chives IgG**	Class 0	3,1	µg/ml	< 20,0
Mustard seed IgG**	Class 0	<2.5	µg/ml	< 20,0
Thyme IgG**	Class 0	<2.5	µg/ml	< 20,0
↑ Vanilla IgG**	Class 4	94,0	µg/ml	< 20,0
Juniper IgG**	Class 0	4,2	µg/ml	< 20,0
Cinnamon IgG**	Class 0	2,5	µg/ml	< 20,0
Lemon balm IgG**	Class 0	<2.5	µg/ml	< 20,0
Drinks / beverage ingredients:				
Green tea IgG**	Class 0	<2.5	µg/ml	< 20,0
Hop IgG**	Class 0	<2.5	µg/ml	< 20,0
Coffee IgG**	Class 0	<2.5	µg/ml	< 20,0
Cacao IgG**	Class 0	4,3	µg/ml	< 20,0
Camomile tea IgG**	Class 0	2,9	µg/ml	< 20,0
Malt IgG**	Class 0	9,3	µg/ml	< 20,0
Mate tea IgG**	Class 0	9,3	µg/ml	< 20,0
Peppermint tea IgG**	Class 0	<2.5	µg/ml	< 20,0
Rooibos IgG**	Class 0	4,5	µg/ml	< 20,0
Black tea IgG**	Class 0	<2.5	µg/ml	< 20,0
Tannin IgG**	Class 0	4,5	µg/ml	< 20,0
Sweetener:				
↑ Agave syrup IgG**	Class 3	64,2	µg/ml	< 20,0
Maple syrup IgG**	Class 0	6,0	µg/ml	< 20,0

Honey IgG**	Class 0	3,0	µg/ml	< 20,0
Binding agents:				
Agar-agar IgG**	Class 0	3,1	µg/ml	< 20,0
Carrageen IgG**	Class 0	<2.5	µg/ml	< 20,0
Guar gum IgG**	Class 0	7,5	µg/ml	< 20,0
Locust bean gum IgG**	Class 0	<2.5	µg/ml	< 20,0
Pectin IgG**	Class 0	<2.5	µg/ml	< 20,0
Traganth IgG**	Class 0	<2.5	µg/ml	< 20,0
Xanthan gum IgG**	Class 0	<2.5	µg/ml	< 20,0
Miscellaneous:				
Aloe Vera IgG**	Class 0	<2.5	µg/ml	< 20,0
Ginkgo IgG**	Class 0	<2.5	µg/ml	< 20,0
Yeast (baking/brewing) IgG**	Class 0	4,5	µg/ml	< 20,0
Nori (red algae) IgG**	Class 0	<2.5	µg/ml	< 20,0
Sorbic acid IgG**	Class 0	<2.5	µg/ml	< 20,0
Spirulina IgG**	Class 0	5,3	µg/ml	< 20,0

All parameters marked with an * are tested at our laboratory partners.

** study not accredited