

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name
- CAS-No.

AUGEO CLEAN MULTI 100-79-8

1.2 Relevant identified uses of the substance or mixture and uses advised against Uses

of the Substance/Mixture

- Cleaning agent
- Waxes
- Stain removers and waxes removers
- Glass cleaner
- diluent and vehicle for fragrances

1.3 Details of the supplier of the safety data sheet

Company	De Kaarswinkel	
	Pinkewad 9, 1132 NC Volendam	
	The Netherlands	
	Tel.+31(0)6-22 03 03 91	
	Email:info@kaarswinkel.nl	

- CONTACT on site manager
- EMERGENCY Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen. Tel +31 (0) 30 -2748888 (Nationaal Vergiftigingen Informatie Centrum (NVIC))

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (Regulation (EC) No 1272/2008)

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Regulation (EC) No 1272/2008

Hazardous products which must be listed on the label

CAS-No. 100-79-8

2,2-dimethyl-1,3-dioxolan-4-ylmethanol

Pictogram





Signal word

- Warning

Hazard statements

- H319 Causes serious eye irritation.

Precautionary statements

Pre	evention	
	P264	Wash skin thoroughly after handling.
	P280 <u>Response</u>	Wear protective gloves/ eye protection/ face protection.
-	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
-	P337 + P313	If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards which do not result in classification None

known.

SECTION 3: Composition/information on ingredients

3.1 Substance

Information on Components and Impurities

	· · ·		aa	
Chemical Name		Identification	Classification	Concentration [%]
		number	Regulation (EC) No 1272/2008	Concentration [70]
2,	2-dimethyl-1,3-dioxolan-4-ylmethanol	CAS-No.: 100-79- 8	Eye irritation, Category 2 ; H319	>= 99 - <= 100
		EINECS-No. : 202-888-7		
		Registration number	r: 01-2120066005-66-0000	
		self classification		

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

- Not applicable, this product is a substance.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

- Show this safety data sheet to the doctor in attendance.
- First aider needs to protect himself.
- Place affected clothing in a sealed bag for subsequent decontamination.

In case of inhalation

- Move to fresh air.
- Keep at rest.
- Consult a physician if necessary.



In case of skin contact

- Take off contaminated clothing and shoes immediately.
- Wash off with soap and plenty of water.
- If skin irritation occurs, seek medical advice/attention.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. - If eye irritation persists, consult a physician

In case of ingestion

- Do NOT induce vomiting.
 - Rinse mouth with water.
- Do not give anything to drink.
- Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

Effects

- Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

- Treat symptomatically.


SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media







- Keep away from flames and sparks.
- Store away from heat.
- Evacuate personnel to safe areas.
- Avoid contact with the skin and the eyes.
- Use personal protective equipment.
- For personal protection see section 8.
- Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid.
- Remove all incompatible materials as quickly as possible
- Mark the contaminated area with signs and prevent access to unauthorized personnel.



6.2 Environmental precautions

- Dam up.
 - Prevent product from entering sewage system.
 - Try to prevent the material from entering drains or water courses.
- Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Recovery

- Collect spillage.
- Pick up and transfer to properly labelled containers. Keep in suitable, closed containers for disposal.

Neutralization

- Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Decontamination/cleaning

- Pick up contaminated soil.
- Clean contaminated floors and objects thoroughly while observing environmental regulations. Pick up and transfer to properly labelled containers. Keep in suitable, closed containers for disposal.
- Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Disposal

- Dispose of contents/ container to an approved waste disposal plant.
- The product should not be allowed to enter drains, water courses or the soil. Dispose of in accordance with local regulations.

Additional advice

- Remove all incompatible materials as quickly as possible

6.4 Reference to other sections

- no data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Provide adequate ventilation.
- Handle in accordance with good industrial hygiene and safety practice.
- Wear personal protective equipment.
- Avoid inhalation, ingestion and contact with skin and eyes.

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Use clean, well-maintained personal protection equipment.
- Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

- The floor of the depot should be impermeable and designed to form a water-tight basin.



- Keep only in the original container.
 Keep away from heat and sources of ignition. Keep in a dry, cool and well-ventilated place.

Packaging material

Suitable material

- Unlined steel



Plastic container of HDPE

Requirements for storage rooms and vessels

- Protect from frost, heat and sunlight.

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- Contains no substances with occupational exposure limit values.

8.2 Exposure controls

- Use a respirator with an approved filter if a risk assessment indicates this is necessary. <u>Individual protection</u> <u>measures</u> Respiratory protection

Hand protection

- Where there is a risk of contact with hands, use appropriate gloves Gloves must be inspected prior to use.
- Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection

- Tightly fitting safety goggles

Skin and body protection

- Choose body protection according to the amount and concentration of the dangerous substance at the work place. - Remove and wash contaminated clothing.

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Use clean, well-maintained personal protection equipment.
- Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke.

Protective measures

- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards and/or risks that may occur during use.
- -
- The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.

Environmental exposure controls -

- Dam up.
- Prevent product from entering sewage system.
- Try to prevent the material from entering drains or water courses.
- Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	<u>Form</u> :	liquid
	Physical state:	liquid



Colour:

colourless

<u>Odour</u>	slight
Odour Threshold	no data available
рН	Not applicable
Freezing point	-70 °C
Boiling point/boiling range Flash point	191 °C (1,013.25 hPa) 91 °C closed cup
	100 °C open cup
Evaporation rate (Butylacetate = 1)	0.03
<u>Flammability (solid, gas)</u>	no data available
<u>Flammability (liquids)</u>	no data available
Flammability/Explosive limit	no data available
Auto-ignition temperature	no data available

SAFETY DATA SHEET



AUGEO CLEAN MULTI

Revision Date 15.09.2015

II	Vapour pressure	0.05 hPa (20 °C)
11	Vapour density	2.6
I	Density	Relative density: 1.069 (20 °C)
	<u>Solubility</u> (20 °C) completely soluble	Water solubility :
	Solubility in other solvents: Alcohol : miscible	
		Esters : miscible
		Ether : miscible
	Aromatic hydrocarbons : miscible	
	petroleum ether. : miscible	
I		petrol : miscible
	Partition coefficient: n-octanol/water	no data available
	Thermal decomposition	no data available

	<u>Viscosity</u>	<u>Viscosity, dynamic</u> : 11 mPa.s(20 °C)
	Explosive properties	no data available
	Oxidizing properties	no data available
9.2	Other information Surface tension	33.5 mN/m (20 °C)
	Molecular weight	132.16 g/mol



Revision Date 15.09.2015

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability - Not classified

- as a reactivity hazard.

 - Stable at room temperature.Stable under normal conditions.

10.3 Possibility of hazardous reactions

- Vapours may form explosive mixture with air.

10.4 Conditions to avoid

- Heat, flames and sparks.

10.5 Incompatible materials

- Strong oxidizing agents
- Strong acids

10.6 Hazardous decomposition products

- On combustion or on thermal decomposition (pyrolysis) releases:
- (Carbon oxides (CO + CO2)).
- Acetic acid
- Ethanol

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity	LD50: 7,000 mg/kg -Rat
 Acute inhalation toxicity	no data available
Acute dermal toxicity	
2,2-dimethyl-1,3-dioxolan-4-ylmethano	 LD50: 2,000 mg/kg - Rat , male and female Method: OECD Test Guideline 402 Not classified as hazardous for acute dermal toxicity according to GHS. Unpublished internal reports
	LD50:3,000 mg/kg -Rat Intraperitoneal route
Skin corrosion/irritation	Respiratory or skin sensitisation
Serious eye damage/eye irritation	<u>Mutagenicity</u> Genotoxicity in vitro



Revision Date 15.09.2015

Genotoxicity in vivo	Unpublished internal reports
	Did not cause sensitization on laboratory animals.
	Method: OECD Test Guideline 406
	Unpublished internal reports
Unp	
ublis	
hed	
	Mutagenicity (Salmonella typhimurium - reverse mutation assay)
nal	negative
repo rts	Unpublished internal reports
	Mutagenicity (micronucleus test)negative
Irritating to eyes.	Unpublished internal reports
Method: OECD Test Guideline 405	
Carcinogenicity	no data available
Toxicity for reproduction and developm	ent
Toxicity to reproduction/Fertility	
2,2-dimethyl-1,3-dioxolan-4-ylmethanol	
	NOAEL parent: 1,000 mg/kg
	Method: OECD Test Guideline 422
	The product is not considered to affect fertility.
	Unpublished internal reports
Developmental Toxicity/Teratogenicity	no data available
<u>STOT</u>	
STOT - single exposure	
2,2-dimethyl-1,3-dioxolan-4-ylmethanol	Exposure routes: Ingestion, Skin contact
	The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria. internal evaluation

STOT - repeated exposure

2,2-dimethyl-1,3-dioxolan-4-ylmethanol	Exposure routes: Ingestion The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria. internal evaluation
2,2-dimethyl-1,3-dioxolan-4-ylmethanol	Oral - Rat , male and female NOAEL: 1000 mg/kg Method: OECD Test Guideline 422 Not considered to cause serious damage to health on repeated exposure Gavage Unpublished internal reports

Aspiration toxicity

ı.

no data available



Revision Date 15.09.2015

Toxicity	
Aquatic Compartment Acute toxicity to fish	LC50 - 96 h : 16,700 mg/l - Pimephales promelas (fathead minnow)
	er LC50 - 24 h: > 1,000 mg/l -Daphnia similis (water flea)
aquatic invertebrates.	LC50 - 48 h: > 1,000 mg/l - Daphnia similis (water flea)
Toxicity to aquatic plants 2,2-dimethyl-1,3-dioxolan-4-ylmethanol tic test alytical monitoring: yes	ErC50 - 72 h: > 92 mg/l -Pseudokirchneriella subcapitata (green algae)
Method: OECD Test Guideline 20 ⁷ Not harmful to algae (EC50 > 100 mg	
Pseudokirchneriella subcapitata (gree static test	NOEC - 72 h:92 mg/l - en algae)
No adverse chronic effect observed	Analytical monitoring: yes Method: OECD Test Guideline 201 I up to and including the threshold of 1 mg/L. Unpublished internal reports
Toxicity to microorganisms 2,2-dimethyl-1,3-dioxolan-4-ylmethanol static test	EC50 - 3 h : > 1,000 mg/l - activated sludge Analytical monitoring: no Method: OECD Test Guideline 209 Unpublished internal reports

Abiotic degradation



Revision Date 15.09.2015

Stability in water

2,2-dimethyl-1,3-dioxolan-4-ylmethanol pH: 4.0

Temperature of hydrolysis: 25 °C Degree of hydrolysis: 50 % Hydrolysis time: 0.959 Days Method: OECD Test Guideline 111

Unpublished internal reports, 2,2-dimethyl-1,3-dioxolan-4-ylmethanol The product is not considered to be rapidly degradable in

Biodegradation Biodegradability

the environment Zahn-Wellens Test Inherently biodegradable.

Degradability assessment



Revision Date 15.09.2015

12.3 Bioaccumulative potential Partition coefficient: n-octanol/water	Not potentially bioaccumulable
Bioconcentration factor (BCF)	Bioconcentration factor (BCF): 1.3
12.4 Mobility in soil	

Adsorption potential (Koc)

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Adsorption/Soil Log Koc: < 1.25 Method: OECD Test Guideline 121 Unpublished internal reports

12.5 Results of PBT and vPvB assessment

2,2-dimethyl-1,3-dioxolan-4-ylmethanol This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

no data available

Ecotoxicity assessment

Acute aquatic toxicity

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Not harmful to aquatic life (LC/EC50 > 100 mg/L)

Chronic aquatic toxicity

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Does not have any known long-term adverse effects on the aquatic organisms tested

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

- Do not dispose of with domestic refuse.
- Dispose of in accordance with local regulations.
- The product should not be allowed to enter drains, water courses or the soil.
- Dispose of contents/ container to an approved waste disposal plant. Send to a licensed waste management company.



Advice on cleaning and disposal of packaging

- Do not re-use empty containers.
- Clean container with water.
- Dispose of contents/ container to an approved incineration plant.
- Dispose of in accordance with local regulations.

SECTION 14: Transport information

<u>ADR</u>	not regulated
<u>RID</u>	no data available
<u>IMDG</u>	not regulated
<u>IATA</u>	not regulated

ADN/NADNR no data available

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>Notification</u> <u>status</u>

Inventory Information	Status
United States TSCA Inventory	- On TSCA Inventory
Canadian Domestic Substances List (DSL)	- All components of this product are on the Canadian DSL
Australia Inventory of Chemical Substances (AICS)	- On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- On the inventory, or in compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- On the inventory, or in compliance with the inventory



15.2 Chemical Safety Assessment

no data available

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

- H319 Causes serious eye irritation.

Further information

- This sheet was updated (refer to the date at the top of this page). Subheadings and text which have been modified since the previous version are indicated with two vertical bars.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.