



DESIGNER

“Design is good if it brings something new and timeless to the world.”

BERND STEINHUBER




And with WIRO, Bernd Steinhuber has accomplished exactly that. What inspires the Austrian designer the most? Plainly said: Everything. Therefore, his little sketchbook is his constant companion. “Ideas are fleeting,” he says, “and they don’t stick to office hours.” That’s an attitude we truly admire. After all, the most beautiful things are often found when you are not looking for them. So keep your eyes open ...

Und das ist Bernd Steinhuber mit der WIRO auf jeden Fall gelungen. Wovon sich der 1972 geborene Designer am liebsten inspirieren lässt? Von allem, was ihm begegnet. Darum ist sein kleines Skizzenbuch auch sein steter Begleiter. „Ideen sind flüchtig und halten sich nicht an Bürozeiten.“ Eine Einstellung, die uns gut gefällt. Denn die schönsten Dinge findet man bekanntlich meist dann, wenn man nicht nach ihnen sucht. Also: Keep your eyes open!





RESTAURANT DE DRIE FONTEINEN | TAILORMATE IN COOPERATION WITH ALKEN MAES VIA CONCEPT DUCRÉ



## WIRO

CEILING SUSPENDED



### 2.0

QA60 max.60W | E27  
220-240VAC | 50-60Hz  
varnished steel | lacquered  
6m cable available on request

0.53kg IP20 8-0.9

|  | EUR    | CODE     |
|--|--------|----------|
|  | 218,79 | 2096F0V0 |
|  | 218,79 | 2096E0B0 |

### OPTIONAL

| QA60 LED E27 6W dim |       | EUR      | CODE |
|---------------------|-------|----------|------|
| 2200K   400lm       | 26,50 | 9003E109 |      |
| 2700K   600lm       | 25,50 | 9003E138 |      |

QA60 carbon filament E27 15W  
2200K | 50lm 15,40 9003E124  
more lamps and specs on page 578

DESIGNED BY DEMUND & STEINHUBER



back

WEVER & DUCRÉ 106 — 107



HAIRDRESSER ZEITGEIST | INNOCAD ARCHITEKTUR ZT GMBH GRAZ | AUSTRIA

WIRO

CEILING SUSPENDED

45

ø84

max. 2500

193

ø183

1.8

QA60 max.60W | E27

220-240VAC | 50-60Hz

varnished steel | lacquered

6m cable available on request

1.24kg

P20

0-9

|  | EUR    | CODE     |
|--|--------|----------|
|  | 262,55 | 2092E0V0 |
|  | 262,55 | 2092E0B0 |

OPTIONAL

QA60 LED E27 6W dim

|               | EUR   | CODE     |
|---------------|-------|----------|
| 2200K   400lm | 26,50 | 9003E109 |
| 2700K   600lm | 25,50 | 9003E138 |

T32-180 carbon filament E27 15W

|              |       |          |
|--------------|-------|----------|
| 2200K   50lm | 23,10 | 9003E106 |
|--------------|-------|----------|

QA60 carbon filament E27 15W

|              |       |          |
|--------------|-------|----------|
| 2200K   50lm | 15,40 | 9003E124 |
|--------------|-------|----------|

more lamps and specs on page 578

45

ø84

max. 2500

382

ø383

3.8

QA60 max.60W | E27

220-240VAC | 50-60Hz

varnished steel | lacquered

6m cable available on request

2.40kg

P20

0-9

|  | EUR    | CODE     |
|--|--------|----------|
|  | 320,89 | 2093E0V0 |
|  | 320,89 | 2093E0B0 |

OPTIONAL

QA60 LED E27 6W dim

|               | EUR   | CODE     |
|---------------|-------|----------|
| 2200K   400lm | 26,50 | 9003E109 |
| 2700K   600lm | 25,50 | 9003E138 |

T30-225 LED E27 6W dim

|               |       |          |
|---------------|-------|----------|
| 2200K   450lm | 33,50 | 9003E129 |
|---------------|-------|----------|

QA60 carbon filament E27 15W

|              |       |          |
|--------------|-------|----------|
| 2200K   50lm | 15,40 | 9003E124 |
|--------------|-------|----------|

more lamps and specs on page 578

DESIGNED BY DEMUND & STEINHUBER

back

WEVER & DUCRÉ 108 — 109





ZOO RESTAURANT RAUM FORM LICHT FARBE KARIN GÖTZ INNENARCHITEKTUR BERLIN | GERMANY

WIRO

CEILING SUSPENDED

6.1

QA60 max.60W | E27  
220-240VAC | 50-60Hz  
varnished steel | lacquered  
6m cable available on request

2,72kg
 IP20
 0-10V

|  | EUR    | CODE     |
|--|--------|----------|
|  | 378,11 | 2094E0V0 |
|  | 378,11 | 2094E0B0 |

OPTIONAL

QA60 LED E27 6W dim

|               | EUR   | CODE     |
|---------------|-------|----------|
| 2200K   400lm | 26,50 | 9003E109 |
| 2700K   600lm | 25,50 | 9003E138 |

T30-300 LED E27 6W

|               |       |          |
|---------------|-------|----------|
| 2700K   500lm | 36,50 | 9003E135 |
|---------------|-------|----------|

T32-300 carbon filament E27 15W

|              |       |          |
|--------------|-------|----------|
| 2200K   50lm | 25,30 | 9003E107 |
|--------------|-------|----------|

ST64 carbon filament E27 15W

|              |       |          |
|--------------|-------|----------|
| 2200K   50lm | 19,80 | 9003E105 |
|--------------|-------|----------|

more lamps and specs on page 578

DESIGNED BY DEMUND & STEINHUBER

back

WEVER & DUCRÉ 110 — 111



RESTAURANT DE KOOLPUTTEN | GMF ARCHITECTEN | WAASMUNSTER | BELGIUM








RESTAURANT BABART H & B ARCHITECTS MOESKROEN | BELGIUM



## WIRO

### CEILING SUSPENDED



#### 6.5

QA60 max. 60W | E27  
220-240VAC | 50-60Hz  
varnished steel | lacquered  
6m cable available on request

3.97kg E20 8-03

|  | EUR    | CODE     |
|--|--------|----------|
|  | 500,41 | 2095E0V0 |
|  | 500,41 | 2095E0B0 |

#### OPTIONAL

| QA60 LED E27 6W dim | EUR   | CODE     |
|---------------------|-------|----------|
| 2200K   400lm       | 26,50 | 9003E109 |
| 2700K   600lm       | 25,50 | 9003E138 |

| T32-300 carbon filament E27 15W | EUR   | CODE     |
|---------------------------------|-------|----------|
| 2200K   50lm                    | 25,30 | 9003E107 |

| T30-300 LED E27 6W dim | EUR   | CODE     |
|------------------------|-------|----------|
| 2200K   450lm          | 36,50 | 9003E130 |
| 2700K   500lm          | 36,50 | 9003E135 |

G95 carbon filament E27 15W  
2200K | 50lm 20,90 9003E102  
more lamps and specs on page 578

DESIGNED BY DEMUND & STEINHUBER



WEVER & DUCRÉ 114 — 115




PRIVATE RESIDENCE ANZEGEM | BELGIUM



DESIGNED BY BERND STEINHUBER

## WIRO GLOBE

CEILING SUSPENDED



### 1.0

E27 max. 60W  
220-240VAC | 50-60Hz  
lacquered steel  
6m cable available on request

6 kg P20 3+0.9


|  | EUR    | CODE     |
|--|--------|----------|
|  | 423,30 | 2281E0W0 |
|  | 423,30 | 2281E0R0 |
|  | 423,30 | 2281E0B0 |

### OPTIONAL

| QA60 LED E27 6W dim | EUR   | CODE     |
|---------------------|-------|----------|
| 2200K   400lm       | 26,50 | 9003E109 |
| 2700K   600lm       | 25,50 | 9003E138 |

|                                 |       |          |
|---------------------------------|-------|----------|
| T32-300 carbon filament E27 15W |       |          |
| 2200K   50lm                    | 25,30 | 9003E107 |

|                        |       |          |
|------------------------|-------|----------|
| T30-300 LED E27 6W dim |       |          |
| 2200K   450lm          | 36,50 | 9003E130 |
| 2700K   500lm          | 36,50 | 9003E135 |



### 2.0

E27 max. 60W  
220-240VAC | 50-60Hz  
lacquered steel  
6m cable available on request

5 kg P20 3+0.9


|  | EUR    | CODE     |
|--|--------|----------|
|  | 382,50 | 2282E0R0 |

### OPTIONAL

| QA60 LED E27 6W dim | EUR   | CODE     |
|---------------------|-------|----------|
| 2200K   400lm       | 26,50 | 9003E109 |
| 2700K   600lm       | 25,50 | 9003E138 |

|                                 |       |          |
|---------------------------------|-------|----------|
| T32-300 carbon filament E27 15W |       |          |
| 2200K   50lm                    | 25,30 | 9003E107 |

|                        |       |          |
|------------------------|-------|----------|
| T30-300 LED E27 6W dim |       |          |
| 2200K   450lm          | 36,50 | 9003E130 |
| 2700K   500lm          | 36,50 | 9003E135 |



### 3.0

E27 max. 60W  
220-240VAC | 50-60Hz  
lacquered steel  
6m cable available on request

3 kg P20 3+0.9

|  | EUR    | CODE     |
|--|--------|----------|
|  | 301,92 | 2283E0W0 |
|  | 301,92 | 2283E0B0 |

### OPTIONAL

| QA60 LED E27 6W dim | EUR   | CODE     |
|---------------------|-------|----------|
| 2200K   400lm       | 26,50 | 9003E109 |
| 2700K   600lm       | 25,50 | 9003E138 |

|                              |       |          |
|------------------------------|-------|----------|
| ST64 carbon filament E27 15W |       |          |
| 2200K   50lm                 | 19,80 | 9003E105 |

|                 |       |          |
|-----------------|-------|----------|
| ST64 LED E27 6W |       |          |
| 2200K   400lm   | 29,50 | 9003E110 |





OPTOMETRIST OPTIEK EVELINE | ATELIER EMTEE SCHELDEWYNDEKE | BELGIUM



WIRO INDUSTRY  
CEILING SUSPENDED




1.0

E27 max. 60W  
220-240VAC | 50-60Hz  
lacquered steel  
6m cable available on request

6 kg 20 0.9

|  | EUR    | CODE     |
|--|--------|----------|
|  | 321,30 | 2301E0T0 |
|  | 321,30 | 2301E0B0 |



2.0

E27 max. 60W  
220-240VAC | 50-60Hz  
lacquered steel  
6m cable available on request

9 kg 20 0.9

|  | EUR    | CODE     |
|--|--------|----------|
|  | 392,70 | 2302E000 |
|  | 392,70 | 2302E0B0 |

OPTIONAL

|                                 |       |          |
|---------------------------------|-------|----------|
| T32-300 carbon filament E27 15W | EUR   | CODE     |
| 2200K   50lm                    | 25,30 | 9003E107 |
| T32-180 carbon filament E27 15W | EUR   | CODE     |
| 2200K   50lm                    | 23,10 | 9003E106 |
| T30-300 LED E27 6W dim          | EUR   | CODE     |
| 2200K   450lm                   | 36,50 | 9003E130 |
| 2700K   500lm                   | 36,50 | 9003E135 |
| T30-225 LED E27 6W dim          | EUR   | CODE     |
| 2200K   450lm                   | 33,50 | 9003E129 |

OPTIONAL

|                                 |       |          |
|---------------------------------|-------|----------|
| T32-300 carbon filament E27 15W | EUR   | CODE     |
| 2200K   50lm                    | 25,30 | 9003E107 |
| T30-300 LED E27 6W dim          | EUR   | CODE     |
| 2200K   450lm                   | 36,50 | 9003E130 |
| 2700K   500lm                   | 36,50 | 9003E135 |

DESIGNED BY BERND STEINHUBER



back





HOTEL STAFELI RELAIS DU SILENCE | AIGNER+PARTNER-ZT-GMBH | ELEKTRO MÜLLER LANDECK AUSTRIA




As awarded by The Chicago Athenaeum  
Museum of Architecture and Design

DESIGNED BY BERND STEINHUBER



# WIRO DIAMOND

CEILING SUSPENDED



## 1.0

E27 max. 60W  
220-240VAC | 50-60Hz  
lacquered steel  
6m cable available on request

6 kg IP20 3-09-1

|  | EUR    | CODE     |
|--|--------|----------|
|  | 336,60 | 2291E0P0 |
|  | 336,60 | 2291E0B0 |

## OPTIONAL

| T32-300 carbon filament E27 15W |       |          |
|---------------------------------|-------|----------|
|                                 | EUR   | CODE     |
| 2200K   50lm                    | 25,30 | 9003E107 |

| T30-300 LED E27 6W dim |       |          |
|------------------------|-------|----------|
|                        | EUR   | CODE     |
| 2200K   450lm          | 36,50 | 9003E130 |
| 2700K   500lm          | 36,50 | 9003E135 |



back

WEVER & DUCRÉ 120 — 121




PRIVATE RESIDENCE STOCKHOLM | SWEDEN



# WIRO DIAMOND

CEILING SUSPENDED



## 2.0

E27 max. 60W  
220-240VAC | 50-60Hz  
lacquered steel  
6m cable available on request


17 kg P20 0.9

|  | EUR    | CODE     |
|--|--------|----------|
|  | 484,50 | 2292E0P0 |
|  | 484,50 | 2292E0B0 |

## OPTIONAL

| T32-300 carbon filament E27 15W |       |          |
|---------------------------------|-------|----------|
|                                 | EUR   | CODE     |
| 2200K   50lm                    | 25,30 | 9003E107 |

| T30-300 LED E27 6W dim |       |          |
|------------------------|-------|----------|
| 2200K   450lm          | 36,50 | 9003E130 |
| 2700K   500lm          | 36,50 | 9003E135 |



## 3.0

E27 max. 60W  
220-240VAC | 50-60Hz  
lacquered steel  
6m cable available on request

17 kg P20 0.9

|  | EUR    | CODE     |
|--|--------|----------|
|  | 652,80 | 2293E0P0 |
|  | 652,80 | 2293E0B0 |

## OPTIONAL

| T32-300 carbon filament E27 15W |       |          |
|---------------------------------|-------|----------|
|                                 | EUR   | CODE     |
| 2200K   50lm                    | 25,30 | 9003E107 |

| T30-300 LED E27 6W dim |       |          |
|------------------------|-------|----------|
| 2200K   450lm          | 36,50 | 9003E130 |
| 2700K   500lm          | 36,50 | 9003E135 |



Awarded by The Chicago Athenaeum  
Museum of Architecture and Design

DESIGNED BY BERND STEINHUBER



WEVER & DUCRÉ 122 — 123










## WIRO DIAMOND

CEILING SUSPENDED



### 4.0

E27 max. 60W  
220-240VAC | 50-60Hz  
lacquered steel  
6m cable available on request

14.5 kg 120 8-09

|  | EUR    | CODE     |
|--|--------|----------|
|  | 637,50 | 2294E0P0 |
|  | 637,50 | 2294E0B0 |

### OPTIONAL

| T32-300 carbon filament E27 15W |       |          |
|---------------------------------|-------|----------|
|                                 | EUR   | CODE     |
| 2200K   50lm                    | 25,30 | 9003E107 |

| T30-300 LED E27 6W dim |       |          |
|------------------------|-------|----------|
|                        | EUR   | CODE     |
| 2200K   450lm          | 36,50 | 9003E130 |
| 2700K   500lm          | 36,50 | 9003E135 |

DESIGNED BY BERND STEINHUBER

back

WEVER & DUCRÉ 126 — 127