

DIM THE LIGHTS

# IT CAN BE SO EASY

Never have your words and your touch been any more illuminating than with our new collection of ZigBee-compatible luminaires. All it takes to adjust and dim your lights is a simple swipe on your smartphone screen or a command to your voice-controlled device. Sounds easy? It is. Choose your favourite ZigBee products from our collection, connect them to your smart home system such as Amazon Echo Plus, Philips Hue, or Homee and you're good to go. Whether you want bright lights for breakfast, candle light atmosphere for dinner, or anything in between – just kick up your feet and touch or talk to set your desired mood.

Noch nie war die Erleuchtung so einfach wie mit unserer ZigBee-kompatiblen Leuchtenkollektion – ein einfacher Klick oder eine Aufforderung an dein sprachgesteuertes Gerät genügen. Klingt einfach? Ist es auch. Lieblingsprodukte aus unserer ZigBee-Kollektion auswählen, mit dem Smart-Home-System wie Amazon Echo Plus, Philips Hue oder Homee verbinden und los geht's. Ob ein hell erleuchtetes Frühstück, schummriges Atmosphäre für ein Candle-Light-Dinner oder für alles dazwischen – zurücklehnen und die gewünschte Lichtstimmung genießen.





For wireless dimming compatible with Amazon Echo Plus, Philips Hue and Homee.

**ZIGBEE LED 2700K**  
LED 10W | 2700K | 220-240VAC  
50-60Hz | >80 CRI | 720lm  
phase-cut dim  $\frac{1}{2}$ ,  $\frac{3}{4}$

CODE  
901265WZ  
901268E2


FIND ALL COMPATIBLE PRODUCTS  
[weverducre.com/smartlighting](http://weverducre.com/smartlighting)





# SMART HOME LIGHTING

## CEILING RECESSED



### DEEP | 1.0 LED

LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated




wire springs ① 75-9 ④ 4-7

CODE
11216ZW
11216ZS
11216ZC
11216ZB

blade springs ① 75-9 ④ min 0

CODE	LUMEN	CRI	CODE
11216ZW_C	720	>80	2
11216ZB_C	720	>80	2

LIGHT COLOUR 2700K  
LUMEN | CRI CODE  
720 | >80 2



### DEEP IP44 | 1.0 LED

LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated




wire springs ① 88-8 ④ 4-5

CODE
11266ZW
11266ZS
11266ZB

blade springs ① 88-8 ④ min 8

CODE	LUMEN	CRI	CODE
11266ZW_C	720	>80	2
11266ZB_C	720	>80	2

LIGHT COLOUR 2700K  
LUMEN | CRI CODE  
720 | >80 2



### DEEPER | 1.0 LED


LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated



wire springs ① 75-9 ④ 4-8


CODE
15216ZW
15216ZS
15216ZC
15216ZB

LIGHT COLOUR 2700K  
LUMEN | CRI CODE  
720 | >80 2



### DEEPER IP44 | 1.0 LED


LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated  
clear glass cover



wire springs ① 75-9 ④ 4-8

CODE
15226ZW
15226ZS
15226ZC
15226ZB

LIGHT COLOUR 2700K  
LUMEN | CRI CODE  
720 | >80 2



### DEEP ADJUST | 1.0 LED


LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated



wire springs ① 88-8 ④ 4-2

CODE
11236ZW
11236ZS
11236ZC
11236ZB

LIGHT COLOUR 2700K  
LUMEN | CRI CODE  
720 | >80 2



### DEEP ADJUST | 2.0 LED


LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated




wire springs ① 88-8 ④ 4-2

CODE
11276ZW
11276ZS
11276ZC
11276ZB


LIGHT COLOUR 2700K  
LUMEN | CRI CODE  
720 | >80 2





# SMART HOME LIGHTING

## CEILING RECESSED



### RON | 1.0 LED

LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated  
round cut-out for mounting

0.35kg IP20 1.04m 1.3m  
0.35m 0.35m 0.35m 1.3m 1.3m 2

wire springs

CODE	LIGHT COLOUR	LUMEN	CRI	CODE
11116ZW				11116ZW
11116ZS				11116ZS
11116ZB				11116ZB
2700K		720	>80	2



### PLANO | 1.0 LED


LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated

0.25kg IP20 1.04m 1.3m  
0.25m 0.25m 0.25m 1.3m 1.3m 2

CODE	LIGHT COLOUR	LUMEN	CRI	CODE
11816ZW				11816ZW
11816ZS				11816ZS
11816ZG				11816ZG
11816ZB				11816ZB
2700K		720	>80	2

### OPTIONAL

CODE
plasterkit 90017104




### PLANO IP44 | 1.0 LED

LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated

0.27kg IP44 1.04m 1.3m  
0.27m 0.27m 0.27m 1.3m 1.3m 2

CODE	LIGHT COLOUR	LUMEN	CRI	CODE
11846ZW				11846ZW
11846ZB				11846ZB
2700K		720	>80	2



### STRANGE | 1.0 LED


LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated

0.43kg IP20 1.04m 1.3m  
0.43m 0.43m 0.43m 1.3m 1.3m 2

CODE	LIGHT COLOUR	LUMEN	CRI	CODE
13116ZW				13116ZW
13116ZB				13116ZB
2700K		720	>80	2

### ALWAYS USE

CODE
plastic plasterkit 90017122
90017116
aluminium plasterkit 90017150



### PYRAMID | 1.0 LED

LED 10W | 220-240VAC  
50-60Hz | phase-cut dim + ZigBee  
aluminium powder coated

0.28kg IP20 1.04m 1.3m  
0.28m 0.28m 0.28m 1.3m 1.3m 2

CODE	LIGHT COLOUR	LUMEN	CRI	CODE
11316ZW				11316ZW
2700K		720	>80	2