Revision: July 17, 2019

1 Identification
· Product identifier
 Trade name: <u>Rislone® Automatic Transmission Treatment - Right Side</u> Product code: 34540
 Recommended use and restriction on use Recommended use: Additive Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Rislone P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321
Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2. Hererd (a) : deptification
2 Hazard(s) identification
 Classification of the substance or mixture Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms:
GHS08
 Signal word: Danger Hazard statements: H304 May be fatal if swallowed and enters airways. Precautionary statements: P301+P310 If swallowed: Immediately call a poison center/doctor. P331 Do NOT induce vomiting.
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
· Other hazards There are no other hazards not otherwise classified that have been identified.
3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Components:

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 17, 2019

Trade name: Rislone® Automatic Transmission Treatment - Right Side

(Cont'd	d. of page 1)
64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic	20-40%
🐼 Asp. Tox. 1, H304	1
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic	20-40%
🐼 Asp. Tox. 1, H304	
64742-47-8 Aliphatic Hydrocarbon	20-40%
& Asp. Tox. 1, H304 Flam. Liq. 4, H227	
Flam. Liq. 4, H227	
Additional information:	

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air.

If experiencing respiratory symptoms: Call a poison center/doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:
- Clean with water and soap.

If skin irritation is experienced, consult a doctor.

- · After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

• Most important symptoms and effects, both acute and delayed:

- Breathing difficulty
- Coughing

· Danger:

Danger of impaired breathing.

May be fatal if swallowed and enters airways.

Danger of pneumonia.

Danger of pulmonary edema.

· Indication of any immediate medical attention and special treatment needed:

If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Foam

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 17, 2019

Trade name: Rislone® Automatic Transmission Treatment - Right Side

(Cont'd. of page 2)

Carbon dioxide Fire-extinguishing powder Gaseous extinguishing agents Water fog / haze

- For safety reasons unsuitable extinguishing agents: Water stream. • Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.
- · Additional information: Cool endangered containers with water fog.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Particular danger of slipping on leaked/spilled product.

- Environmental precautions Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Keep out of reach of children. Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Containers should be tightly sealed.
- · Information about storage in one common storage facility:
- Store away from foodstuffs.
- Store away from oxidizing agents.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

(Cont'd. on page 4)

Revision: July 17, 2019

	nsmission Treatment - Right Side	
		(Cont'd. of page 3)
· Control parameters		
-	require monitoring at the workplace:	
64742-47-8 Aliphatic Hydrocarbon		
EL (Canada) Long-term value: 200 r Skin	ng/m³	
Keep away from foodstuffs, beverage Wash hands before breaks and at the Do not inhale gases / fumes / aeroso • Engineering controls: Provide adec • Breathing equipment: Not required • Protection of hands: Not required under normal conditions Wear protective gloves to handle cor • Eye protection: • Safety glasses	or handling chemicals should be followed. es and feed. e end of work. ls. quate ventilation. under normal conditions of use. s of use. htents of damaged or leaking units.	
Limitation and supervision of e No relevant information available.	oncerning the use of protective eyewear. exposure into the environment	
· Limitation and supervision of e	exposure into the environment	
Limitation and supervision of e No relevant information available.	exposure into the environment	
Limitation and supervision of e No relevant information available. Physical and chemical properion Information on basic physical a Appearance:	exposure into the environment erties and chemical properties	
Limitation and supervision of e No relevant information available. Physical and chemical properion Information on basic physical a Appearance: Form:	exposure into the environment erties and chemical properties Liquid	
Limitation and supervision of e No relevant information available. Physical and chemical properion Information on basic physical a Appearance:	exposure into the environment erties and chemical properties	
 Limitation and supervision of e No relevant information available. Physical and chemical properior Information on basic physical a Appearance: Form: Color: Odor: 	exposure into the environment erties and chemical properties Liquid Clear Yellow Petroleum-like	
 Limitation and supervision of e No relevant information available. Physical and chemical properties of the second se	exposure into the environment erties and chemical properties Liquid Clear Yellow	
 Limitation and supervision of e No relevant information available. Physical and chemical properior Information on basic physical a Appearance: Form: Color: Odor: Odor threshold: pH-value: 	exposure into the environment erties and chemical properties Liquid Clear Yellow Petroleum-like	
 Limitation and supervision of e No relevant information available. Physical and chemical properior Information on basic physical a Appearance: Form: Color: Odor: Odor threshold: pH-value: Melting point/Melting range: 	exposure into the environment erties and chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined.	
 Limitation and supervision of e No relevant information available. Physical and chemical properior Information on basic physical a Appearance: Form: Color: Odor: Odor threshold: pH-value: 	exposure into the environment erties and chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined.	
 Limitation and supervision of e No relevant information available. Physical and chemical properior Information on basic physical a Appearance: Form: Color: Odor: Odor threshold: pH-value: Melting point/Melting range: 	exposure into the environment erties and chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. 165 °C (329 °F)	
 Limitation and supervision of e No relevant information available. Physical and chemical properior Physical and chemical properior Information on basic physical a Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: Melting point/Melting range: Boiling point/Boiling range: Flash point: 	erties and chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined.	
 Limitation and supervision of e No relevant information available. Physical and chemical properiod Physical and chemical properiod Information on basic physical a Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): 	exposure into the environment erties and chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined. 165 °C (329 °F) The product is not flammable. Not applicable.	
 Limitation and supervision of e No relevant information available. Physical and chemical properiod Physical and chemical properiod Information on basic physical a Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Auto-ignition temperature: 	exposure into the environment erties and chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined. Not determined. 165 °C (329 °F) The product is not flammable. Not applicable. Not determined.	
 Limitation and supervision of e No relevant information available. Physical and chemical properiod Physical and chemical properiod Information on basic physical a Appearance: Form: Color: Odor: Odor: Odor threshold: pH-value: Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): 	exposure into the environment erties and chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined. 165 °C (329 °F) The product is not flammable. Not applicable.	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 17, 2019

		(Cont'd. of page 4
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	0.83-0.87 g/cm3 (6.93-7.26 lbs/gal)	
· Relative density:	Not determined.	
· Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · Conditions to avoid No relevant information available.
- · Incompatible materials Oxidizers

· Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 17, 2019

Trade name: Rislone® Automatic Transmission Treatment - Right Side

(Cont'd. of page 5)

None of the ingredients are listed. • Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: May be fatal if swallowed and enters airways.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· UN proper shipping name		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		

Revision: July 17, 2019

	(Cont'd. of page
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	Not regulated.
· Environmental hazards · Marine pollutant:	No
 Special precautions for user 	Not applicable.
• Transport in bulk according to Anno MARPOL73/78 and the IBC Code	ex II of Not applicable.
Regulatory information	
• Safety, health and environmental mixture • United States (USA) • SARA	regulations/legislation specific for the substance
· Section 302 (extremely hazardous subs	stances):
None of the ingredients are listed.	
· Section 355 (extremely hazardous subs	stances):
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical lis	tings):
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed or exempt.	
 Proposition 65 (California) Chemicals known to cause cancer: Present in trace quantities. 	
512-56-1 trimethyl phosphate	
· Chemicals known to cause developmer	ntal toxicity for females:
None of the ingredients are listed.	
· Chemicals known to cause developmer	ntal toxicity for males:
None of the ingredients are listed.	
• Chemicals known to cause developmer Present in trace quantities.	ntal toxicity:
7446-09-5 sulphur dioxide	
• EPA (Environmental Protection Agency	<u>):</u>
• EPA (Environmental Protection Agency None of the ingredients are listed.	
• EPA (Environmental Protection Agency	

Revision: July 17, 2019

Trade name: Rislone® Automatic Transmission Treatment - Right Side

(Cont'd. of page 7)

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

 Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 4: Flammable liquids – Category 4 Asp. Tox. 1: Aspiration hazard – Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/hol overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., IS 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers