ACCESSORIES

Take your boat – and your Minn Kota gear – to the next level with our custom accessories. You can even order them online at:

minnkotamotors.com/accessories



BOW-MOUNT STABILIZER KITS

Heavy chop and wake can bounce your motor up and down - so stabilize it and protect it with one of these kits. It pivots into a vertical position when the motor is towed, locking it into place.







MKA-4 MAXXUM » RIPTIDE MAXXUM Attaches to upper arm of motor.

MKA-29 MAXXUM » RIPTIDE MAXXUM Attaches to side of motor.



MKA-55 ULTERRA » TERROVA » POWERDRIVE V2 » POWERDRIVE » POWERDRIVE PONTOON

HANDLES



MKA-49

Rope and Handle, or Cable and Handle

For Minn Kota cable steer bow-mount motors. these replacement handles feature an ergonomic soft-grip design. Choose durable, abrasion resistant 48" nylon rope (MKA-45) or our premium, ultra-strong, abrasionresistant, coated stainless steel braided cable (MKA-49).



MKA-44 40"

> Telescopic Extension Handles

Simply twist the handle to loosen, adjust and tighten our extension handles. Go from 17" to 25" (MKA-43) or 24" to 40" (MKA-44) and experience total speed and steering control in any situation. Fits all outboard and trolling motors.



MKA-7 30"

Extension Handles

Provides easier steering and speed control for all hand control motors. Available in 18" (MKA-18) or extra-long 30" (MKA-7) models.



QUICK RELEASE BRACKETS

Composite Quick Release Brackets

Super tough and super secure. Made with high-yield composite material, these brackets are impervious to corrosion and feature a low-profile design that leaves the deck clear when the motor is removed. Plus, a locking handle with stainless steel pins can be secured with padlock (padlock not included, sold separately).

		-	ć
	1		
ð			
1	_	I	2

Release Brackets

A cam-lock design and ultra-tight tolerances eliminate bracket movement and noise. The locking lever includes a pin and lanyard. The upper and lower plates can be secured with a padlock (not included).

			COMPOSIT	E				ALUMINUM		
TROLLING MOTOR	MKA-21	RTA-17	RTA-19	MKA-53*	RTA-54*	MKA-32**	MKA-51***	MKA-16-03	MKA-42 ⁺	MKA-52/62 ⁺
ULTERRA	х			Х		х	х	х		
TERROVA	х			х		х	х	Х		
POWERDRIVE V2	х					х	х	х		
POWERDRIVE	Х					Х	х	Х		
POWERDRIVE PONTOON	х					х	х	х		
ULTREX									Х	Х
FORTREX									х	Х
MAXXUM									Х	Х
EDGE									х	
RIPTIDE ULTERRA					Х					
RIPTIDE TERROVA		Х			Х					
RIPTIDE POWERDRIVE V2		Х								
RIPTIDE FORTREX			х							
RIPTIDE MAXXUM			х							
RIPTIDE EDGE			х							

* For higher-thrust motors with 72" shafts, opt for the MKA-53 or RTA-54 bracket

** MKA-32 includes a composite cover to keep the deck clean when the motor is removed. *** MKA-51 can slide back 6" for easy storage and security.

Easily remove your motor from your bow for safe storage anytime with our quick release brackets. Factory-made for a perfect fit and built tough for years of use.

See page 72 for trolling motor plugs.



Electric Steer Quick



Aluminum Quick **Release Brackets**

These extruded aluminum brackets pack plenty of toughness and feature a side screw for quiet, secure locking.

* MKA-42 fits 45" and shorter foot control motors, and 52" and shorter hand control models. MKA-52/62 fits 52"-72" shaft foot control motors, and 62" shaft hand control motors.

REMOTE CONTROLS



> i-Pilot Link Replacement Remote*

Replace the remote on your Bluetooth-enabled i-Pilot Link system - or get a spare. Features a waterproof, customizable touchscreen display. Charging cable sold separately.



> i-Pilot Replacement Remote*

Get a replacement or additional remote for your Bluetooth-enabled i-Pilot. Features a compact, waterproof, ergonomic design and large LCD screen for instant feedback on all functions.



NEW BUILT-IN MEGA DOWN IMAGING ADAPTERS

Shielded cables deliver crystal clear MEGA Down Imaging, connecting your Humminbird HELIX[®] fish finder to a Minn Kota motor with Built-In MEGA Down Imaging. Adapter not required for Humminbird SOLIX[®] models.



> i-Pilot Link Charging Cable Five-foot charging cable features a USB terminal that

lets you choose between AC and DC power (AC and DC adaptors not included).



Micro Remote for i-Pilot

Get compact, simple control of i-Pilot or i-Pilot Link. This Bluetooth Micro Remote accessory delivers quick command of Spot-Lock, speed, steering and Advanced AutoPilot.

Control prop on/off, speed and steering on your CoPilot-equipped motor. Terrova/Riptide Terrova version adds high-speed bypass and AutoPilot control.

Note: Neck lanyard not included with replacement remote.





Heading Sensor for i-Pilot and i-Pilot Link

for easy access and quick removal.

Enables Spot-Lock Jog feature on i-Pilot or i-Pilot Link for PowerDrive/Riptide PowerDrive. Jog lets you move a Spot-Lock location five feet in any direction.



REPLACEMENT FOOT PEDALS

Get a low-profile, ergonomically designed foot pedal for your motor.



1866070

Activate Auto Stow/Deploy and Power Trim,

or left/right), and momentary/constant on.

Waterproof design with 18' cord.

Spot-Lock, AutoPilot, speed, steering (heel/toe

Corded Foot Pedal





> Ulterra and Riptide Ulterra

Control speed, steering and momentary/ constant on. Waterproof design with 18' cord. Compatible with regular and V2 motors, and those equipped with CoPilot. Not compatible with i-Pilot equipped motors.



US²

UNIVERSAL SONAR 2 ADAPTERS

Universal Sonar 2 delivers streamlined, interference-free sonar performance and DualBeam PLUS™ technology for the best view of the waters below. These adapters connect your motor to your favorite brand of sonar or fish finder* with waterproof connectors.

MKR-US2-1	Garmin
MKR-US2-8	Hummir
MKR-US2-9	Lowrand
MKR-US2-10	Lowran

HUMMINBIRD.

For a complete compatibility list, visit www.minnkotamotors.com. * 200kHz/83kHz DualBeam compatible and only provides traditional 2D sonar.







CoPilot Replacement Remotes





MKR-MDI-1 HELIX 8, 9, 10, 12 MKR-MDI-2 HELIX 7

nbird 7-pin* nce® 6-pin* ice/Eagle Blue*

MKR-US2-11 Universal Sonar 2 Extension Cable MKR-US2-12 Garmin Echo* MKR-US2-13 Humminbird ONIX®* MKR-US2-14 Garmin 8-pin*

L' LOWRANCE

GARMIN

EAGLE 7



1866080

PowerDrive and Riptide **PowerDrive Corded Foot Pedal***



1866076

> Terrova and Riptide Terrova **Corded Foot Pedal***

Activate Spot-Lock, AutoPilot, speed, steering (heel/toe or left/right) and momentary/constant on. Waterproof design with 18' cord. Works with CoPilot, i-Pilot and i-Pilot Link. Compatible with 2017 and later models only.

* See minnkotamotors.com for additional legacy product accessories.

BATTERY ACCESSORIES



Battery Connectors

Patented design is ideal for installing batteries in tight, confined places. Easy to disconnect for quick, convenient charging. Plastic cover eliminates risk of electrical shock.

MK-BC-1



AC Power Port

Our convenient adapter allows quick thru-hull connection to an AC extension cord using the male AC plug from any of our chargers. No cutting or splicing required. The watertight cover and gasket prevent corrosion on the AC plug when it isn't in use.

MKR-21 (Freshwater) MKR-23 (Saltwater)



Motor Plug and Receptacle

Get a corrosion-resistant, watertight connection, featuring a sealed, waterproof design, adjustable mounting locations and a secure threaded electrical connection. Saltwater (gold-plated terminals) or freshwater (nickel-plated) versions available. Continuous power rated to 60 amps.

MKR-24 (Saltwater) MKR-25 (Freshwater)



Battery Power Center

For small boat, transom applications, these easy access external battery terminals allow trolling motor leads and charger leads to be connected without opening the box. Built-in battery meter includes two 12-volt accessory plugs, and two manual reset circuit breakers (10 amp for accessory plugs and 60 amp for trolling motor). Fits group 24- and 27-size batteries.



Trolling Motor Quick Connect For wiring where a plug and socket cannot be used. Heavy-duty 10-gauge connectors. **MKR-12**

Circuit Breaker

36-volt systems.

MKR-19

Protects trolling motor from electrical damage.

waterproof. Compatible with all 12-, 24- and

60 amp rating with manual reset. Fully



Digital Battery Meter

Monitor the voltage level and "state of charge" of any 12-volt battery with a LCD display mounted on a compact frame that's easy to store anywhere. Includes LEDs that indicate full, 2/3, 1/3 or 0 "state of charge." MK-BM-1D



> Trolling Motor **Quick Connect Plug**

Heavy-duty connector has positive snap-lock design for 6- to 12-gauge wire. Kit includes two plug halves, four contacts and four solder plugs for securing wire leads into the contacts (wire not included).

MKR-20



Extension Cables

charger cables will not reach bow, center or transom battery compartments. Fused (30 amp) positive and negative leads. Available in 15' length.

PROPS AND PROP ACCESSORIES

For complete prop compatibility list, go to minnkotamotors.com/props.



> Weedless Wedge[™] 2 Props

Swept-back and flared blades push weeds away even better than the original Weedless Wedge[™]. Delivers improved efficiency through the heaviest vegetation, at any speed.

MKP-32, MKP-33, MKP-38



> Weedless Wedge Props

at slow speeds.





Prop Nut Kits

Easy-to-use kit that allows for fast removal/ replacement of prop. Available in three different sizes to fit Minn Kota prop dimensions (3/8", 1/2" and 5/16"). Requires crescent wrench for installation.

MKP-9, MKP-10, MKP-23, MKP-34



> Transducer Mounting Kit

MKR-15





Charger Output

Extension cables are ideal when standard

MK-EC-15



100% weedless. Unique, patented design pushes weeds away to conserve battery power. Easily moves through heavy vegetation, even

MKP-6, MKP-7, MKP-8, MKP-24



Power Props

Delivers extra power to push through heavy vegetation. Fits 3-1/4" (MKP-2) and 3-5/8" (MKP-37) diameters.

MKP-2, MKP-37

Allows mounting on lower unit of bow- or transommount motors. Rugged, durable construction. Fits transducers of all major manufacturers.

ORDER PARTS ONLINE

DIY repair is easier than ever thanks to our online parts ordering site. Find what you need for your Minn Kota product and have it shipped directly to you.

minnkotamotors.com/parts

73

DECKHAND™ ELECTRONIC ANCHOR WINCHES

DeckHand[™] automatically raises and lowers your anchor at the touch of a button, with a special anti-drag system that senses the bottom to allow for controlled drifting.



DeckHand 40 Our highest-capacity model, featuring a universal davit to stow anchor horizontally and eliminate

anchor swing - plus a shackle for

• 12V power

quick anchor changes.

- 40-pound anchor capacity (anchor not included)
- Anchor stowing davit
- Pre-spooled with 800-pound test nylon rope (100 feet)
- On-unit switch (remote switch optional)





- 12V power
- 25-pound anchor capacity (anchor not included)
- Anchor stowing davit • Pre-spooled with 800-pound test nylon rope (60 feet)
- 12' corded remote



DeckHand 25 An everyday workhorse that's reliable and easy to control.

- 12V power

optional on DeckHand 40 and comes standard on DeckHand Pontoon.



WARRANTY

2

DeckHand Pontoon

Easy to mount and remove, thanks to the included Quick Release Bracket (MKA-16-03) and Quick Connect Plug (MKR-20).

• 12V power

- 40-pound anchor capacity (anchor not included)
- DeckHand 40 remote switch



We're always adding new items to our apparel store, including t-shirts, caps, decals and more. See it all and order your favorites at minnkotaapparel.com.



MKA-26

- 34" deep x 22" diameter
- 210 denier ripstop nylon
- Four heavy-duty 1" nylon straps
- 1" wide yellow pull strap for easy retrieval

• 34" deep x 22" diameter • 420 denier ripstop nylon

DRIFT SOCK

• Four heavy-duty 1" nylon straps • 1" wide yellow pull strap

MKA-27

for easy retrieval



over suspended fish. Features durable construction and on our MKA-27 - built-in weights and floats that allow it to

automatically open when placed in the water.

Drift Sock works against wind and current to improve bait presentation over holding fish.



> MKA-28: Drift Sock Harness • 7' length

- 12" sewn loop attaches to any cleat Quick connect clip
- Float allows sock to be quickly released to prevent tangles when fighting/landing fish





- 25-pound anchor capacity
- Pre-spooled with 800-pound test nylon rope (60 feet)
- On-unit switch

Operate DeckHand from anywhere with this 25' corded remote switch -

(anchor not included) • Anchor stowing davit

ŝ,

MINN KOT





