

COMPACT WIRELESS MICROPHONE SYSTEM









TRANSMISSION




The Wireless GO[™] is the world's smallest, most versatile wireless microphone system. The transmitter acts as both a clip-on mic or beltpack for a RØDE lavalier, sending crystal clear broadcast-grade audio via 2.4GHz digital to the on-camera receiver.

- Series III 2.4GHz digital transmission
- All-in-one microphone or lav beltpack
- Up to 7 hours battery life from full charge







ACOUSTICS & ELECTRICAL SPECIFICATIONS

| ransmission type: | 2.4GHz Frequency |
|-------------------|----------------------|
| | Agile Digital System |

| Internal Capsule | | |
|---------------------|--|--|
| Acoustic Principle: | | |
| | | |

Pre-polarised pressure transducer Polar Pattern: Omnidirectional Equivalent Input Noise

21.8dB (A-Weighted) @ Maximum Gain: Frequency Range: 50Hz - 20kHz

External Mic Input Mic Input:

Maximum Output

20Hz - 20kHz

| Level: | +3dBu |
|--------------------|----------------------------|
| Maximum SPL (mic): | 100dB SPL (1kHz @ 1m) |
| Dynamic Range: | 100dBA (Mic Preamplifiers) |

Power Requirements: Inbuilt Li-po battery rechargeable via USB Up to 7 hours Battery Life:

3.5mm TRS lavalier Analog Inputs: microphone input

(Transmitter) 3.5mm TRS (Receiver) Analog Outputs:

Computer Connectivity: USB (Firmware update)

OS Requirements: (For firmware update only) macOS 10.11 and above Windows 10 and above

Form Factor: Clip-on pack Weight (g): TX: 31 RX: 31 Dimensions TX: 44 × 45.3 × 18.5 RX: 44 x 46.4 x 18.5 (W×L×H, mm):

2 x fur windshield, 1 x pouch, Included Accessories: 1 x USB-A to USB-C cable, 1 x SC2 cable