Safety data sheet

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



Acrylic Powder - Acryl Cover Nude



| 1.1 | Product identifier: | Acrylic Powder - Acryl Cover Nude | |
|-----|--|---|--|
| | Other means of identification | on: | |
| | Non-applicable | | |
| 1.2 | Relevant identified uses of | the substance or mixture and uses advised against | |
| | Relevant uses: Cosmetics | | |
| | Uses advised against: All uses i | not specified in this section or in section 7.3 | |
| 1.3 | Details of the supplier of th | e safety data sheet: | |
| | GLAMOUR NAGELPRODUCTEN | | |
| | Parijsboulevard 255 6135 LJ Sittard - Netherlands | | |
| | Phone.: 0031462041501 - Fax: | 0031462041502 | |
| | shop@glamournagelproducten. | | |
| | www.glamournagelproducten.n | | |
| 1.4 | Emergency telephone num | per: 1-352-323-3500 | |

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Skin Sens. 1: Sensitisation, skin, Category 1, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

- P102: Keep out of reach of children.
- P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
- P272: Contaminated work clothing should not be allowed out of the workplace.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352: IF ON SKIN: Wash with plenty of water.
- P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Substances that contribute to the classification

Dibenzoyl peroxide

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

** Changes with regards to the previous version





SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification Chemical name/Classification | | | | Concentration |
|-------------------------|---|---|--|----------|---------------|
| CAS: | 94-36-0 | Dibenzoyl peroxide (1) ATP ATP01 | | | |
| EC: Index: REACH: | 202-327-6 617-008-00-0 01-2119511472-50- XXXX | Regulation 1272/2008 | Eye Irrit. 2: H319; Org. Perox. B: H241; Skin Sens. 1: H317 - Danger | () () () | 1 - <2,5 % |
| CAS: | 112945-52-5 | Syntetic Silicon Dioxide ⁽¹⁾ Self-classified | | | |
| EC: Index: REACH: | Non-applicable Non-applicable 01-2119379499-16- XXXX | Regulation 1272/2008 | Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335 - Warning | | 1 - <2,5 % |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:





SECTION 5: FIREFIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage Minimum Temp.: 5 °C Maximum Temp.: 30 °C Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3 **DNEL (Workers):**

| | Short exposure | | Long exposure | | |
|--------------------|----------------|----------------|----------------|----------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| Dibenzoyl peroxide | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 94-36-0 | Dermal | Non-applicable | Non-applicable | 13,3 mg/kg | Non-applicable |
| EC: 202-327-6 | Inhalation | Non-applicable | Non-applicable | 39 mg/m ³ | Non-applicable |

DNEL (General population):

| | | Short e | xposure | Long ex | xposure |
|--------------------|------------|----------------|----------------|----------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| Dibenzoyl peroxide | Oral | Non-applicable | Non-applicable | 2 mg/kg | Non-applicable |
| CAS: 94-36-0 | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| EC: 202-327-6 | Inhalation | Non-applicable | Non-applicable | Non-applicable | Non-applicable |

PNEC:

| Identification | | | | |
|--------------------|--------------|----------------|-------------------------|---------------|
| Dibenzoyl peroxide | STP | 0,35 mg/L | Fresh water | 0,00002 mg/L |
| CAS: 94-36-0 | Soil | 0,003 mg/kg | Marine water | 0,000002 mg/L |
| EC: 202-327-6 | Intermittent | 0,000602 mg/L | Sediment (Fresh water) | 0,013 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,001 mg/kg |

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|--|-----------------------------------|-----------|---------------------|---|
| Mandatory respiratory tract protection | Filter mask for gases and vapours | | EN 405:2002+A1:2010 | Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. |

C.- Specific protection for the hands

Non-applicable

D.- Ocular and facial protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|------------------------------|--|-----------|---------------------------------|---|
| Mandatory face protection | Panoramic glasses against splash/projections. | | EN 166:2002 EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

| Pictogram PPE | | Labelling | CEN Standard | Remarks |
|---------------|----------------------|-----------|-------------------|---|
| | Work clothing | CATI | | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
| | Anti-slip work shoes | CAT II | EN ISO 20347:2012 | Replace before any evidence of deterioration. Fo periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 20345:2012 y EN 13832-1:2007 |

Safety data sheet This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



Acrylic Powder - Acryl Cover Nude



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued) F.- Additional emergency measures Emergency measure Standards Emergency measure Standards **()**+ ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 Emergency shower Eyewash stations **Environmental exposure controls:** In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1 Information on basic physical and chemical properties: For complete information see the product datasheet. **Appearance:** Physical state at 20 °C. Call

| Physical state at 20 °C: | Solid |
|---|---|
| Appearance: | Not available |
| Colour: | Not available |
| Odour: | Not available |
| Odour threshold: | Non-applicable * |
| Volatility: | |
| Boiling point at atmospheric pressure: | Non-applicable * |
| Vapour pressure at 20 ºC: | Non-applicable * |
| Vapour pressure at 50 °C: | Non-applicable * |
| Evaporation rate at 20 °C: | Non-applicable * |
| Product description: | |
| Density at 20 °C: | Non-applicable * |
| Relative density at 20 °C: | Non-applicable * |
| Dynamic viscosity at 20 °C: | Non-applicable * |
| Kinematic viscosity at 20 °C: | Non-applicable * |
| Kinematic viscosity at 40 °C: | Non-applicable * |
| Concentration: | Non-applicable * |
| pH: | Non-applicable * |
| Vapour density at 20 °C: | Non-applicable * |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable * |
| Solubility in water at 20 °C: | |
| Solubility properties: | Non-applicable * |
| Decomposition temperature: | Non-applicable * |
| Melting point/freezing point: | Non-applicable * |
| Explosive properties: | Non-applicable * |
| *Not relevant due to the nature of the product, not provi | ding information property of its hazards. |





| Oxi | dising properties: | Non-applicable * | |
|---------|--|--|--|
| Fla | mmability: | | |
| Flas | sh Point: | Non-applicable | |
| Hea | at of combustion: | Non-applicable * | |
| Flar | nmability (solid, gas): | Non-applicable * | |
| Aut | oignition temperature: | Non-applicable * | |
| Low | ver flammability limit: | Non-applicable * | |
| Upp | per flammability limit: | Non-applicable * | |
| Exp | plosive: | | |
| Low | ver explosive limit: | Non-applicable * | |
| Upp | per explosive limit: | Non-applicable * | |
| 9.2 Oth | ner information: | | |
| Sur | face tension at 20 °C: | Non-applicable * | |
| Ref | raction index: | Non-applicable * | |
| *Not | t relevant due to the nature of the product, r | not providing information property of its hazards. | |

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|--|---------------------|----------------|
| Not applicable | Not applicable | Heating may cause a fire or explosion | Avoid direct impact | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|--|
| Avoid strong acids | Not applicable | Avoid direct impact | Precaution | Avoid alkalines, heavy metals, reducing agents, peroxide accelerating agents |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):

** Changes with regards to the previous version





SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.

- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

IARC: Poly(methyl methacrylate) (3); Dibenzoyl peroxide (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
 - dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Ad | ute toxicity | Genus |
|--------------------------|-----------------|----------------|--------|
| Syntetic Silicon Dioxide | LD50 oral | 10000 mg/kg | Rat |
| CAS: 112945-52-5 | LD50 dermal | 5100 mg/kg | Rabbit |
| EC: Non-applicable | LC50 inhalation | Non-applicable | |
| Dibenzoyl peroxide | LD50 oral | 7710 mg/kg | Rat |
| CAS: 94-36-0 | LD50 dermal | Non-applicable | |
| EC: 202-327-6 | LC50 inhalation | Non-applicable | |

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

** Changes with regards to the previous version

Acrylic Powder - Acryl Cover Nude



| | Identification | | Acute toxicity | Species | Genus |
|--------------|---|------|-------------------|-------------------|------------|
| | Syntetic Silicon Dioxide | LC50 | 10000 mg/L (96 h) | Brachydanio rerio | Fish |
| | CAS: 112945-52-5 | EC50 | 10000 mg/L (24 h) | Daphnia magna | Crustacean |
| | EC: Non-applicable | EC50 | Non-applicable | | |
| 12.2 | Persistence and degradability: | | | | |
| | Not available | | | | |
| 12.3 | Bioaccumulative potential: | | | | |
| | Not available | | | | |
| 12.4 | Mobility in soil: | | | | |
| | Not available | | | | |
| | Results of PBT and vPvB assessment: | | | | |
| 12.5 | Results of PBT and VPVB assessment: | | | | |
| 12.5 | Product fails to meet PBT/vPvB criteria | | | | |
| 12.5 12.6 | Product fails to meet PBT/vPvB criteria | | | | |

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|------|---|---|
| | It is not possible to assign a specific code, as it depends on the intended use by the user | Non dangerous |
| | | |

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: |
|--|
| Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable |
| Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable |
| Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable |
| Article 95, REGULATION (EU) No 528/2012: Non-applicable |
| REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable |
| Seveso III: |
| Non-applicable |
| |





SECTION 15: REGULATORY INFORMATION (continued)

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The provider has carried out a chemical safety assessment

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

New declared substances

Syntetic Silicon Dioxide (112945-52-5)

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Eye Irrit. 2: H319 - Causes serious eye irritation. Org. Perox. B: H241 - Heating may cause a fire or explosion. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Skin Sens. 1: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

Acrylic Powder - Acryl Cover Nude



The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. - END OF SAFETY DATA SHEET -

Date of compilation: 07/09/2016

Revised: 18/02/2021

Version: 3 (Replaced 2)