Safety data sheet

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



Gel On - Cookie



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 **Product identifier:** Gel On - Cookie Other means of identification: Non-applicable 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Cosmetics Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: GLAMOUR NAGELPRODUCTEN Parijsboulevard 255 6135 LJ Sittard - Netherlands Phone.: 0031462041501 - Fax: 0031462041502 shop@glamournagelproducten.nl www.glamournagelproducten.nl 1.4 Emergency telephone number: 1-352-323-3500

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains 2-ethylhexyl acrylate, 2-hydroxyethyl methacrylate, Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate, mequinol, Methacrylic acid, monoester with propane-1,2-diol.

Substances that contribute to the classification

Polyurethane Acrylate Oligomor; Neopentyl glycol propoxylate diacrylate

** Changes with regards to the previous version

Glamournagelproducten

Gel On - Cookie



SECTION 2: HAZARDS IDENTIFICATION ** (continued)

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
CAS: EC:	Non-applicable	Polyurethane Acrylat	e Oligomor ⁽¹⁾	Self-classified	
Index:	Non-applicable Non-applicable Non-applicable	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1A: H317 - Warning		50 - <75 %
CAS:	868-77-9	2-hydroxyethyl meth	acrylate ⁽¹⁾	ATP CLP00	
	212-782-2 607-124-00-X 01-2119490169-29- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	()	10 - <25 %
CAS:	27813-02-1	Methacrylic acid, mo	noester with propane-1,2-diol ⁽¹⁾	Self-classified	
	248-666-3 Non-applicable 01-2119490226-37- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Sens. 1: H317 - Warning	()	10 - <25 %
CAS: EC:	84434-11-7 282-810-6	Ethyl phenyl(2,4,6-t	imethylbenzoyl)phosphinate ⁽¹⁾	Self-classified	
Index:	Non-applicable 01-2119987994-10- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning		10 - <25 %
CAS:	84170-74-1	Neopentyl glycol pro	poxylate diacrylate ⁽¹⁾	Self-classified	
	617-546-6 Non-applicable 01-2119970213-43- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1A: H317 - Warning	() (E)	1 - <2,5 %
CAS: EC:	103-11-7 203-080-7	2-ethylhexyl acrylate	2(1)	ATP CLP00	
Index:	203-080-7 607-107-00-7 01-2119453158-37- XXXX	Regulation 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT SE 3: H335 - Warning	()	1 - <2,5 %
CAS:	150-76-5	mequinol ⁽¹⁾		ATP CLP00	
	205-769-8 604-044-00-7 01-2119541813-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Sens. 1: H317 - Warning	()	<1 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

Glamournagelproducten

Gel On - Cookie



SECTION 4: FIRST AID MEASURES (continued)

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE





SECTION 7: HANDLING AND STORAGE (continued)

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no occupational exposure limits for the substances contained in the product **DNEL (Workers):**

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
2-hydroxyethyl methacrylate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 868-77-9	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
EC: 212-782-2	Inhalation	Non-applicable	Non-applicable	4,9 mg/m ³	Non-applicable
Methacrylic acid, monoester with propane-1,2-diol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 27813-02-1	Dermal	Non-applicable	Non-applicable	4,2 mg/kg	Non-applicable
EC: 248-666-3	Inhalation	Non-applicable	Non-applicable	14,7 mg/m ³	Non-applicable
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
C <mark>AS:</mark> 84434-11-7	Dermal	Non-applicable	Non-applicable	1,4 mg/kg	Non-applicable
EC: 282-810-6	Inhalation	Non-applicable	Non-applicable	4,93 mg/m ³	Non-applicable
Neopentyl glycol propoxylate diacrylate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 84170-74-1	Dermal	Non-applicable	Non-applicable	46,7 mg/kg	Non-applicable
EC: 617-546-6	Inhalation	Non-applicable	Non-applicable	32,9 mg/m ³	Non-applicable
2-ethylhexyl acrylate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 103-11-7	Dermal	Non-applicable	Non-applicable	6,5 mg/kg	Non-applicable
EC: 203-080-7	Inhalation	Non-applicable	38 mg/m ³	Non-applicable	38 mg/m ³
mequinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 150-76-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 205-769-8	Inhalation	Non-applicable	Non-applicable	3 mg/m ³	Non-applicable





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

DNEL (General population):

	Short exposure		Long	Long exposure	
Identification		Systemic	Local	Systemic	Local
2-hydroxyethyl methacrylate	Oral	Non-applicable	Non-applicable	0,83 mg/kg	Non-applicable
CAS: 868-77-9	Dermal	Non-applicable	Non-applicable	0,83 mg/kg	Non-applicable
EC: 212-782-2	Inhalation	Non-applicable	Non-applicable	2,9 mg/m ³	Non-applicable
Methacrylic acid, monoester with propane-1,2-diol	Oral	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
CAS: 27813-02-1	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 248-666-3	Inhalation	Non-applicable	Non-applicable	8,8 mg/m ³	Non-applicable
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	Oral	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
CAS: 84434-11-7	Dermal	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
EC: 282-810-6	Inhalation	Non-applicable	Non-applicable	0,87 mg/m ³	Non-applicable
2-ethylhexyl acrylate	Oral	Non-applicable	Non-applicable	0,23 mg/kg	Non-applicable
CAS: 103-11-7	Dermal	Non-applicable	Non-applicable	2,34 mg/kg	Non-applicable
EC: 203-080-7	Inhalation	Non-applicable	Non-applicable	Non-applicable	4,5 mg/m ³

FNLC.				
Identification				
2-hydroxyethyl methacrylate	STP	10 mg/L	Fresh water	0,482 mg/L
CAS: 868-77-9	Soil	0,476 mg/kg	Marine water	0,482 mg/L
EC: 212-782-2	Intermittent	1 mg/L	Sediment (Fresh water)	3,79 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	3,79 mg/kg
Methacrylic acid, monoester with propane-1,2-diol	STP	10 mg/L	Fresh water	0,904 mg/L
CAS: 27813-02-1	Soil	0,727 mg/kg	Marine water	0,904 mg/L
EC: 248-666-3	Intermittent	0,972 mg/L	Sediment (Fresh water)	6,28 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	6,28 mg/kg
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	STP	Non-applicable	Fresh water	0,00101 mg/L
CAS: 84434-11-7	Soil	0,0475 mg/kg	Marine water	0,000101 mg/L
EC: 282-810-6	Intermittent	0,0101 mg/L	Sediment (Fresh water)	0,24 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,024 mg/kg
Neopentyl glycol propoxylate diacrylate	STP	0,1 mg/L	Fresh water	0,003 mg/L
CAS: 84170-74-1	Soil	0,011 mg/kg	Marine water	0 mg/L
EC: 617-546-6	Intermittent	0,027 mg/L	Sediment (Fresh water)	0,064 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,006 mg/kg
2-ethylhexyl acrylate	STP	2,3 mg/L	Fresh water	0,00272 mg/L
CAS: 103-11-7	Soil	1 mg/kg	Marine water	0,000272 mg/L
EC: 203-080-7	Intermittent	0,011 mg/L	Sediment (Fresh water)	0,108 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0108 mg/kg
mequinol	STP	10 mg/L	Fresh water	0,014 mg/L
CAS: 150-76-5	Soil	0,017 mg/kg	Marine water	0,001 mg/L
EC: 205-769-8	Intermittent	Non-applicable	Sediment (Fresh water)	0,125 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,013 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Safety data sheet

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



Gel On - Cookie



Pictogram	PPE	Labelling	CEN Standard		Remarks
Mandatory respiratory tract	Filter mask for gases and vapours		EN 405:2002+A1:2010	conta	e when there is a taste or smell of the iminant inside the face mask. If the caminant comes with warnings it is imended to use isolation equipment.
C Specific protect	tion for the hands			•	
Non-applicable					
D Ocular and faci	al protection				
Pictogram	PPE	Labelling	CEN Standard		Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018		ly and disinfect periodically according facturer´s instructions. Use if there i risk of splashing.
E Body protection	1	<u>. </u>		-07	
Pictogram	PPE	Labelling	CEN Standard		Remarks
	Work clothing	CATI	200	periods o pro recommen	efore any evidence of deterioration. f prolonged exposure to the product fessional/industrial users CE III is ided, in accordance with the regulati 6529:2013, EN ISO 6530:2005, EN 1 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATI	EN ISO 20347:2012	periods o pro recomment	efore any evidence of deterioration. f prolonged exposure to the product fessional/industrial users CE III is nded, in accordance with the regulati ISO 20345:2012 y EN 13832-1:2007
F Additional eme	rgency measures				
Emergency r	measure St	tandards	Emergency meas	ure	Standards
	+	SI Z358-1	•		DIN 12 899
Emergency Environmental e	ISO 3864-1:20	11, ISO 3864-4:201	1 Eyewash station	ns	ISO 3864-1:2011, ISO 3864-4:2011
Environmental e In accordance with spillage of both the Volatile organic With regard to Dire V.O.C. (Supply) V.O.C. density Average carbor	ISO 3864-1:20 shower xposure controls: the community legislation product and its container. compounds: ective 2010/75/EU, this product at 20 °C: n number: 6,5	for the protectio For additional in duct has the follo weight applicable	Eyewash station n of the environment it formation see subsectio	is recomm	ended to avoid environmental
Environmental e In accordance with spillage of both the Volatile organic With regard to Dire V.O.C. (Supply) V.O.C. density Average carbor Average molect	ISO 3864-1:20 shower xposure controls: the community legislation product and its container. compounds: ective 2010/75/EU, this product at 20 °C: n number: 6,5	for the protectio For additional in duct has the folk weight applicable	Eyewash station n of the environment it formation see subsectio	is recomm	
Environmental e In accordance with spillage of both the Volatile organic With regard to Dire V.O.C. (Supply) V.O.C. density Average carbor Average molect	ISO 3864-1:20 shower xposure controls: the community legislation product and its container. compounds: ective 2010/75/EU, this product at 20 °C: Non- n number: 6,5 ular weight: 137,1	11, ISO 3864-4:201 for the protectio For additional in duct has the follo weight applicable L5 g/mol	Eyewash station	is recomm	
Environmental e In accordance with spillage of both the Volatile organic With regard to Dire V.O.C. (Supply) V.O.C. density Average carbor Average molect ION 9: PHYSICA	ISO 3864-1:20 shower xposure controls: the community legislation product and its container. compounds: ective 2010/75/EU, this product at 20 °C: the number: the community legislation the community l	for the protectio For additional in duct has the folk weight applicable L5 g/mol PERTIES	Eyewash station	is recomm	
Environmental e In accordance with spillage of both the Volatile organic With regard to Dire V.O.C. (Supply) V.O.C. density Average carbor Average molect ION 9: PHYSICA	ISO 3864-1:20 shower xposure controls: a the community legislation e product and its container. compounds: ective 2010/75/EU, this product): 20 % at 20 °C: Non- n number: 6,5 ular weight: 137,1 L AND CHEMICAL PROF basic physical and chemi	for the protectio For additional in duct has the folk weight applicable L5 g/mol PERTIES	Eyewash station	is recomm	
Environmental e In accordance with spillage of both the Volatile organic With regard to Dire V.O.C. (Supply) V.O.C. density Average carbor Average molect ION 9: PHYSICA Information on the For complete inform Appearance:	ISO 3864-1:20 shower xposure controls: the community legislation product and its container. compounds: ective 2010/75/EU, this product at 20 °C: Non- n number: 6,5 ular weight: 137,1 L AND CHEMICAL PROF basic physical and chemi mation see the product data	11, ISO 3864-4:201 for the protectio For additional in duct has the folk weight applicable L5 g/mol PERTIES ical properties asheet.	Eyewash station	is recomm	
Environmental e In accordance with spillage of both the Volatile organic With regard to Dire V.O.C. (Supply) V.O.C. density Average carbor Average molect ON 9: PHYSICA Information on the For complete inform Appearance: Physical state at 20	ISO 3864-1:20 shower xposure controls: the community legislation product and its container. compounds: ective 2010/75/EU, this product at 20 °C: Non- n number: 6,5 ular weight: 137,1 L AND CHEMICAL PROF basic physical and chemi mation see the product data	11, ISO 3864-4:201 for the protectio For additional in duct has the follo weight applicable L5 g/mol PERTIES ical properties asheet. Liquic	Eyewash station	is recomm	
Environmental e In accordance with spillage of both the Volatile organic With regard to Dire V.O.C. (Supply) V.O.C. density Average carbor Average molect ION 9: PHYSICA Information on the For complete information	ISO 3864-1:20 shower xposure controls: the community legislation product and its container. compounds: ective 2010/75/EU, this product at 20 °C: Non- n number: 6,5 ular weight: 137,1 L AND CHEMICAL PROF basic physical and chemi mation see the product data	11, ISO 3864-4:201 for the protectio For additional in duct has the follo weight applicable L5 g/mol PERTIES ical properties asheet. Liquic Not a	Eyewash station	is recomm	

 $\ensuremath{^*\text{Not}}$ relevant due to the nature of the product, not providing information property of its hazards.





Odour:	Not available
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	219 °C
Vapour pressure at 20 °C:	17 Pa
Vapour pressure at 50 °C:	156,21 Pa (0,16 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	Non-applicable *
Relative density at 20 °C:	Non-applicable *
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 of	C: Non-applicable *
Solubility in water at 20 °C:	
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	Non Flammable (>60 °C)
Heat of combustion:	Non-applicable *
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	258 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
Explosive:	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

Safety data sheet This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

Glamournagelproducten

Gel On - Cookie



SECTION 10: STABILITY AND REACTIVITY (continued)

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity			
	Not applicable Not applicable Not applicable Not applicable							
10.5	10.5 Incompatible materials:							
	Acids Water Oxidising materials Combustible materials Others							
	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases			

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - IARC: 2-ethylhexyl acrylate (2B)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
 - dangerous for this effect. For more information see section 3.



Gel On - Cookie



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	А	cute toxicity	Genus
2-hydroxyethyl methacrylate	LD50 oral	5050 mg/kg	Rat
CAS: 868-77-9	LD50 dermal	3000 mg/kg	Rabbit
EC: 212-782-2	LC50 inhalation	Non-applicable	
Methacrylic acid, monoester with propane-1,2-diol	LD50 oral	11200 mg/kg	Rat
CAS: 27813-02-1	LD50 dermal	5100 mg/kg	Rabbit
EC: 248-666-3	LC50 inhalation	Non-applicable	
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	LD50 oral	5500 mg/kg	Rat
CAS: 84434-11-7	LD50 dermal	2000 mg/kg	Rat
EC: 282-810-6	LC50 inhalation	Non-applicable	
2-ethylhexyl acrylate	LD50 oral	4435 mg/kg	Rat
CAS: 103-11-7	LD50 dermal	7552 mg/kg	Rabbit
EC: 203-080-7	LC50 inhalation	Non-applicable	
mequinol	LD50 oral	500 mg/kg	Rat
CAS: 150-76-5	LD50 dermal	Non-applicable	
EC: 205-769-8	LC50 inhalation	Non-applicable	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
2-hydroxyethyl methacrylate	LC50	227 mg/L (96 h)	Pimephales promelas	Fish
CAS: 868-77-9	EC50	Non-applicable		
EC: 212-782-2	EC50	Non-applicable		
Methacrylic acid, monoester with propane-1,2-diol	LC50	833 mg/L (96 h)	Scophthalmus maximus	Fish
CAS: 27813-02-1	EC50	210 mg/L (48 h)	Acartia tonsa	Crustacean
EC: 248-666 <mark>-3</mark>	EC50	Non-applicable		
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	LC50	1.89 mg/L (96 h)	Danio rerio	Fish
CAS: 84434-11-7	EC50	2.26 mg/L (48 h)	Daphnia magna	Crustacean
EC: 282-810-6	EC50	1.01 mg/L (72 h)	Desmodesmus subspicatus	Algae
Neopentyl glycol propoxylate diacrylate	LC50	2.7 mg/L (96 h)	Danio rerio	Fish
CAS: 84170-74-1	EC50	37 mg/L (48 h)	Daphnia magna	Crustacean
EC: 617-546-6	EC50	3.4 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
m <mark>equinol</mark>	LC50	110 mg/L (96 h)	Pimephales promelas	Fish
CAS: 150-76-5	EC50	Non-applicable		
EC: 205-769-8	EC50	Non-applicable		

12.2 Persistence and degradability:

Identification	Deg	radability	Biodegradability		
2-hydroxyethyl methacrylate	BOD5	Non-applicable	Concentration	100 mg/L	
CAS: 868-77-9	COD	Non-applicable	Period	14 days	
EC: 212-782-2	BOD5/COD	Non-applicable	% Biodegradable	95 %	
Methacrylic acid, monoester with propane-1,2-diol	BOD5	Non-applicable	Concentration	Non-applicable	
CAS: 27813-02-1	COD	Non-applicable	Period	Non-applicable	
EC: 248-666-3	BOD5/COD	Non-applicable	% Biodegradable	81 %	

Safety data sheet This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

Gel On - Cookie



SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	De	gradability	Biodegradability		
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	BOD5	Non-applicable	Concentration	100 mg/L	
CAS: 84434-11-7	COD	Non-applicable	Period	28 days	
EC: 282-810-6	BOD5/COD	Non-applicable	% Biodegradable	5 %	
Neopentyl glycol propoxylate diacrylate	BOD5	Non-applicable	Concentration	2 mg/L	
CAS: 84170-74-1	COD	Non-applicable	Period	56 days	
EC: 617-546-6	BOD5/COD	Non-applicable	% Biodegradable	70 %	
mequinol	BOD5	Non-applicable	Concentration	100 mg/L	
CAS: 150-76-5	COD	Non-applicable	Period	28 days	
EC: 205-769-8	BOD5/COD	Non-applicable	% Biodegradable	86 %	

12.3 Bioaccumulative potential:

Identification	Identification		paccumulation potential	
2-hydroxyethyl methacrylate		BCF	3	
CAS: 868-77-9		Pow Log	0.47	
EC: 212-782-2		Potential	Low	
Methacrylic acid, monoester with propane-1,2-diol		BCF	3	
CAS: 27813-02-1		Pow Log	0.97	
EC: 248-666-3		Potential	Low	
mequinol		BCF	9	
CAS: 150-76-5	.0	Pow Log	1.58	
EC: 205-769-8	1000	Potential	Low	
Mobility in soil:	A.V.			

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Methacrylic acid, monoester with propane-1,2-diol	Кос	80	Henry	9E-4 Pa·m³/mol
CAS: 27813-02-1	Conclusion	High	Dry soil	Non-applicable
EC: 248-666-3	Surface tension	Non-applicable	Moist soil	Non-applicable
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	Кос	2344.2	Henry	Non-applicable
CAS: 84434-11-7	Conclusion	Low	Dry soil	Non-applicable
EC: 282-810-6	Surface tension	Non-applicable	Moist soil	Non-applicable
2-ethylhexyl acrylate	Кос	Non-applicable	Henry	Non-applicable
CAS: 103-11-7	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 203-080-7	Surface tension	2,58E-2 N/m (25 °C)	Moist soil	Non-applicable
mequinol	Кос	Non-applicable	Henry	Non-applicable
CAS: 150-76-5	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 205-769-8	Surface tension	1,942E-2 N/m (270,35 °C)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)				
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous				
Type of was	Type of waste (Regulation (EU) No 1357/2014):					
HP14 Ecotoxic	HP14 Ecotoxic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage					
Waste management (disposal and evaluation):						





SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

--ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Hazard statements
- · Substances contained in EUH208:
 - · New declared substances
 - Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate (84434-11-7)

** Changes with regards to the previous version





SECTION 16: OTHER INFORMATION ** (continued)

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1A: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction. STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Skin Irrit. 2: Calculation method Skin Sens. 1A: Calculation method Aquatic Chronic 3: Calculation method Eye Irrit. 2: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier

** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.