

DETAILS THAT MAKE THE DIFFERENCE



Recessed pressure gauge and manual air relief
enable user to place head assembly upside down on a pool pad, protecting the seal from contamination

Easy lock ring design
for a quick access and simple maintenance

Reduced ground space required
ideal for confined plant rooms

Single-cartridge SwimClear™ filter



Polyester cartridge


Union connections
make installation and servicing fast and easy

Complete built-in drain
offering full and fast cleaning for simplified filter draining

YEARS OF WARRANTY
TANK 10 EQUIPMENTS 5 TOTALLY PARTNER +1 Equipments

SINCE 1964

SwimClear™ Filters



HAYWARD®

**CARTRIDGE FILTERS
100% COMFORT!**

ONLINE SERVICES
Special offers
Free additional guarantee extension
Free newsletter sign-up
Design your pool
Energy savings calculator
Online expert
Spare parts catalogue

www.hayward-pool.co.uk
facebook.com/HaywardPoolEurope/

Ref. ADC 1005EEN • Photo credits: Edwige Lamy, 123rf, Hayward • DPS Loventy 15287e

PUMPS **FILTERS** LIGHTING WHITE GOODS SANITIZATION CLEANERS HEAT PUMPS

HAYWARD®

SwimClear™

CARTRIDGE FILTERS
100% COMFORT!

Filters



SwimClear™ is a compact solution for top performance and big savings

Unlike standard sand filters, SwimClear™:

- captures more debris thanks to its innovative design,
- no backwashing: save up to 6000 liters of water per year,
- has very small head losses, for an energy optimisation of the pool system.

Single-cartridge SwimClear™

Ultra compact design: easy to install, simple to maintain!

Because space is at a premium in a technical pad, it is easy to find room for SwimClear™, facilitating maintenance and control operations.



3 models for a flow rate of 20 to 30 m³/h

Versions	Effective filtering area	Reference flow rate (sand filter)
C100SE	9.3 m²	20 m³/h
C150SE	14 m²	25 m³/h
C200SE	18.6 m²	30 m³/h

Multi-cartridge SwimClear™

Up to 63 m² of filtering area

High-capacity SwimClear™ cartridge filters offer a very high retention capacity with minimum maintenance. Their reinforced polyester cartridge extends cartridge filter durability and a limited maintenance.



Top manifold for better filtration and optimised hydraulic performance



4 models for a flow rate of 14 to 35 m³/h

Versions	Effective filtering area	Reference flow rate (sand filter)
C3030EURO	30 m²	14 m³/h
C4030EURO	39 m²	22 m³/h
C5030EURO	49 m²	30 m³/h
C7030EURO*	63.2 m²	35 m³/h

* C7030EURO : with 8 cartridges.

SwimClear™, variable speed pump's ideal partner



Crystal-clear water
& Energy savings

The variable speed pumps operates 24-hours more slowly (except maintenance operations).

Results:

- water keeps moving slowly in the filter, a key advantage for a crystal-clear water.
- electricity consumption is reduced by up to 85%*.

*Energy savings of at least 65% are generally achieved.

FILTERS TWICE AS EFFICIENT

The SwimClear™ filter is a major technological breakthrough, high efficiency with improved dirt-holding capacity.



Sand filter



SwimClear™

Result: clearer water, energy savings, and low maintenance!