

LifeStar Nitrile Gloves

QUALITY STANDARDS

Conforms to MDR (EU) 2017/745 (class I), CE PPE CAT III, ASTM D6319, EN ISO 13485:2016, EN ISO 9001:2015, EN ISO 14971:2019, IEC 62366-1:2015(en); EN ISO 15223-1:2016, EN 455-1:2000, EN 455-2:2015, EN 455-3:2015, EN 16523-1:2015+A1:2018, EN ISO 374-1:2016+A1:2018, EN 420:2003+A1:2009, EN 374-2:2014, EN ISO 374-4:2019, EN ISO 374-5:2016, EN 1186:2020, EN 1935/2004, EN 13130-1:2004, DIN 10955:2004.

PRODUCT SPECIFICATIONS

INODUCI		A IIONS
	-	red, beaded cuff and
Nitril, latex-free, Cl	nlorinated	
Blue		
performing medic interventions, and These protect the	al examinations, d for work with infe patient and the user	iagnostic or therapeutic ectious medical material.
-		ties when stored in a
5 years from the d	ate of manufacturing	g.
GlOV	E PROFILE	
Minimum 240mm		
ASTM D 6319 Cuff (mm) Palm (mm) Finger (mm)	Minimum 0.07 n Minimum 0.07 n Minimum 0.07 n	nm
Before aging After aging	S / M 8.4 N L / XL 10.8 N S / M 8.4 N L / XL 10.5 N	
Small = 85 mm Me X-Large = 115 mm	dium = 95 mm Large	e = 105 mm
S 3.5g±0.3g M 4.0g	±0.3g L 4.5g±0.3g Xl	_ 5.0g±0.3g
DIN EN CE	Virus	
r Package	Box Size	Carton Dimension
e 100pcs/box, 10 boxes/ctn	230*120*65mm	335*250*240mm
	Powder-Free, Non smooth external fit Nitril, latex-free, Cl Blue Nitrile medical g performing medic interventions, and These protect the gloves are intende The gloves shall m dry condition. Avoi 5 years from the d CUFV Minimum 240mm Astm D 6319 Cuff (mm) Palm (mm) Finger (mm) Before aging After aging Small = 85 mm Me X-Large = 115 mm S 3.5g±0.3g M 4.0g Small = 85 mm Me X-Large = 115 mm	Nitrile medical gloves are non-steperforming medical examinations, dinterventions, and for work with infer These protect the patient and the user gloves are intended for single use. The gloves shall maintain their properdry condition. Avoid direct sunlight. 5 years from the date of manufacturing GLOVE PROFILE Minimum 240mm ASTM D 6319 Cuff (mm) Minimum 0.07 m Palm (mm) Minimum 0.07 m Before aging S / M 8.4 N L / XL 10.8 N After aging S / M 8.4 N L / XL 10.5 N Small = 85 mm Medium = 95 mm Large X-Large = 115 mm S 3.5g±0.3g M 4.0g±0.3g L 4.5g±0.3g XI Image: Signed to the state of t





LifeStar Stretch Vinyl Gloves

QUALITY STANDARDS

Conforms to MDR (EU) 2017/745 (class I), CE PPE CAT III, EN 455-1:2000, EN 455-2:2015, EN 455-3:2015, EN 16523-1:2015+A1:2018, EN ISO 374-1:2016+A1:2018, EN 420:2003+A1:2009, EN 374-2:2014, EN ISO 374-4:2019, EN ISO 374-5:2016, EN 1186:2020, EN ISO 21420:2020, EN 1935/2004.

PRODUCT SPECIFICATIONS

Туре	Powder-Free Non-sterile, Ambidextrous, beaded cuff and PU coating on interior surface
Material	Stretch Vinyl, latex-free, Chlorinated
Colour	Blue
Usage	Stretch vinyl medical gloves are non-sterile and are used as an examination glove in medical and dental field (AQL 1.5), also invasively, intended for temporary use. Hybrid Technology combines advanced synthetic elastomer and vinyl polymer materials to create an exceptionally soft, supple and elastic glove with unique shape memory. Single use only.
Storage	The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight.
Shelf-Life	5 years from the date of manufacturing

EN
FORMERFREE
10000
FORMERFREE
FOR



GLOVE PROFILE

	nght nm)	Minimum 242m	าทา				
	kness nm)	Cuff (mm) Palm(mm) Finger (mm)	Minimum 0. Minimum 0. Minimum 0.	08 mm			
	ce at ak (N)	Before aging After aging	S / M L / XL S / M L / XL	4.0 N 5.1 N 4.0 N 5.0 N			
	idth 5mm)	Small = 85 mm Medium = 95 mm Large = 105 mm X-Large = 115 mm					
We	eight	S = 4.9gm M = 5	5.4 gm L = 5.8	gm XL = 6.	7 g		
FL		1 1N EN 455	DATER	Virus	2	AQL (1.5)	R
Size	Colo	r Package	Box	x Size	Ca	rton Din	nension

Size	Color	Package	Box Size	Carton Dimension
S – XL	Blue	100pcs/box, 10 boxes/ctn	230*120*65mm	335*250*240mm

Life Star International Limited

LifeStar Vinyl Gloves

QUALITY STANDARDS

Conforms to MDR (EU) 2017/745 (class I), CE PPE CAT III, EN 455-1:2000, EN 455-2:2015, EN 455-3:2015, EN 455-4:2015, EN 16523-1:2015+A1:2018, EN ISO 374-1:2016+A1:2018, EN 420:2003+A1:2009, EN 374-2:2014, EN 374-3:2003, EN ISO 374-4:2019, EN ISO 374-5:2016, EN 1935/2004.

PRODUCT SPECIFICATIONS

Туре	Powder-Free Non-sterile, Ambidextrous, beaded cuff and PU coating on interior surface
Material	Vinyl, latex-free
Colour	Clear
Usage	There is a lot of different scope for the utilization of vinyl gloves and numerous enterprises can profit with their utilization for the insurance of hands and decrease the tainting of items. Clinical assignments, food taking care of, substance and oil enterprises and furthermore painting errands can profit with the utilization of vinyl gloves. They are successful in securing against sleek substances, corrosive, emulsions and different fluids and work well for in food readiness where cross tainting should be kept to a severe least. Because of their enemy of static nature, they are likewise helpful when working with wires and strings.
Storage	The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight.
Shelf-Life	5 years from the date of manufacturing

GLOVE PROFILI

Lenght (mm)	Median 240mm		
Thickness (mm)	Cuff (mm)Minimum 0.05 mmPalm(mm)Minimum 0.08 mmFinger (mm)Minimum 0.06 mm		
Force at Break (N)	Before agingMedian 4.4NAfter agingMedian 4.1N		
Width (+/- 5mm)	Small = 87 mm Medium = 97 mm Large = 105 mm X-Large = 114 mm		
Weight	S = 4.9gm M = 5.4 gm L = 5.8 gm XL = 6.7 g		
C' C I			

Size	Color	Package	Box Size	Carton Dimension
S – XL	Blue	100pcs/box, 10 boxes/ctn	230*120*65mm	335*250*240mm

