

## DATASHEET

## Clean-Room Standard C-FC1460H / C-FC1470H

PRODUCT		DIMENSIONS	C-FC1460H	C-FC1470H
		Seat depth from lumbar support Backrest height from seat Seat depth Seat width Backrest height Backrest width Seat height	440 mm 430 mm 450 mm 460 mm 320 mm 420 mm 490-690 mm	440 mm 430 mm 450 mm 460 mm 320 mm 420 mm 590-840 mm
TECHNICAL DES	SCRIPTION			
Seat	Structure of the seat in polypropylene (PP), anatomically shaped and with reinforcing ribs. BLK: Black (standard) GRY: Grey RAL7040 / BLU: Blue RAL5002 / RED: Red (optional instead of black color)			
Backrest	Structure of the backrest in polypropylene (PP), anatomically shaped and with reinforcing ribs. BLK: Black (standard) GRY: Grey RAL7040 / BLU: Blue RAL5002 / RED: Red (optional instead of black color)			
Back support	Supporting structure black color, in polyamide (PA) and fiberglass (PA 6 GF40), with reinforcing ribs.			
Mechanism	GS: GAS LIFT, seat height adjustable.			
Lift action	Central piston (Ø 28 mm) protected by steel tube (Ø 50 mm), black finish. Class 4 according to DIN 4550.			
Base	<b>0901C</b> : 5-star base (Ø 700 mm) in die-cast aluminum with internal reinforcement ribs. Polished finish. According to ANSI/BIFMA X5.1, BS 5459 A.5.1-A.5.5 and UNI EN 1335-3.			
Glides	<b>0351:</b> glides in black nylon (h 55 mm / Ø 50 mm).			
ACCESSORIES	- ,			
FC-01	Upholstered seat panel. Padding in PU-Flex, 10 mm thickness and 40 g/L density. Self-extinguishing material according to UNI 9175, recyclable and without CFC/HCFC. Upholstery in eco-leather: VALENCIA. Composition: outside 100% PVC, inside 100% polyester Hi-Loft2 <sup>™</sup> TOLEDO. Composition: 84% PVC, 16% polyester			
FC-STR-GRY	Supporting structure in Grey color. Instead of black color structure.			
M-0311	Soft castors (Ø 50 mm) in black nylon with non-marking polyurethane ring, self-braking. Instead of glides.			
0703N	"T" shaped black nylon armrests.			
0700	Circular footrest (Ø 460 mm), chromed steel ring, supports in black painted steel, height adjustable with a knob.			
	Gas lift with sealing ring for oil and grease.			
NO-OIL	Gas lift with sealing ring	for oil and grease.		

ISO 22196:2011 Measurement of antibacterial activity on plastic and other non-porous surfaces

