


## Clean-Room PU C-FC1864HP / C-FC1874HP

PRODUCT	DIMENSIONS	C-FC1864HP	C-FC1874HP
	Seat depth from lumbar support	430 mm	430 mm
	Backrest height from seat	410 mm	410 mm
	Seat depth	450 mm	450 mm
	Seat width	470 mm	470 mm
	Backrest height	360 mm	360 mm
	Backrest width	420 mm	420 mm
	Seat height	510-710 mm	610-860 mm

### TECHNICAL DESCRIPTION

Seat	Internal structure in recyclable techno-polymer anatomically shaped with integrated reinforcement ribs. Covered by a compound of soft integral polyurethane (PU-Soft), 40 mm (variable) thickness and 260 g/L density. BLK: Black (standard) GRY: Grey / BLU: Blue / RED: Red (optional instead of black color)
Backrest	Structure of the backrest in polypropylene (PP), anatomically shaped and with reinforcing ribs. BLK: Black (standard) GRY: Grey RAL7040 / BLU: Blue RAL5002 / RED: Red (optional instead of black color)
Back support	Supporting structure black color, in polyamide (PA) and fiberglass (PA 6 GF40), with reinforcing ribs.
Mechanism	<b>OS:</b> HARMONIC TILTING, free tilting of 7° positive and 4° negative.
Lift action	Central piston (Ø 28 mm) protected by steel tube (Ø 50 mm), black finish. Class 4 according to DIN 4550.
Base	<b>0901C:</b> 5-star base (Ø 700 mm) in die-cast aluminum with internal reinforcement ribs. Polished finish. According to ANSI/BIFMA X5.1, BS 5459 A.5.1-A.5.5 and UNI EN 1335-3.
Glides	<b>0351:</b> glides in black nylon (h 55 mm / Ø 50 mm).

### ACCESSORIES

FC-SCH-PU	Backrest internal structure in recyclable techno-polymer anatomically shaped with integrated reinforcement ribs. Covered by a compound of soft integral polyurethane (PU-Soft), 20 mm (variable) thickness and 260 g/L density. Instead of PP backrest. BLK: Black / GRY: Grey / BLU: Blue / RED: Red
FC-STR-GRY	Supporting structure in Grey color. Instead of black color structure.
M-0311	Soft castors (Ø 50 mm) in black nylon with non-marking polyurethane ring, self-braking. Instead of glides.
0703N	"T" shaped black nylon armrests.
0700	Circular footrest (Ø 460 mm), chromed steel ring, supports in black painted steel, height adjustable with a knob.
NO-OIL	Gas lift with sealing ring for oil and grease.

### TEST

ISO 22196:2011 Measurement of antibacterial activity on plastic and other non-porous surfaces

PTP 177.0/20 Measurement of antibacterial activity on surfaces