

# GRATE 30

## FIREPLACE GRATE INSERT



Transforming a traditional wood fireplace into a contemporary, eco-friendly bioethanol fireplace is simple with the EcoSmart Fireplace Grates.

Grate 30 is available for smaller fireplace setting. It accommodates the EcoSmart Fire XL500 Burner which is perfect for those looking to incorporate a long flame style into a compact setting.

**Safer than Wood**

Bioethanol smokeless fireplaces are clean burning. They do not produce any smoke, soot or flying embers. This makes them safer than wood burning fireplaces.

**Global Compliance**


This model complies with existing standards in the USA, Europe, UK and Australia. UL Listed, EN 16647 BSI Certified ACCC Safety Mandate compliant.

**Easy to Keep Clean**

Bioethanol fireplaces do not leave any carbon residue, so they are incredibly easy to keep clean. Just wipe them down with a damp cloth every now and then.

**Finish and Colour**

Grates are made from durable Fluid Concrete in a bold graphite concrete colour.



**Convert an Existing Fireplace in Minutes**

Transforming an existing wood burning fire into a clean burning ethanol fireplace is easy. Simply install the grate on a level platform and fill it with liquid bioethanol. Then sit back and relax.

**Warm your Home, Not the Planet**

Burning bioethanol fuel doesn't produce any smoke, so you can use an EcoSmart smokeless fireplace grate with or without an operational chimney.

As traditional wood burning fireplaces lose a lot of heat through the chimney, we recommend sealing off the chimney to increase efficiency. You can do this by closing the dampener or blocking off the chimney with a metal plate.

**Included Accessories**

**Optional Accessories**



Jerry Can



Lighting Rod + Lighter



XL Baffles




Plasma Fire Screen




Fire Screen Fixings

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.

# Grate 30



<b>Application</b>	Indoor
<b>Materials</b>	Fluid Concrete, Grade 304 Stainless Steel Burner
<b>Weight</b>	18.7kg [41.1lbs] Weight includes burner.
<b>SKU</b>	 Graphite ESF.1.G.GRA.30.GH

## BURNER INFORMATION\*


<b>Burner</b>	XL500
<b>Fuel Type</b>	e-NRG Bioethanol
<b>Fuel Capacity</b>	5 Litres [1.3 Gallons]
<b>Heats on Average (when used indoors)</b>	Over 40 square metres [430.6 square feet]
<b>Burn Time</b>	10 - 13 hours (approx)
<b>Minimum Room Size</b>	80 cubic metres [2825 cubic feet] per fireplace.

\*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.

This model comes with fixing brackets for permanently locating into a fixed position.

### Global Compliance

This model complies with existing standards in the USA, Europe, UK and Australia. UL Listed, EN 16647 BSI Certified ACCC Safety Mandate compliant.



**FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL**

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorized personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.