2-Propanol≥ 70%

according to Regulation (EC) No. 1907/2006 (REACH)

article number: IPA1.2 date of compilation: 2016-04-28 Version: 2 en Revision: 2021-04-12

Replaces version of: 2020-02-20

Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 **Product identifier**

Identification of the substance **2-Propanol** ≥ 99,9%

Article number

IPA1.2 Registration number (REACH)

01-2119457558-25-xxxx Index number in CLP Annex VI

603-117-00-0 EC number

200-661-7 CAS number

67-63-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevantidentified uses: Laboratory chemical

 $Laboratory and {\it analytical} \, use$

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

Laboratoriumdiscounter

(household).

1.3 Details of the supplier of the safety data sheet

> Laboratoriumdiscounter Zandvoortstraat 75 1976BN Ijmuiden Nederland

Telephone:+31 (0) 255 700 210 e-mail: info@laboratoriumdiscounter.nl Website: www.laboratoriumdiscounter.nl

Competent person responsible for the safety data

sheet:

:Department Health, Safety and Environment

e-mail (competent person): info@laboratoriumdiscounter.nl

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance ormixture

Page 1 / 17 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 70%

article number: IPA1.2



Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8D	Specific targetorgantoxicity- singleexposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07





Hazard statements

H225 Highly flammable liquid and vapour
 H319 Causes serious eyeirritation
 H336 May cause drowsiness or dizziness

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P233 Keep container tightlyclosed

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





UnitedKingdom(en) Page 2 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 70%

article number: IPA1.2



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance 2-Propanol Molecular formula C_3H_8O

Molar mass 60,1 g/mol

REACH Reg. No 01-2119457558-25-xxxx

CAS No 67-63-0
EC No 200-661-7
Index No 603-117-00-0

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult anophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

2. Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Dizziness, Drowsiness, Narcosis

3. Indication of any immediate medical attention and special treatment needed

none

UnitedKingdom(en) Page 3 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 70%

article number: IPA1.2



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

2. Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO2)

3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental releasemeasures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray. Avoidance of ignition sources.

2. Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

3. Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

4. Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

UnitedKingdom(en) Page 4/17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 70%

article number: IPA1.2



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feeding stuffs. When using do not smoke.

2. Conditions for safe storage, including anyincompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storagerooms or vessels

Recommended storage temperature: 15-25°C

3. Specific end use(s)

No information available.

SECTION 8: Exposurecontrols/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Co u ntr y	Name of agent	CAS No	Identi- fier	T W A [pp m]	TWA [mg/ m³]	ST E L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	propan-2-ol	67-63-0	WEL	400	999	500	1.250				EH40 / 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

UnitedKingdom(en) Page 5/17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 70%

article number: IPA1.2



Laboratoriumdiscounter

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Human health values

Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	500 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	888 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects	

Environmental values

Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental compartment	Exposure time		
PNEC	140,9 ^{mg} / _I	aquatic organisms	freshwater	short-term (single instance)		
PNEC	140,9 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)		
PNEC	2.251 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	552 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	552 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	28 ^{mg} /kg	terrestrial organisms	soil	short-term (single instance)		

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





· hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger/smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply

Page 6 / 17 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)

2 Propanol ≥ 99,9%

article number: IPA1.1.1



only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

· material thickness

0,4 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Melting point/freezing point -89 °C

Boiling point or initial boiling point and boiling

range

Odour

82 - 83 °C at 1.013 hPa

like: - alcohol

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 2 vol% - 13,4vol%

Flash point $12 \, ^{\circ}\text{C} \, (\text{c.c.})$

Auto-ignition temperature 425 °C (DIN 51794)

Decomposition temperature not relevant

pH (value) not determined (neutral)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in anyproportion

UnitedKingdom(en) Page 7/17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 99,9%

article number: IPA1.1.1

Laboratoriumdiscounter

Partition coefficient

Partition coefficient n-octanol/water (log value): 0,05

Vapour pressure 43 hPa at 20 °C

Density $0.79 \text{ g/cm}^3 \text{ at } 20^{\circ}\text{C}$

Relative vapour density 2,07 (air = 1)

Particlecharacteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics:

Miscibility completely miscible withwater

Temperature class (EU, acc. to ATEX)

 $Maximum\, permissible\, surface\, temperature\, on$

the equipment: 300°C

SECTION 10: Stability and reactivity

1. Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

2. Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

3. Possibility of hazardous reactions

Exothermic reaction with: strong oxidiser, Iron, Nitric acid, Strong acid, Aldehydes, Aluminium, Amines.

Danger of explosion: Chlorates, Nitro compound, Hydrogen peroxide, Phosgene

4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

5. Incompatible materials

plastic and rubber

6. Hazardous decomposition products

Hazardous combustion products: see section 5. Peroxides.

UnitedKingdom(en) Page 8/17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 99,9%

article number: IPA1.1.1



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
inhalation: vapour	LC50	37,5 ^{mg} / _I /4h	rat		OECD-403
oral	LD50	5.045 ^{mg} / _{kg}	rat		RTECS
dermal	LD50	12.800 ^{mg} /kg	rabbit		RTECS

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

· If in eyes

Causes serious eye irritation

If inhaled

dizziness, fatigue, narcosis

• If on skin

repeated exposure may cause skin dryness or cracking

United Kingdom (en) Page 9/17

according to Regulation (EC) No. 1907/2006 (REACH)

Laboratoriumdiscounter

2 **Propanol** ≥ 99,9%

article number: IPA1.1.1

Other information

Other adverse effects: Headache, Dyspnoea, Narcosis, Vertigo

2. Endocrine disrupting properties

Not listed.

3. Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	9.640 ^{mg} / _l	Pimephales promelas	96 h

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
LC50	>10.000 ^{mg} / _l	aquatic invertebrates	24 h

Biodegradation

The substance is readily biodegradable.

12.2 Process of degradability

Process of degradability					
Process	Degradation rate	Time			
biotic/abiotic	95 %	21 d			
oxygen depletion	53 %	5 d			

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0,05
---------------------------	------

4. Mobility in soil

Data are not available.

5. Results of PBT and vPvBassessment

Data are not available.

6. Endocrine disrupting properties

Not listed.

7. Other adverse effects

Data are not available.

United Kingdom (en) Page 10/17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 99,9%

article number: IPA1.1.1



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

2. Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

3. Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

1.	UN number or ID number	
	ADR/RID/ADN	UN1219
	IMDG-Code	UN1219
	ICAO-TI	UN1219
2.	UN proper shipping name	
	ADR/RID/ADN	ISOPROPANOL
	IMDG-Code	ISOPROPANOL
	ICAO-TI	Isopropanol
3.	Transport hazard class(es)	
	ADR/RID/ADN	3
	IMDG-Code	3
	ICAO-TI	3
4.	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

UnitedKingdom(en) Page 11 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 99,9%

article number: IPA1.1.1



7. Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

8. <u>Information for each of the UN Model Regulations</u>

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Classification code F1
Danger label(s) 3



Special provisions (SP) 601

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

Tunnel restriction code (TRC) D/E

Hazard identification No 33

Emergency Action Code 2YE

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 3



Special provisions (SP)
Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 3



Special provisions (SP) A180
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

UnitedKingdom(en) Page 12 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 99,9%

article number: IPA1.1.1



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
2-Propanol	this product meets the criteria for classificationin accordancewithReg- ulation No1272/2008/EC		R3	3	
2-Propanol	flammable / pyrophoric		R40	40	

Legend

- 1. Shall not be used in:
- -ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps andashtrays, tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

2. Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and,

- present an aspiration hazard and are labelled with R65 or H304,

- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

the following requirements are met:
(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keeplamps filled with this liquid out of thereach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
(b) grill lighterfluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter

or H304, shall by 1 December 2011, and annuallythereafter, provide data on alternatives tolamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

 metallic glitter intended mainly for decoration,

 artificial snow andfrost, R40

 - 'whoopee' cushions
 - silly string aerosols
 - imitation excrement,
 - horns for parties,
 - decorative flakes andfoams,
 - artificial cobwebs.
 - stink bombs.
 - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

 'For professional users only'.
 - 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1 a) of Council Directive 75/324/EEC(2).
 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to
 - the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list Not listed.

Page 13 / 17 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 99,9%

article number: IPA1.1.1



Laboratoriumdiscounter

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quiren	and upper-tier re-	Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive (2004/42/EC)

7909/1	VOC content	100% 790 ⁹ /I
--------	-------------	-----------------------------

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	100 %
VOC content	790 ^g /ı

Directive 2011/65/EU onthe restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
2-Propanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which mayaffectsteroidogenic,thyroid, reproduction orotherendocrine- related functions in or via the aquatic environment		A)	

Legend

A) Indicative list of the main pollutants

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

Regulation 111/2005/EC laying down rules forthe monitoring of trade between the Community and third countries in drug precursors

not listed

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

not listed

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

not listed

UnitedKingdom(en) Page 14/17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 99,9%

article number: IPA1.1.1



Laboratoriumdiscounter

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS AustralianInventoryofChemical Substances
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL ECSI IECSC Domestic Substances List(DSL)

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

Korea Existing Chemicals Inventory New Zealand Inventory of Chemicals KECI NZIoC

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH Reg. REACH registered substances

TCSI TSCA TaiwanChemical Substance Inventory Toxic Substance Control Act

15.2 **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accordeuropéen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accordeuropéen relatif au transport international des marchandises dangereuses par route(European Agreement concerning the International Carriage of Dangerous Goods by Road)

UnitedKingdom(en) Page 15 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 99,9%

article number: IPA1.1.1



Abbr.	Descriptions of used abbreviations
ADR/RID/ADN	European Agreements concerningthe International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized Systemof Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50% lethality during a specified time interval
LD50	Lethal Dose 50%: the LD50 corresponds to the dose of a tested substance causing 50% lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds

UnitedKingdom(en) Page 16/17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Propanol≥ 99,9%

article number: IPA1.1.1



Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inlandwaterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

UnitedKingdom(en) Page 17/17