according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956 Version: **2.0 en**

Replaces version of: 2015-06-11

Version: (1)



date of compilation: 2015-06-11

. Revision: 2021-06-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Diethylene glycol

Article number DEG956

Registration number (REACH) 01-2119457857-21-xxxx

Index No 603-140-00-6

EC number 203-872-2

CAS number 111-46-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Laboratoriumdiscounter Zandvoortstraat 75 1976BN Ijmuiden Nederland

Telephone: +31 (0) 255 700 210 e-mail: <u>info@laboratoriumdiscounter.nl</u> Website: www.laboratoriumdiscounter.nl

Competent person responsible for the safety data

sheet : Department Health, Safety and Environment

e-mail (competent person) : <u>info@laboratoriumdiscounter.nl</u>

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance ormixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS				
Section	Hazard class	Hazard class and cat- egory	Hazard state- ment	
3.10	acute toxicity (oral)	(Acute Tox. 4)	H302	
3.9	specific target organ toxicity - repeated exposure	(STOT RE 2)	H373	

2.2 Label elements

United Kingdom (en) Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956

Laboratoriumdiscounter

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms





Hazard statements

H302 Harmful if swallowed

H373 May cause damage to organs (kidney) through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P260 Do not breathemist/vapours.

P270 Do not eat, drink or smoke when using this product.

Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)





2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Diethylene glycol

Index No 603-140-00-6

Registration number (REACH) 01-2119457857-21-xxxx

EC number 203-872-2 CAS number 111-46-6

 $Molecular formula \\ C_4H_{10}O_3$

Molar mass 106.1 g/mol

United Kingdom (en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Get medical advice/attention if you feel unwell.

2. Most important symptoms and effects, both acute and delayed

Headache, Diarrhoea, Vomiting, Vertigo, Nausea

3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

2. Special hazards arising from the substance or mixture

 $Combustible. Vapours \, can \, form \, explosive \, mixtures \, with \, air.$

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

3. Advice for firefighters

Vapours are heavier than air. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

United Kingdom (en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



SECTION 6: Accidental release measures

1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Provide adequate ventilation.

2. Environmental precautions

Keep away from drains, surface and ground water.

3. Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid-or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal.

4. Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

1. Precautions for safe handling

Provide adequate ventilation. When not in use, keep containers tightly closed.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

2. Conditions for safe storage, including anyincompatibilities

Keep container tightly closed in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

3. Specific end use(s)

No information available.

United Kingdom (en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



SECTION8: Exposurecontrols/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Nota- tion	ldentifi- er	TWA [pp m]	TWA [mg/m ³]	STEL [pp m]	STEL [mg/m	Source
GB	2,2'-oxydiethanol	111-46-6		WEL	23	101			EH40/2005

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified) TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

· human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	60 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	106 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
DNEL	60 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects

environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	10 ^{mg} /cm³	air	intermittent release
PNEC	10 ^{mg} / _l	freshwater	short-term (single instance)
PNEC	1 ^{mg} / _l	marine water	short-term (single instance)
PNEC	199.5 ^{mg} /ı	sewage treatment plant (STP)	short-term (single instance)
PNEC	20.9 ^{mg} / _{kg}	freshwater sediment	short-term (single instance)
PNEC	2.09 ^{mg} /kg	marine sediment	short-term (single instance)
PNEC	1.53 ^{mg} /kg	soil	short-term (single instance)
PNEC	10 ^{mg} /i	water	intermittent release

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

United Kingdom (en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956

Laborato

Laboratoriumdiscounter

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

type of material

NBR (Nitrile rubber)

material thickness

0,3 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid (viscous)
Colour colourless
Odour odourless

Odour threshold No data available

Other physical and chemical parameters

pH (value) 6 - 8 (water: 200 ^g/_I, 20 °C)

Melting point/freezing point -6.5 °C

Initial boiling point and boiling range 242 – 252 °C

Flash point 138 °C at 1,013 hPa (open cup)

Evaporation rate no data available

Flammability(solid, gas) not relevant (fluid)

United Kingdom (en) Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



Laboratoriumdiscounter

Explosive limits

· lower explosion limit (LEL)· upper explosion limit (UEL)22 vol%

Explosion limits of dust clouds not relevant

Vapour pressure 0.008 hPa at 25 °C

Density $1.11 - 1.12 \, {}^{g}/{}_{cm^{3}}$ at 20 ${}^{\circ}{}$ C

Vapour density 3.66 (air = 1)

Bulk density Not applicable

Relative density Information on this property is not available.

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW) -1.98 (25 °C) (exp.)

Auto-ignition temperature >350 °C

Decomposition temperature no data available

Viscosity

 $\begin{array}{ll} \cdot \text{ kinematic viscosity} & 30-35 \text{ mm}^2/_{\text{S}} \text{ at 20 °C} \\ \cdot \text{ dynamic viscosity} & 40-45 \text{ mPa s at 20 °C} \end{array}$

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

Temperature class (EU, acc. to ATEX)

T2 (Maximum permissible surface temperature

on the equipment: 300°C)

SECTION 10: Stability and reactivity

1. Reactivity

In case of warming: Vapours can form explosive mixtures with air.

2. Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. Hygroscopic.

3. Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

4. Conditions to avoid

Protect from moisture.

5. Incompatible materials

There is no additional information.

6. Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
dermal	LD50	11,890 ^{mg} / _{kg}	rabbit	TOXNET
oral	LDLo	1,000 ^{mg} /kg	human	TOXNET

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

· Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

· Specific target organ toxicity - repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, vomiting, nausea, vertigo, headache, Liver and kidney damage

• If in eyes

causes slight to moderate irritation

If inhaled

causes slight to moderate irritation

·If on skin

slightly irritant

Other information

None

United Kingdom (en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	75,200 ^{mg} / _l	fathead minnow (Pimephales promelas)	ECHA	96 h
EC50	>10,000 ^{mg} / _l	daphnia magna		48 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	>10,000 ^{mg} / _I	aquatic invertebrates	ECHA	24 h

12.2 Process of degradability

The substance is readily biodegradable. Theoretical Oxygen Demand: $1.51 \, {}^{g}/{}_{g}$ Theoretical Carbon Dioxide: $1.659 \, {}^{mg}/{}_{mg}$

Process	Degradation rate	Time
biotic/abiotic	91.8 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water(log KOW) -1.98 (25 °C)

BCF 100

4. Mobility in soil

Data are not available.

5. Results of PBT and vPvB assessment

Data are not available.

6. Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

United Kingdom (en) Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



Laboratoriumdiscounter

Sewage disposal-relevant information

Do not empty into drains.

2. Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

3. Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

1. UN number (not subject to transport regulations)

2. UN proper shipping name not relevant

3. Transport hazard class(es) not relevant

Class

4. Packing group not relevant

 $5. \qquad \textbf{Environmental hazards} \qquad \qquad \textbf{none} \, (\textbf{non-environmentally hazardous acc.} \, \textbf{to the danger-none} \, \textbf{none} \, (\textbf{non-environmentally hazardous acc.} \, \textbf{to the danger-none} \, \textbf{none} \,$

ous goods regulations)

6. Special precautions for user

There is no additional information.

7. Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

- 8. Information for each of the UN Model Regulations
 - Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

• International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
 - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
 - Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)
 Not listed.
 - Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

United Kingdom (en) Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



Restrictions according to REACH, Annex XVII

Name of substance	CAS No	Wt%	Type of registration	No
Diethylene glycol		100	1907/2006/EC annex XVII	3

List of substances subject to authorisation (REACH, Annex XIV)

not listed

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

•Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOCcontent

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

100 %

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed

UnitedKingdom (en) Page 11 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



Laboratoriumdiscounter

Country	National inventories	Status
US	TSCA	substance is listed

Legend

AICS CICR CSCL-ENCS DSL ECSI IECSC Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List(DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Brillianian Inventory of Chemicals and Chemical Substances **INSQ** NZIoC

PICCS Philippine Inventory of Chemicals and Chemical Substances

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

16.1 Indication of changes (revised safety datasheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	ClassificationaccordingtoRegulation(EC)No 1272/2008 (CLP): GHS chapter - Hazard class and category - Hazard statement code(s)	ClassificationaccordingtoRegulation(EC)No 1272/2008(CLP)	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1	Classification according to Directive 1999/45/EC (DPD): Indication(s) of danger - Symbol codes - R-Phrases		yes
2.1		Classification according to Directive 1999/45/EC (DPD): change in the listing (table)	yes
2.1	Remarks: For full text of R-phrases: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125ml: change in the listing (table)	yes
8.1		environmental values: change in the listing (table)	yes

United Kingdom (en) Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



Laboratoriumdiscounter

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		· International Civil Aviation Organization (ICAO-IATA/DGR): Not subject to ICAO-IATA.	yes

Abbreviations and acronyms

	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
BCF	bioconcentration factor	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
CMR	Carcinogenic, Mutagenic or toxic for Reproduction	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	
STEL	short-term exposure limit	
TWA	time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	very Persistent and very Bioaccumulative	

United Kingdom (en) Page 13 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Diethylene glycol ≥ 99%, Extra pure

article number: DEG956



Abbr.	Descriptions of used abbreviations
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text	
H302	harmful if swallowed	
H373	may cause damage to organs (kidney) through prolonged or repeated exposure	

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 14 / 14