according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Laboratoriumdiscounter

date of compilation: 2016-04-08

Revision: 2021-06-23

Dichloromethane 99,5+%, pure

article number: DCM0.1 Version: **3.0 en** Replaces version of: 2018-08-07 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification ofthe substance	Dichloromethane
Article number	DCM0.1
Registration number (REACH)	01-2119480404-41-xxxx
Index No	602-004-00-3
EC number	200-838-9
CAS number	75-09-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

laboratory chemical laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Laboratoriumdiscounter Zandvoortstraat 75 1976BN Ijmuiden Nederland

Telephone: +31 (0) 255 700 210 e-mail: <u>info@laboratoriumdiscounter.nl</u> Website: <u>www.laboratoriumdiscounter.nl</u>

Competent person responsible for the safety data sheet:

: Department Health, Safety and Environment

info@laboratoriumdiscounter.nl

e-mail (competent person):

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons In- formation Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

Emergency information service

+49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance ormixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article

number: DCM0.1							
Classification acc. to GHS							
Section	Hazard class	Hazard class and cat- egory	Hazard state- ment				
3.2	skin corrosion/irritation	(Skin Irrit. 2)	H315				
3.3	serious eye damage/eye irritation	(Eye Irrit. 2)	H319				
3.6	carcinogenicity	(Carc. 2)	H351				
3.8D	specific target organ toxicity- singleexposure (narcotic effects, drowsiness)	(STOT SE 3)	H336				

Laboratoriumdiscounter

The most important adverse physicochemical, human health and environmental effects Narcotic effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Warning Signal word

Pictograms



GHS07, GHS08

Hazard statements

H315 H319	Causes skin irritation Causes serious eyeirritation
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer

Precautionary statements

Precautionary statements - prevention

P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves/eye protection.

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

For professional users only

Labelling of packages where the contents do not exceed 125 ml Signal word: Warning

Symbol(s)



H351

Suspected of causingcancer.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1

P280Wear protective gloves/eyeprotection.P308+P313IF exposed or concerned: Get medical advice/attention.

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Dichloromethane
Index No	602-004-00-3
Registration number (REACH)	01-2119480404-41-xxxx
EC number	200-838-9
CAS number	75-09-2
Molecular formula	CH ₂ Cl ₂
Molar mass	84,93 ^g / _{mol}

Impurities and additives, classification acc. to EU regulation

Name of substance	Identifier	Conc.	Classification acc. to 1272/2008/EC
Amylene	CAS No 513-35- 9 EC No 208-156- 3	20 - 60 ppm	Flam. Liq. 2 / H225 AcuteTox. 4 / H302 Skin Irrit. 2 / H315 Muta. 2 / H341 Carc. 2 / H351 STOT SE 3 / H336 Asp. Tox. 1 / H304 AquaticChronic2/H411

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult anophthalmologist.

Following ingestion

Rinse mouth. Do not induce vomiting. Aspiration hazard. Call a physician immediately.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1

2. Most important symptoms and effects, both acute and delayed

Irritation, Vertigo, Nausea, Vomiting, Narcosis, Cough, Dizziness, Drowsiness, Dyspnoea, Corneal opacity

3. Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO₂), hydrogen chloride (HCl), phosgene

3. Advice for firefighters

Vapours are heavier than air. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 **Personal precautions, protective equipment and emergency procedures**



For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Use personal protective equipment as required. Provide adequate ventilation.

2. Environmental precautions

Keep away from drains, surface and ground water.

3. Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Page 4 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

1. Precautions for safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Avoid exposure. When not in use, keep containers tightly closed.

Advice on general occupational hygiene

Wash hands before breaks and after work.

2. Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

3. Specific end use(s)

No information available.

SECTION8: Exposurecontrols/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Co u ntr y	Name of agent	CAS No	Nota- tion	ldenti- fier	TW A [pp m]	TWA [mg/ m³]	ST E L P [P]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m ³]	Source
EU	methylene chloride (dichloromethane)	75-09-2		IOELV	100	353	200	706			2017/ 164/EU
GB Notati	dichloromethane	75-09-2		WEL	100	353	200	706			EH40 / 2005

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Biological limit values

Coun- try	Name of agent	Parameter	Nota- tion	ldentifi- er	Value	Material	Source
GB	dichloromethane	carbon monoxide		BMGV	30 ppm	end- tidal breath	EH40 / 2005



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1

Relevant DNELs/DMELs/PNECs and other threshold levels

human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	706 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	176 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	12 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

environmental values

Endpoint	Threshold level	Environmental compartment
PNEC	0,27 ^{mg} /l	water
PNEC	0,31 ^{mg} /I	freshwater
PNEC	0,031 ^{mg} /I	marine water
PNEC	26 ^{mg} /I	sewage treatment plant (STP)
PNEC	2,57 ^{mg} / _{kg}	freshwater sediment
PNEC	0,26 ^{mg} /kg	marine sediment
PNEC	0,33 ^{mg} /kg	soil

• relevant PNECs of components of themixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental com- partment
Amylene	513-35-9	PNEC	0,37 ^{mg} /I	freshwater
Amylene	513-35-9	PNEC	0,37 ^{mg} /l	marine water
Amylene	513-35-9	PNEC	5,77 ^{mg} /l	sewage treatment plant (STP)
Amylene	513-35-9	PNEC	8,1 ^{mg} / _{kg}	freshwater sediment
Amylene	513-35-9	PNEC	8,1 ^{mg} /kg	marine sediment
Amylene	513-35-9	PNEC	1,44 ^{mg} /kg	soil

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

FKM: fluoro-elastomer

material thickness

0,7mm.

• breakthrough times of the glove material

>120 minutes (permeation: level 4)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	liquid (fluid)
Colour	colourless
Odour	mild sweet
Odour threshold	250 ppm
Other physical and chemical parameters	
pH (value)	(neutral)
Melting point/freezing point	-95 °C at 101,3 kPa
Initial boiling point and boiling range	40°C at 101,3 kPa
Flash point	not applicable
Evaporation rate	no dataavailable
Flammability(solid,gas)	not relevant(fluid)



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1



Laboratoriumdiscounter

- lower explosion limit (LEL)13 vol%- upper explosion limit (UEL)22 vol%Explosion limits of dust cloudsnot relevantVapour pressure475 hPa at 20 °CDensity1,33 9/cm³ at 20 °CVapour density2,93 (air = 1)Bulk densityNot applicableRelative densityInformation on this property is not available.Solubility(ies)~ 20 9/i at 20 °CPartition coefficient- 20 9/i at 20 °Cn-octanol/water (log KOW)1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneTemperature class (EU, acc. to ATEX)T1 (Maximum permissible surface temperature on the equipment: 450°C)	Explosive limits	
Explosion limits of dust cloudsnot relevantVapour pressure475 hPa at 20 °CDensity1,33 9/cm² at 20 °CVapour density2,93 (air = 1)Bulk densityNot applicableRelative densityInformation on this property is not available.Solubility(ies)~ 20 9/1 at 20 °CWater solubility~ 20 9/1 at 20 °CPartition coefficientn-octanol/water (log KOW)n-octanol/water (log KOW)1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	 lower explosion limit (LEL) 	1 3 vol%
Vapour pressure475 hPa at 20 °CDensity1,33 9/cm³ at 20 °CVapour density2,93 (air = 1)Bulk densityNot applicableRelative densityInformation on this property is not available.Solubility(ies)~ 20 9/1 at 20 °CPartition coefficient~ 20 9/1 at 20 °Cn-octanol/water (log KOW)1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity.43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	\cdot upper explosion limit (UEL)	22 vol%
Density1,33 g/cm³ at 20°CVapour density2,93 (air = 1)Bulk densityNot applicableRelative densityInformation on this property is not available.Solubility(ies)~ 20 g/l at 20 °CWater solubility~ 20 g/l at 20 °CPartition coefficient1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Explosion limits of dust clouds	not relevant
Vapour density2,93 (air = 1)Bulk densityNot applicableRelative densityInformation on this property is not available.Solubility(ies)~ 20 g/l at 20 °CPartition coefficient~ 20 g/l at 20 °CPartition coefficient1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Vapour pressure	475 hPa at 20 °C
Bulk densityNot applicableRelative densityInformation on this property is not available.Solubility(ies) $\sim 20 \ g/l$ at 20 °CWater solubility $\sim 20 \ g/l$ at 20 °CPartition coefficient1,25 (pH value: 7, 20 °C) (ECHA)n-octanol/water (log KOW)1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Density	1,33 ^g / _{cm³} at 20°C
Relative densityInformation on this property is not available.Solubility(ies)~ 20 g/l at 20 °CWater solubility~ 20 g/l at 20 °CPartition coefficient1,25 (pH value: 7, 20 °C) (ECHA)n-octanol/water (log KOW)1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Vapour density	2,93 (air = 1)
Solubility(ies)Water solubility~ 20 g/l at 20 °CPartition coefficient1,25 (pH value: 7, 20 °C) (ECHA)n-octanol/water (log KOW)1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Bulk density	Not applicable
Water solubility~ 20 9/1 at 20 °CPartition coefficient1,25 (pH value: 7, 20 °C) (ECHA)n-octanol/water (log KOW)1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity.· dynamic viscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Relative density	Information on this property is not available.
Partition coefficientn-octanol/water (log KOW)1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity.· dynamic viscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Solubility(ies)	
n-octanol/water (log KOW)1,25 (pH value: 7, 20 °C) (ECHA)Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity.· dynamic viscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationTemperature class (EU, acc. to ATEX)T1 (Maximum permissible surface temperature	Water solubility	~ 20 ^g /l at 20 °C
Auto-ignition temperature605 °CDecomposition temperatureno data availableViscosity0,43 mPa s at 20 °C• dynamic viscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Partition coefficient	
Decomposition temperatureno data availableViscosity.· dynamic viscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	n-octanol/water(log KOW)	1,25 (pH value: 7, 20 °C) (ECHA)
Viscosity0,43 mPa s at 20 °C• dynamic viscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Auto-ignition temperature	605 °C
· dynamic viscosity0,43 mPa s at 20 °CExplosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Decomposition temperature	no data available
Explosive propertiesShall not be classified as explosiveOxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	Viscosity	
Oxidising propertiesnoneOther informationT1 (Maximum permissible surface temperature	 dynamic viscosity 	0,43 mPa s at 20 °C
Other information T1 (Maximum permissible surface temperature	Explosiveproperties	Shall not be classified as explosive
Temperature class (EU, acc. to ATEX) T1 (Maximum permissible surface temperature	Oxidising properties	none
	Other information	
	Temperature class (EU, acc. to ATEX)	

SECTION 10: Stability and reactivity

1. Reactivity

9.2

This material is not reactive under normal ambient conditions.

2. Chemical stability

May cause decomposition by long-term light influence.

3. Possibility of hazardous reactions

<u>Dangerofexplosion</u>: Alkalimetals, Nitricacid, Aluminium, Amines, Nitrogen oxides (NOx), Nitricacid, Oxygen, Sodium, Potassium, <u>Exothermic reaction with</u>: Alkaline earth metal, Metal powder, Amide

4. Conditions to avoid

Direct light irradiation.


5. Incompatible materials

plastic and rubber, Light metals, Steel

6. Hazardous decomposition products

Hazardous combustion products: see section 5.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Laboratoriumdiscounter

Dichloromethane 99,5+%, pure

article number: DCM0.1

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	>2.000 ^{mg} / _{kg}	rat	ECHA
dermal	LD50	>2.000 ^{mg} /kg	rat	ECHA

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Carcinogenicity:

Suspected of causing cancer

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeatedexposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea, aspiration hazard

If in eyes

Causes serious eye irritation, corneal opacity

If inhaled

vertigo, dizziness, fatigue, narcosis

If onskin

causes skin irritation

Other information

 $Other adverse \, effects: Circulatory \, collapse, Dyspnoea, Blood \, pressure \, drop, Unconsciousness, Liver \, and \, kidney \, damage$

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Laboratoriumdiscounter

Dichloromethane 99,5+%, pure

article number: DCM0.1

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Exposure time
LC50	193 ^{mg} /I	fish	96 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
LC50	471 ^{mg} /l	fish	ECHA	8 d
EC50	2.590 ^{mg} /I	microorganisms	ECHA	40 min
NOEC	357 ^{mg} /l	fish	ECHA	8 d

12.2 Process of degradability

The substance is readily biodegradable. Theoretical Oxygen Demand: 0,3768 ^{mg}/_{mg} Theoretical Carbon Dioxide: 0,5182 ^{mg}/_{mg}

Process	Degradation rate	Time
biotic/abiotic	5 - 26 %	28 d
oxygen depletion	68 %	28 d

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time
Amylene	513-35-9	oxygen depletion	7 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)

BCF

4. Mobility in soil

Henry's lawconstant

0,002 ^{Pa m³}/mol at 24,8 °C

1,25 (pH value: 7, 20 °C)

39 (ECHA)

- 5. Results of PBT and vPvB assessment Data are not available.
- 6. Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

2. Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

3. Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information 1. **UN number** 1593 2. UN proper shipping name DICHLOROMETHANE **Hazardous** ingredients Dichloromethane 3. Transport hazard class(es) Class 6.1 (toxic substances) 4. Packing group III(substance presenting low danger) 5. Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regulations) 6. Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises. 7. Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk. 8. Information for each of the UN Model Regulations • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) **UN number** 1593 Proper shipping name DICHLOROMETHANE Particulars in the transport document UN1593, DICHLOROMETHANE, 6.1, III, (E) Class 6.1 Classification code Т1

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

. . priumdiscounter

Dichloromethane 99,5+%, pure	$/\Theta$) Laboratoriumdise
article number: DCM0.1	<u>ኒ</u>
Packing group	
Danger label(s)	6.1
Special provisions (SP)	516, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	60
Emergency Action Code	2Z
International Maritime Dangerous Goods (Code(IMDG)
UN number	1593
Proper shipping name Particulars in the shipper's declaration	DICHLOROMETHANE UN1593, DICHLOROMETHANE, 6.1, III
Class	6.1
Marine pollutant	-
Packinggroup	111
Danger label(s)	6.1
Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-A
Stowage category	A
Segregation group	10 - Liquid halogenated hydrocarbons
International Civil Aviation Organization (I	CAO-IATA/DGR)
UN number	1593
Proper shipping name	Dichloromethane
Particulars in the shipper's declaration	UN1593, Dichloromethane, 6.1, III
Class	6.1
Packinggroup	III

6.1

Danger label(s)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1



Excepted quantities (EQ)	E1
Limited quantities (LQ)	2 L

SECTION 15: Regulatory information

1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

 Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

Restrictions according to REACH, Annex XVII

Name of substance	CAS No	Wt%	Type of registration	Conditions of restric- tion	Νο
Dichloromethane	75-09-2	100	1907/2006/EC annex XVII	R59	59
Dichloromethane		100	1907/2006/EC annex XVII	R3	3

Legend

R3

1. Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, - tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

3.Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: - can be used as fuel in decorative oil lamps for supply to the general public, and, - present an aspiration hazard and are labelled with R65 or H304,

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a)lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage

(b)grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly (c)lam ingriter finds, labeled with Ros of H304, intended for supply to the general public are legibly and indenby marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage'; (c)lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010. 6.No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public. 7 Natural or lead persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1

Legend

R59

1. Paint strippers containing dichloromethane in a concentration equal to or greater than 0,1% by weight shall not be (a)placed on the market for the first time for supply to the general public or to professionals after 6 December

2010; (b) placed on the market for supply to the general public or to professionals after 6 December 2011; (c) used by professionals after 6 June 2012.

For the purposes of this entry:

(i) 'professional' means any natural or legal person, including workers and self-employed workers undertaking

(1) professional means any natural or legal person, including workers and self-employed workers undertaking paint stripping in the course of their professional activity outside an industrial installation;
 (ii) 'industrial installation' means a facility used for paint stripping activities.
 2.By way of derogation from paragraph 1, Member States may allow on their territories and for certain activities the use, by specifically trained professionals, of paint strippers containing dichloromethane and may allow the placing on the market of such paint strippers for supply to those professionals.
 Member States making use of this derogation shall define appropriate provisions for the protection of the health negative for supply to indicate professionals.

and safety of those professionals using paint strippers containing dichloromethane and shall inform the Commission thereof.

Those provisions shall include a requirement that a professional shall hold a certificate that is accepted by the Member State in which that professional operates, or provide other documentary evidence to that effect, or be otherwise approved by that Member State, so as to demonstrate proper training and competence to safely use

paint strippers containing dichloromethane. The Commission shall prepare a list of the Member States which have made use of the derogation in this para-graph and make it publicly available over the Internet. 3.A professional benefiting from the derogation referred to in paragraph 2 shall operate only in Member States

which have made use of that derogation. The training referred to in paragraph 2 shall cover as a minimum: (a)awareness, evaluation and management of risks to health, including information on existing substitutes or processes, which under their conditions of use are less hazardous to the health and safety of workers; (b) use of adequateventilation;

(c) use of appropriate personal protective equipment that complies with Directive 89/686/EEC. Employers and self-employed workers shall preferably replace dichloromethane with a chemical agent or process which, under its conditions of use, presents no risk, or a lower risk, to the health and safety of workers. Professional shall apply all relevant safety measures in practice, including the use of personal protective equip ment.

4. Without prejudice to other Community legislation on workers protection, paint strippers containing dichloro-methane in concentrations equal to or greater than 0,1 % by weight may be used in industrial installations only if the following minimum conditions are met:

(a) effective ventilation in all processing areas, in particular for the wet processing and the drying of stripped articles: local exhaust ventilation at strip tanks supplemented by forced ventilation in those areas, so as to minimise exposure and to ensure compliance, where technically feasible, with relevant occupational exposure limits; (b)measures to minimise evaporation from strip tanks comprising: lids for covering strip tanks except during loading and unloading; suitable loading and unloading arrangements for strip tanks; and wash tanks with water or brine to remove excess solvent after unloading;

(c)measures for the safe handling of dichloromethane in strip tanks comprising: pumps and pipework for transferring paint stripper to and from strip tanks; and suitable arrangements for safe cleaning of tanks and removal of

sludge; (d)personal protective equipment that complies with Directive 89/686/EEC comprising: suitable protective gloves, safety goggles and protective clothing; and appropriate respiratory protective equipment where compliance with relevant occupational exposure limits cannot be otherwise achieved; (e) adequate information, instruction and training for operators in the use of such equipment.

5. Without prejudice to other Community provisions concerning the classification, labelling and packaging of substances and mixtures, by 6 December 2011 paint strippers containing dichloromethane in a concentration equal to or greater than 0,1 % by weight shall be visibly, legibly and indelibly marked as follows: 'Restricted to industrial use and to professionals approved in certain EU Member States - verify where use is al-

lowed.'

Name acc. to inventory	CAS No	Wt%	Listed in	Remarks
dichloromethane	75-09-2	100	Annex X	

Legend

List of priority substances in the field of water policy annex X

Restrictions according to REACH, Title VIII

None.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list not listed



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

Seveso Directive

article number: DCM0.1

I		<u>کې (</u>
	1	1

Laboratoriumdiscounter

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

•Directive 75/324/EEC relating to aerosol dispensers

Filling batch

Deco-Paint Directive (2004/42/EC)

VOC content	100 % 1.330 ⁹ /I	
Directive on industrial emissions (VOCs, 2010/75/EU)		
VOC content	100 %	
VOC content	1.330 ^g /l	

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Name of substance	CAS No	Remarks	Threshold for re- leases to air (kg/ year)	Threshold for re- leases to water (kg/ year)	Threshold for re- leases to land (kg/ year)
Dichloromethane	75-09-2		1 000	10	10

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

Name acc. to inventory	CAS No	Listed in	Remarks
dichloromethane	75-09-2	Annex X	

Legend annex X

List of priority substances in the field of water policy

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

$Regulation\,111/2005/EC\,laying\,down\,rules\,for the\,monitoring\,of\,trade\,between\,the\,Community\,and\,third\,countries\,in\,drug\,precursors$

not listed

National inventories

Substance is listed in the following national inventories:

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1



Laboratoriumdiscounter

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
РН	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

Logona	
AICS	AustralianInventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List(DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory New Zealand Inventory of Chemicals
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
REACH Reg.	REACH registered substances
TCSI	TaiwanChemicalSubstanceInventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Pictograms: change in the listing (table)	yes
8.1		Occupationalexposurelimitvalues(Workplace ExposureLimits): change in the listing (table)	yes
8.1		• human health values: change in the listing (table)	yes
8.1		• relevant PNECs of components of the mixture: change in the listing (table)	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

Abbreviations and acronyms

article number: DCM0.1



Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquati c Chroni c	hazardous to the aquatic environment - chronic hazard
Asp. Tox.	aspiration hazard
BCF	bioconcentration factor
Carc.	carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50%. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (<u>http://www.nationalarchives.gov.uk/doc/open-government-licence/</u>)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Flam. Liq.	flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50% lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1

Abbr.	Descriptions of used abbreviations
Muta.	germ cell mutagenicity
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STEL	short-term exposure limit
STOT SE	specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS) Dangerous Goods Regulations (DGR) for the air transport (IATA)
- _
- -
- -International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	highly flammable liquid and vapour
H302	harmful if swallowed
H304	may be fatal if swallowed and enters airways
H315	causes skin irritation
H319	causes serious eye irritation
H336	may cause drowsiness or dizziness
H341	suspected of causing genetic defects
H351	suspected of causing cancer
H411	toxic to aquatic life with long lasting effects



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Dichloromethane 99,5+%, pure

article number: DCM0.1



Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.