according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Laboratoriumdiscounter

Ethylenediamine 99,8+% extra pure

article number: 4218 Version: 2.0 en

Replaces version of: 2016-04-08

Version: (1)

date of compilation: 2016-04-08

Revision: 2021-05-05

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 **Product identifier**

Identification of the substance Ethylenediamine

Article number 4218

Registration number (REACH) 01-2119480383-37-xxxx

Index No 612-006-00-6 EC number 203-468-6 **CAS** number 107-15-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

> Laboratoriumdiscounter Zandvoortstraat 75 1976BN Ijmuiden Nederland

Telephone: +31 (0) 255 700 210 e-mail: info@laboratoriumdiscounter.nl Website: www.laboratoriumdiscounter.nl

Competent person responsible for the safety data

sheet:

: Department Health, Safety and Environment info@laboratoriumdiscounter.nl

1.4 **Emergency telephone number**

e-mail (competent person):

Name	Street	Postal code/ city	Telephone	Website
National Poisons Inform- ation Service City Hospital	Dudley Rd	B187QH Birm- ingham	844 892 0111	

Emergency information service

+49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance ormixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

United Kingdom (en) Page 1 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

Classification acc. to GHS

article number: 4218



Laboratoriumdiscounter

H334

H317

H412

(Resp. Sens. 1)

(Skin Sens. 1)

(Aquatic Chronic 3)

Section	Hazard class	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	(Flam. Liq. 3)	H226
3.10	acute toxicity (oral)	(Acute Tox. 4)	H302
3.1D	acute toxicity (dermal)	(Acute Tox. 3)	H311
3.11	acute toxicity (inhal.)	(Acute Tox. 4)	H332
3.2	skin corrosion/irritation	(Skin Corr. 1B)	H314
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318

2.2 Label elements

3.4R

3.4S

4.1C

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS05, GHS06, GHS08





respiratory sensitisation

skin sensitisation

hazardous to the aquatic environment - chronic hazard





Hazard statements

H226 Flammable liquid and vapour H302+H332 Harmful if swallowed or if inhaled

H311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H412 Harmful to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

United Kingdom (en) Page 2 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)







H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

H412 Harmful to aquatic life with long lasting effects.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

Laboratoriumdiscounter

do. Continue rinsing.
Immediately call a POISON CENTER/doctor. P310

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance Ethylenediamine

Index No 612-006-00-6

Registration number (REACH) 01-2119480383-37-xxxx

EC number 203-468-6 CAS number 107-15-3 Molecular formula C₂H₈N₂ Molar mass 60,1 g/mol

Substance of Very High Concern (SVHC)

Name of substance	CAS No	Wt%	Listed in	Remarks
Ethylenediamine	107-15-3	100	Candidate list	RSP (57f-hh)

Legend

candidate list RSP(57f-hh) Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV Respiratory sensitising properties (article 57(f) - humanhealth)

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

United Kingdom (en) Page 3 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



Laboratoriumdiscounter

Following inhalation

Provide fresh air. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Medical treatment necessary.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

2. Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

2. Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO₂)

3. Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

United Kingdom (en) Page 4 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray. Avoidance of ignition sources.

2. Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Explosive properties.

3. Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

4. Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

1. Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Clear contaminated areas thoroughly.

· Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupationalhygiene

Thorough skin-cleansing after handling the product. When using do not smoke.

2. Conditions for safe storage, including anyincompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

United Kingdom (en) Page 5 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218

Use local and general ventilation.

· Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION8: Exposurecontrols/personal protection

1. **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs/DMELs/PNECs and other threshold levels

· human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	25 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	3,6 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	0,167 ^{mg} / _l	water	intermittent release
PNEC	0,016 ^{mg} / _l	freshwater	short-term (single instance)
PNEC	0,002 ^{mg} / _I	marine water	short-term (single instance)
PNEC	0,5 ^{mg} / _I	sewage treatment plant (STP)	short-term (single instance)
PNEC	7,68 ^{mg} /kg	freshwater sediment	short-term (single instance)
PNEC	0,768 ^{mg} /kg	marine sediment	short-term (single instance)
PNEC	4,36 ^{mg} /kg	soil	short-term (single instance)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection



United Kingdom (en) Page 6 / 19





according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



Laboratoriumdiscounter

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger/smaller layer thickness, the respective breakthrough time is doubled/halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm.

breakthrough times of the glove material

>480 minutes (permeation: level 6)

Splash protection - Protective gloves

Type of material

NBR (Nitrile rubber).

· Material thickness

0.4 mm.

· Breakthrough times of the glove material

>30 minutes (permeation: level 2).

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid (fluid)

Colour colourless

Odour amine

Odour threshold no data available

Other physical and chemical parameters

pH (value) 12,2 (water: 100 ^g/_I, 20 °C)

United Kingdom (en) Page 7 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218

Melting point/freezing point 11,1 °C

Initial boiling point and boiling range 117,1 °C at 1.013 hPa

Flash point 42 °C at 1.013 hPa
Evaporation rate no data available

Flammability (solid, gas) not relevant (fluid)

Explosive limits

lower explosion limit (LEL)
 upper explosion limit (UEL)
 16,3 vol%

Explosion limits of dust clouds not relevant

Vapour pressure 12 hPa at 20 °C

22 hPa at 30 °C 70 hPa at 50 °C

Laboratoriumdiscounter

Density 0,897 g/cm³ at 20 °C (ECHA)

Vapour density this information is notavailable

Bulk density Not applicable

Relative density this information is not available

Solubility(ies)

Water solubility 1.000 ⁹/_I

Partition coefficient

n-octanol/water (log KOW) -1,62 (pH value: >12, 25 °C) (ECHA)

Soil organic carbon/water (log KOC) 3,679 (ECHA)

Auto-ignition temperature 405 °C - ECHA

Decomposition temperature no data available

Viscosity

• dynamic viscosity 1,265 – 1,725 mPa s at 25 °C

Explosive properties Shall not be classified as explosive.

Oxidising properties none

9.2 Other information

Temperature class (EU, acc. to ATEX)

T2 (Maximum permissible surface temperature

on the equipment: 300°C)

SECTION 10: Stability and reactivity

1. Reactivity

Risk of ignition. In case of warming: Vapours can form explosive mixtures with air.

2. Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

United Kingdom (en) Page 8 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



Laboratoriumdiscounter

3. Possibility of hazardous reactions

<u>Violent reaction with:</u> Aldehydes, Alcohols, Halogenated hydrocarbons, Perchlorates, <u>Exothermic reaction with:</u> Acrylic acid, Acetic acid, Acetic anhydride, Oxidisers, Acids, Carbon disulfide, Hydrochloric gas

4. Conditions to avoid

There are no specific conditions known which have to be avoided.

5. Incompatible materials

aluminium, iron, copper, bronze, brass, zinc

6. Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
oral	LD50	866 ^{mg} / _{kg}	rat	ECHA
inhalation: vapour	LC50	14,7 ^{mg} / _l /4h	rat	ECHA
dermal	LD50	560 ^{mg} / _{kg}	rabbit	ECHA

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause sensitization by skin contact. May cause sensitization by inhalation.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeatedexposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

· If in eyes

causes burns, Causes serious eye damage, risk of blindness

United Kingdom (en) Page 9 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



data are not available

· If on skin

causes severe burns, causes poorly healing wounds

Other information

Liver and kidney damage

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	640 ^{mg} / _l	fish	ECHA	96 h
EC50	16,7 ^{mg} / _I	aquatic invertebrates	ECHA	48 h
ErC50	645 ^{mg} / _I	algae	ECHA	72 h

Laboratoriumdiscounter

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

Endpoint	Value	Species	Source	Exposure time
NOEC	>10 ^{mg} / _I	fish	ECHA	28 d
growth (EbCx) 10%	0,5 ^{mg} / _I	microorganisms	ECHA	2 h

12.2 Process of degradability

The substance is readily biodegradable.

Theoretical Oxygen Demand with nitrification: 2,462 mg/mg

Theoretical Oxygen Demand: 1,331 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1,465 ^{mg}/_{mg}

Process	Degradation rate	Time
biotic/abiotic	94 %	28 d
oxygen depletion	10 %	5 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) -1,62 (pH value: >12, 25 °C)

12.4 Mobility in soil

Henry's law constant 0,6 Pa m³/mol at 25 °C

The Organic Carbon normalised adsorption 3,679 coefficient

12.5 Results of PBT and vPvB assessment

Data are not available.

United Kingdom (en) Page 10 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

2. Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

3. Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

1. UN number

2. UN proper shipping name

Hazardous ingredients

3. Transport hazard class(es)

1604

ETHYLENEDIAMINE

Laboratoriumdiscounter

Ethylenediamine



Class 8 (corrosive substances)

4. Packing group II(substance presenting medium danger)

5. Environmental hazards none(non-environmentally hazardous acc. to the dangerous goods regulations)

6. Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

7. Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

8. Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 1604

Proper shipping name ETHYLENEDIAMINE

United Kingdom (en) Page 11 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



Laboratoriumdiscounter

Particulars in the transport document UN1604, ETHYLENEDIAMINE, 8 (3), II, (D/E)

Class 8

Classification code CF1
Packing group II
Dangerlabel(s) 8+3





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 83

Emergency Action Code 2W

• International Maritime Dangerous Goods Code (IMDG)

UN number 1604

Proper shipping name ETHYLENEDIAMINE

Particulars in the shipper's declaration UN1604, ETHYLENEDIAMINE, 8 (3), II, 42°C c.c.

Class 8

Subsidiary risk(s) 3
Marine pollutant _
Packing group II

Danger label(s) 8+3





Special provisions (SP) Excepted quantities (EQ) E2
Limited quantities (LQ) 1L

EmS F-E, S-C

Stowage category A

Segregation group 18 - Alkalis

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1604

Proper shipping name Ethylenediamine

Particulars in the shipper's declaration UN1604, Ethylenediamine, 8 (3), II

Class

United Kingdom (en) Page 12 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218

Subsidiary risk(s) 3 Packing group Ш Danger label(s) 8+3



Excepted quantities (EQ) E2

Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

1. Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Laboratoriumdiscounter

- Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
- Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS) Not listed.
- Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

• Restrictions according to REACH, Annex XVII

Name of substance	Type of registration	Conditions of re- striction	No
Ethylenediamine	1907/2006/EC annex XVII	R3	3
Ethylenediamine	1907/2006/EC annex XVII	R40	40

Legend

R3

- 1. Shall not be used in:
- -ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays.

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, ifthey:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,

present an aspiration hazard and are labelled with R65 or H304,

- 4.Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

 5. Without prejudice to the implementation of other Community provisions relating to the classification, pack-

- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

 (a)lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage';

 (b)grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';

 (c)lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and
- in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with
- R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

United Kingdom (en) Page 13 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218

Laboratoriumdiscounter

Legend

R40

- 1. Shall not be used, as substance or asmixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

 - metallic glitter intended mainly for decoration,

 - artificial snow and frost,

- 'whoopee' cushions,
- silly string aerosols.
- imitation excrement
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Name acc. to inventory	CAS No	Wt%	Listed in	Remarks
Substances and preparations, orthe breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquaticenvironment		100	A)	

Legend

Indicative list of the main pollutants A)

Restrictions according to REACH, Title VIII

None.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)					
Name acc. to inventory CAS No Listed in Remarks					
ethylenediamine (EDA)	107-15-3	Candidate list	RSP (57f-hh)		

Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV RSP (57f-hh) Respiratory sensitising properties (article 57(f) - human health)

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the plication of lower and upper-tier quirements	
P5c	flammable liquids (cat. 2, 3)	5.000 50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Directive 75/324/EEC relating to aerosol dispensers

Filling batch

United Kingdom (en) Page 14 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



Laboratoriumdiscounter

Deco-Paint Directive (2004/42/EC)

VOC content	100 % 897 ⁹ / _I
Directive on industrial emissions (VOCs, 2010/75	/EU)

VOC content	100 %
VOC content	897 ^g / _l

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

Name acc. to inventory	CAS No	Listed in	Remarks
Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	

Legend

A)

Indicative list of the main pollutants

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

 $Regulation\,111/2005/EC\,laying\,down\,rules\,for the\,monitoring\,of\,trade\,between\,the\,Community\,and\,third\,countries\,in\,drug\,precursors$

not listed

National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed

United Kingdom (en) Page 15 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



Laboratoriumdiscounter

Country	National inventories	Status
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS Australian Inventory of Chemical Substances

CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIoC New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registeredsubstances
TCSI Taiwan Chemical Substance Inventory

Taiwan Chemical Substance Inventory TCSI TSCA Toxic Substance Control Act

Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	Remarks: For full text of Hazard- and EU Hazard-statements: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
8.1	Occupational exposure limit values (Workplace Exposure Limits): No data available.	Occupational exposure limit values (Workplace Exposure Limits): Data are not available.	yes
8.1		•environmental values: change in the listing (table)	yes
14.3	Transport hazard class(es)	Transport hazard class(es): class 8 hazard - corrosive substances	yes
14.8	Particulars in the transport document: UN1604, ETHYLENEDIAMINE, (ethylenediamine), 8 (3), II, (D/E)	Particulars in the transport document: UN1604, ETHYLENEDIAMINE, 8 (3), II, (D/E)	yes
14.8	Particulars in the shipper's declaration: UN1604, ETHYLENEDIAMINE, (ethylenediamine), 8 (3), II, 38°C c.c.	Particulars in the shipper's declaration: UN1604, ETHYLENEDIAMINE, 8 (3), II, 42°C c.c.	yes
14.8		Marine pollutant:	yes
14.8		•International Civil Aviation Organization (ICAO-IATA/DGR)	yes

United Kingdom (en) Page 16 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



Laboratoriumdiscounter

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		UN number: 1604	yes
14.8		Proper shipping name: Ethylenediamine	yes
14.8		Particulars in the shipper's declaration: UN1604, Ethylenediamine, 8 (3), II	yes
14.8		Class : 8	yes
14.8		Subsidiary risk(s): 3	yes
14.8		Packing group:	yes
14.8		Danger label(s): 8+3	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 0,5 L	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of atested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

United Kingdom (en) Page 17 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



Laboratoriumdiscounter

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of atested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS) Dangerous Goods Regulations (DGR) for the air transport (IATA)

- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	flammable liquid and vapour
H302	harmful if swallowed
H311	toxic in contact with skin
H314	causes severe skin burns and eye damage
H317	may cause an allergic skin reaction
H318	causes serious eye damage
H332	harmful if inhaled
H334	may cause allergy or asthma symptoms or breathing difficulties ifinhaled
H412	harmful to aquatic life with long lasting effects

United Kingdom (en) Page 18 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine 99,8+% extra pure

article number: 4218



Laboratoriumdiscounter

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 19 / 19