according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



date of compilation: 2015-08-27

Revision: 2021-07-05

Ethylene glycol ≥ 99,9% pure

article number: 24641 Version: **4.0 en** Replaces version of: 2018-08-10 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Ethylene glycol
Article number	24641
Registration number (REACH)	01-2119456816-28-xxxx
Index No	603-027-00-1
EC number	203-473-3
CAS number	107-21-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

laboratory chemical laboratory and analytical use formulation [mixing] of preparations and/or repackaging (excluding alloys) industrial uses professional uses intermediate

1.3 Details of the supplier of the safety data sheet

Laboratoriumdiscounter Zandvoortstraat 75 1976BN Ijmuiden Nederland

Telephone: +31 (0) 255 700 210 e-mail: <u>info@laboratoriumdiscounter.nl</u> Website: www.laboratoriumdiscounter.nl

Competent person responsible for the safety data sheet

e-mail (competent person)

: Department Health, Safety and Environment

: info@laboratoriumdiscounter.nl

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons In- formation Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

Emergency information service

+49/(0)89 19240

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641



SECTION 2: Hazards identification

2.1 Classification of the substance ormixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS							
Section	Hazard class	Hazard class and cat- egory	Hazard state- ment				
3.10	acute toxicity (oral)	(Acute Tox. 4)	H302				
3.9	specific target organ toxicity - repeated exposure	(STOT RE 2)	H373				

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms

GHS07, GHS08



Hazard statements

H302 H373 Harmful if swallowed May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed)

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe mist/vapours.
P270	Do not eat, drink or smoke when using this product.

Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feelunwell.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)

2.3 Other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641

3.1

Cubatanaaa



SECTION 3: Composition/information on ingredients

Substances	
Nameofsubstance	ethanediol
Index No	603-027-00-1
Registration number (REACH)	01-2119456816-28-xxxx
EC number	203-473-3
CAS number	107-21-1
Molecular formula	C2H6O2
Molar mass	62,07 ^g / _{mol}

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Get medical advice/attention if you feel unwell.

- 2. Most important symptoms and effects, both acute and delayed Fatigue, Vertigo, Agitation, Diarrhoea, Vomiting, Nausea, Unconsciousness
- 3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO2)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641



Unsuitable extinguishing media

water jet

2. Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

3. Advice for firefighters

Vapours are heavier than air. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Provide adequate ventilation.

2. Environmental precautions

Keep away from drains, surface and ground water.

3. Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal.

4. Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

1. Precautions for safe handling

Provide adequate ventilation. When not in use, keep containers tightly closed.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

2. Conditions for safe storage, including anyincompatibilities

Keep container tightly closed in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641



Ventilation requirements Use local and general ventilation.

· Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

Specific end use(s) 7.3

No information available.

SECTION8: Exposurecontrols/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Nota- tion	ldentifi- er	TWA [pp m]	TWA [mg/ m³]	STEL [pp m]	STEL [mg/ m³]	Source
EU	ethylene glycol	107-21-1		IOELV	20	52	40	104	2000/39/EC
GB	ethane-1,2-diol	107-21-1	particle	WEL		10			EH40/2005
GB	ethane-1,2-diol	107-21-1	vap	WEL	20	52	40	104	EH40/2005

Notation

particle

As airborne particles

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified) As vapours

vap

Relevant DNELs/DMELs/PNECs and other threshold levels

human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	35 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	106 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

environmental values

Endpoint	Threshold level	Environmental compartment	
PNEC	10 ^{mg} /I	water	
PNEC	10 ^{mg} /I	freshwater	
PNEC	1 mg/ _l	marine water	
PNEC	199,5 ^{mg} /I	sewage treatment plant (STP)	
PNEC	37 ^{mg} / _{kg}	freshwater sediment	
PNEC	3,7 ^{mg} / _{kg}	marine sediment	
PNEC	1,53 ^{mg} / _{kg}	soil	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641



8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	liquid (fluid)
Colour	colourless - light yellow
Odour	odourless
Odour threshold	No data available
Other physical and chemical parameters	
pH (value)	6-7,5 (water: 100 ^g / _l , 20 °C)
Melting point/freezing point	-14 – -12 °C at 1.013 hPa
Initial boiling point and boiling range	This information is not available.
Flash point	111 °C at 1.013 hPa (closed cup)
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	
 lower explosion limit (LEL) 	3,2 vol%
 upper explosion limit (UEL) 	43 vol%
Explosion limits of dust clouds	not relevant
Vapour pressure	0,12 hPa at 25 °C
Density	1,11 ^g / _{cm³} at 20 °C
Vapour density	2,14 (air = 1)
Bulk density	Not applicable
Relative density	Information on this property is not available.
Solubility(ies)	
Water solubility	~ 1.000 ^g /∣ at 20 °C
Partition coefficient	
n-octanol/water (log KOW)	-1,36 (ECHA)
Soil organic carbon/water (log KOC)	0 (ECHA)
Auto-ignition temperature	412 °C at 1.013 hPa - ECHA
Decomposition temperature	no data available
Viscosity	
 dynamic viscosity 	16 – 18 mPa s at 25 °C
Explosive properties	Shall not be classified as explosive
Oxidising properties	none

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641

9.2 Other information

Temperature class (EU, acc. to ATEX)

T2 (Maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

1. Reactivity

In case of warming: Vapours can form explosive mixtures with air.

2. Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. Hygroscopic.

3. Possibility of hazardous reactions

Exothermic reaction with: Sulphuric acid, Alkali hydroxide (caustic alkali), Aluminium, Nitric acid, Risk of ignition: Chlorates, Permanganates, Peroxides, Strong oxidiser

4. Conditions to avoid

Protect from moisture. Keep away from heat.

5. Incompatible materials

There is no additional information.

6. Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
dermal	LD50	>3.500 ^{mg} / _{kg}	mouse	ECHA
oral	LD50	4.700 ^{mg} / _{kg}	rat	TOXNET

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeatedexposure

May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641



Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea, Liver and kidney damage

• If in eyes

essentially non-irritating

If inhaled

data are not available

• If on skin

essentially non-irritating

Other information

Other adverse effects: Loss of righting reflex, and ataxia, Unconsciousness, Drowsiness, Agitation

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	>72.860 ^{mg} /I	fish	ECHA	96 h
EC50	>100 ^{mg} / _l	daphnia magna	ECHA	48 h
ErC50	<13.000 ^{mg} / _l	algae	ECHA	96 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
LC50	>1.500 ^{mg} / _l	fish	ECHA	28 d
EC50	>15.000 ^{mg} /I	aquatic invertebrates	ECHA	21 d
NOEC	≥1.000 ^{mg} / _l	aquatic invertebrates	ECHA	23 d
growth (EbCx) 20%	>1.995 ^{mg} /I	microorganisms	ECHA	30 min

12.2 Process of degradability

The substance is readily biodegradable. Theoretical Oxygen Demand: 1,29 g/gTheoretical Carbon Dioxide: 1,418 mg/mgBiochemical Oxygen Demand: 0,78 g/g

Process Degradation rate		Time
biotic/abiotic	83 – 96 %	14 d
DOC removal	90 – 100 %	10 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

Laboratoriumdiscounter

n-octanol/water	(log	KOW)

4. Mobility in soil

article number: 24641

Henry's law constant

0,013 ^{Pa m³}/_{mol} at 25 °C

0

-1,36

The Organic Carbon normalised adsorption coefficient

5. Results of PBT and vPvB assessment Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Sewage disposal-relevant information

Do not empty into drains.

2. Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

3. Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SE	SECTION 14: Transport information		
1.	UN number	(not subject to transport regulations)	
2.	UN proper shipping name	not relevant	
3.	Transport hazardclass(es)	not relevant	
	Class	-	
4.	Packing group	not relevant not assigned to a packing group	
5.	Environmentalhazards	NONE (non-environmentally hazardous acc.tothe danger- ous goods regulations)	

6. Special precautions for user

There is no additional information.

7. Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol \geq 99,9% pure

article number: 24641



14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code(IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 1.

Relevant provisions of the European Union (EU)

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

Restrictions according to REACH, Annex XVII

Name of substance	CAS No	Wt%	Type of registration	Conditions of restric- tion	No
Ethylene glycol		100	1907/2006/EC annex XVII	R3	3

Legend R3

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, ifthey: - can be used as fuel in decorative oil lamps for supply to the general public, and, - present an aspiration hazard and are labelled with R65 or H304,

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

5.Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the mar- ket, that the following requirements are met: (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly

marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage'; (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';

(c)lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in

black opaque containers not exceeding 1 litre by 1 December 2010. 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public. 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with

R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

Restrictions according to REACH, Title VIII

None.

^{1.} Shall not be used in:

⁻ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

⁻ tricks and jokes,

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641

• List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list not listed

Seveso Directive

2012/	2012/18/EU (Seveso III)		
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

•Directive 75/324/EEC relating to aerosol dispensers

Filling batch

Deco-Paint Directive (2004/42/EC)

VOC content	100 % 1.110 ⁹ l	
Directive on industrial emissions (VOCs, 2010/75/EU)		
VOC content	100 %	
VOC content	1.110 ^g / _l	

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641



Laboratoriumdiscounter

Country	National inventories	Status
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

- LegendAICSAustralian Inventory of Chemical SubstancesCICRChemical Inventory and Control RegulationCSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical SubstancesINSQNational Inventory of Chemical SubstancesKECIKorea Existing Chemicals InventoryNZIoCNew Zealand Inventory of Chemicals and Chemical SubstancesPICCSPhilippine Inventory of Chemicals and Chemical SubstancesREACH Reg. REACH registeredsubstancesTCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act

15.2 **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

16.1 Indication of changes (revised safety datasheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Pictograms: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
14.4	Packing group: not relevant	Packing group: not relevant not assigned to a packing group	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementa- tion of Council Directive 98/24/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641



Laboratoriumdiscounter

Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of atested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
SVHC	Substance of Very High Concern
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylene glycol ≥ 99,9% pure

article number: 24641



Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS) Dangerous Goods Regulations (DGR) for the air transport (IATA) _
- International Maritime Dangerous Goods Code (IMDG) -

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	harmful if swallowed
H373	may cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed)

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.