according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34 Version: 2.0 en

Replaces version of: 2016-08-26

Version: (1)



date of compilation: 2016-08-26

Revision: 2021-07-08

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier

Identification of the substance Ethylenediamine tetraacetic acid

Article number TTAA34

Registration number (REACH) 01-2119486399-18-xxxx

Index No 607-429-00-8

EC number 200-449-4

CAS number 60-00-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Laboratoriumdiscounter Zandvoortstraat 75 1976BN Ijmuiden Nederland

Telephone: +31 (0) 255 700 210 e-mail: info@laboratoriumdiscounter.nl Website: www.laboratoriumdiscounter.nl

Competent person responsible for the safety data

sheet

: Department Health, Safety and Environment

e-mail (competent person)

: info@laboratoriumdiscounter.nl

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons In- formation Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

Emergency information service

+49/(0)89 19240

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classifica	Classification acc. to GHS						
Section	Hazard class	Hazard class and cat- egory	Hazard state- ment				
3.3	serious eye damage/eye irritation	(Eye Irrit. 2)	H319				

United Kingdom (en) Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



22 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms

GHS07



Hazard statements

H319 Causes serious eyeirritation

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/eyeprotection.

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. P337+P313

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Molar mass

Name of substance Ethylenediamine tetraaceticacid

Index No 607-429-00-8

Registration number (REACH) 01-2119486399-18-xxxx

EC number 200-449-4 60-00-4 CAS number Molecular formula C10H16N2O8 292,2 g/mol

UnitedKingdom(en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult anophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

2. Most important symptoms and effects, both acute and delayed

Irritation, Gastrointestinal complaints, Nausea, Vomiting

3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

2. Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

3. Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

UnitedKingdom(en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe dust. Avoid contact with skin and eyes.

2. Environmental precautions

Keep away from drains, surface and ground water.

3. Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

4. Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

1. Precautions for safe handling

Avoid dust formation.

· Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work.

2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

· Ventilation requirements

Use local and general ventilation.

· Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

3. Specific end use(s)

No information available.

UnitedKingdom(en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



SECTION 8: Exposurecontrols/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Nota- tion	Identifier	TWA [mg/m³]	STEL [mg/m³]	Source
GB	dust		i	WEL	10		EH40/2005
GB	dust		r	WEL	4		EH40/2005

Notation

Inhalable fraction

Respirable fraction
Short-term exposurelimit: a limit value above which exposure should not occur and which is related to a 15-STEL

minute period (unless otherwise specified)

TWA $Time-weighted average (long-term\,exposure\, limit): measured\, or\, calculated\, in\, relation\, to\, a\, reference\, period\, of\, 8$

hours time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

· human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1,5 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	3 mg/m³	human, inhalatory	worker (industry)	acute - local effects

· environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	2,2 ^{mg} / _l	freshwater	short-term (single instance)
PNEC	0,22 ^{mg} / _l	marine water	short-term (single instance)
PNEC	43 ^{mg} / _l	sewage treatment plant (STP)	short-term (single instance)
PNEC	0,72 ^{mg} / _{kg}	soil	short-term (single instance)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



UnitedKingdom(en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger/smaller layer thickness, the respective breakthrough time is doubled/halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

· material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state solid (powder)

Colour white

Odour odourless

Odour threshold No data available

Other physical and chemical parameters

pH (value) ~ 2.5 (water: 10 9 /I, 25 $^{\circ}$ C)

Melting point/freezing point 220 °C (dec.)

Initial boiling point and boiling range This information is not available.

Flash point not applicable

Evaporation rate no data available

Flammability(solid, gas) These information are not available

UnitedKingdom(en) Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



Explosive limits

lower explosion limit (LEL)
 upper explosion limit (UEL)
 this information is not available
 this information is not available
 these information are not available

Vapour pressure 0 hPa at 25 °C

Density $0.86 \, \mathrm{g/cm^3}$ at 20 °C

Vapour density This information is not available.

Bulk density $\sim 600 \text{ kg/m}^3$

Relative density Information on this property is not available.

Solubility(ies)

Water solubility $400 \, \text{mg/l}$ at $20 \, \text{°C}$

Partition coefficient

n-octanol/water (log KOW) -3,34 (calc. IUCLID)

Auto-ignition temperature >200 °C

Decomposition temperature >220 °C (ECHA)

Viscosity not relevant (solid matter)

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

Temperature class (EU, acc. to ATEX)

T3 (Maximum permissible surface temperature

on the equipment: 200°C)

SECTION 10: Stability and reactivity

1. Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

2. Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

3. Possibility of hazardous reactions

Violent reaction with: Strong oxidiser, Strong alkali

4. Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >220 °C.

5. Incompatible materials

copper, nickel

6. Hazardous decomposition products

Hazardous combustion products: see section 5.

UnitedKingdom(en) Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	4.500 ^{mg} / _{kg}	rat	ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

· Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

· Specific target organ toxicity - repeatedexposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

gastrointestinal complaints, nausea, vomiting, Causes damage to kidneys through prolonged or repeated exposure if swallowed

If in eyes

Causes serious eye irritation

If inhaled

Inhalation of dust may cause irritation of the respiratory system

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Other information

None

UnitedKingdom(en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	41 ^{mg} / _l	fish	ECHA	96 h
EC50	140 ^{mg} /ı	aquatic invertebrates	ECHA	48 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
NOEC	≥25,7 ^{mg} / _l	fish	ECHA	35 d
NOEC	25 ^{mg} / _l	aquatic invertebrates	ECHA	21 d
growth (EbCx) 20%	>500 ^{mg} / _l	microorganisms	ECHA	30 min

12.2 Process of degradability

Theoretical Oxygen Demand with nitrification: 1,163 mg/mg

Theoretical Oxygen Demand: $0.9307 \frac{mg}{mg}$ Theoretical Carbon Dioxide: $1.506 \frac{mg}{mg}$

Process	Degradation rate	Time
biotic/abiotic	<20 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) -3,34

BCF 1,8 (ECHA)

4. Mobility in soil

Data are not available.

5. Results of PBT and vPvBassessment

Data are not available.

6. Other adverse effects

Data are not available.

United Kingdom (en) Page 9/14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Sewage disposal-relevant information

Do not empty into drains.

2. Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

3. Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

1.	UN number	(not subject to transport regulations)
2.	UN proper shipping name	not relevant
3.	Transporthazardclass(es)	notrelevant
	Class	-
4.	Packing group	not relevant not assigned to a packing group
5.	Environmental hazards	none (non-environmentally hazardous acc. tothe dangerous goods regulations)

6. Special precautions for user

There is no additional information.

7. Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

8. Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

UnitedKingdom(en) Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %, Pure

article number: TTAA34



SECTION 15: Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
 - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)
 Not listed.
 - Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

• Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

• Restrictions according to REACH, Annex XVII

not listed

Restrictions according to REACH, Title VIII

None.

- List of substances subject to authorisation (REACH, Annex XIV)/SVHC candidate list not listed
- Seveso Directive

2012/	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes			
	not assigned					

Directive 2011/65/EU onthe restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

Regulation 111/2005/EC laying down rules forthe monitoring of trade between the Community and third countries in drug precursors

not listed

National inventories

Substance is listed in the following national inventories:

UnitedKingdom(en) Page 11 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %

article number: TTAA34



Laboratoriumdiscounter

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend AICS AustralianInventoryofChemicalSubstances

CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL ECSI IECSC Domestic Substances List(DSL)

EC Substance Inventory (EINECS, ELINCS, NLP)

Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals

INSQ KECI NZIoC

PICCS Philippine Inventory of Chemicals and Chemical Substances
REACH Reg. REACH registered substances
TCSI TaiwanChemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

16.1 Indication of changes (revised safety datasheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	Registration number (REACH): Thisinformation isnot available.	Registration number (REACH): 01-2119486399-18-xxxx	yes
2.1	Remarks: Forfull text of Hazard-and EU Hazard-state- ments: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes

UnitedKingdom(en) Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %

article number: TTAA34



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - response: change in the listing (table)	yes
8.1		· environmental values: change in the listing (table)	yes
14.4	Packing group: not relevant	Packing group: not relevant not assigned to a packing group	yes
14.8		· International Civil Aviation Organization (ICAO-IATA/DGR): Not subject to ICAO-IATA.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accordeuropéen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accordeuropéen relatif au transport international des marchandises dangereuses par route(European Agreement concerning the International Carriage of Dangerous Goods by Road)	
BCF	bioconcentration factor	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
CMR	Carcinogenic, Mutagenic or toxic for Reproduction	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlementconcernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	

United Kingdom (en) Page 13/14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Ethylenediamine tetraacetic acid ≥99 %

article number: TTAA34



	• • • • • • • • • • • • • • • • • • • •
Abbr.	Descriptions of used abbreviations
STEL	short-term exposure limit
SVHC	Substance of Very High Concern
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)
 Dangerous Goods Regulations (DGR) for the air transport (IATA)

- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H319	causes serious eye irritation

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 14/14