

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Laboratoriumdiscounter

Formaldehyde 37%

article number: **50-00-0**

Version: **3.0 en**

Replaces version of: 2019-01-03

Version: (2)

date of compilation: 2016-04-15

Revision: 2021-01-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance

Formaldehyde solution

Article number

50-00-0

Registration number(REACH)

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

laboratory chemical
laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Laboratoriumdiscounter
Zandvoortstraat 75
1976BN IJmuiden
Nederland

Telephone: +31 (0) 255 700 210

e-mail: info@laboratoriumdiscounter.nl

Website: www.laboratoriumdiscounter.nl

Competent person responsible for the safety data sheet:

: Department Health, Safety and Environment

e-mail (competent person):

info@laboratoriumdiscounter.nl

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

Emergency information service

+49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
3.1O	acute toxicity (oral)	(Acute Tox. 3)	H301
3.1D	acute toxicity (dermal)	(Acute Tox. 3)	H311
3.1I	acute toxicity (inhal.)	(Acute Tox. 3)	H331
3.2	skin corrosion/irritation	(Skin Corr. 1B)	H314

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: 50-00-0



Laboratoriumdiscounter

Classification acc. to GHS

Section	Hazard class	Hazard class and category	Hazard statement
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318
3.4S	skin sensitisation	(Skin Sens. 1)	H317
3.5	germ cell mutagenicity	(Muta. 2)	H341
3.6	carcinogenicity	(Carc. 1B)	H350
3.8	specific target organ toxicity - single exposure	(STOT SE 1)	H370
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	(STOT SE 3)	H335

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS05, GHS06,
GHS08



Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled
H314 Causes severe skin burns and eye damage
H317 May cause an allergic skin reaction
H335 May cause respiratory irritation
H341 Suspected of causing genetic defects
H350 May cause cancer
H370 Causes damage to organs (eye)

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe mist/vapours.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

For professional users only

Hazardous ingredients for labelling: Formaldehyde ... %, Methanol

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: 50-00-0



Laboratoriumdiscounter

Symbol(s)



H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H370 Causes damage to organs (eye).

P260 Do not breathe mist/vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

contains: Formaldehyde ... %, Methanol

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture

Composition/information on ingredients.

Name of sub-stance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Specific Conc. Limits
Formaldehyde ... %	CAS No 50-00-0 EC No 200-001-8 Index No 605-001-00-5 REACH Reg. No 01- 2119488953- 20-xxxx	30 – 50	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350 STOT SE 3 / H335		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 5 % ≤ C < 25 % Skin Sens. 1; H317: C ≥ 0,2 % STOT SE 3; H335: C ≥ 5 %
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X REACH Reg. No 01- 2119433307- 44-xxxx	≤ 15	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370		STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider. Take off immediately all contaminated clothing. Symptoms can occur only after several hours. Call a physician immediately.

Following inhalation

Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

After contact with skin, wash immediately with plenty of water. Take off immediately all contaminated clothing. Call a physician in any case.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a physician immediately.

2. Most important symptoms and effects, both acute and delayed

Irritation, Corrosion, Allergic reactions, Cough, Vertigo, Dizziness, Headache, Dyspnoea, Gastric perforation, Unconsciousness, Spasms, Risk of blindness

3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
water spray, foam, alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. Vapours can form explosive mixtures with air.

Hazardous combustion products

May produce toxic fumes of carbon monoxide if burning.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

5.3 Advice for firefighters

Vapours are heavier than air. Beware of reignition. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe vapour/spray. Use appropriate respiratory protection. Use personal protective equipment as required. Avoid contact with skin, eyes and clothes.

2. Environmental precautions

In case of formation of gases/vapours/mists: Suppress with water spray. Keep away from drains, surface and ground water.

3. Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

4. Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

1. Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure. Handle and open container with care. When not in use, keep containers tightly closed. Clear contaminated areas thoroughly.

• Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Thorough skin-cleansing after handling the product.

2. Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

Consideration of other advice

Store locked up.

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun-try	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Source
EU	formaldehyde	50-00-0	IOELV	0,3	0,37	0,74	0,6	2019/983/EU
EU	methanol	67-56-1	IOELV	200	260			2006/15/EC
GB	formaldehyde	50-00-0	WEL	2	2,5	2	2,5	EH40/2005
GB	methanol	67-56-1	WEL	200	266	250	333	EH40/2005

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

• relevant DNELs of components of themixture

Name of sub-stance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Formaldehyde ... %	50-00-0	DNEL	1 mg/m³	human, inhalatory	worker (in-dustry)	acute - systemic ef-fects
Formaldehyde ... %	50-00-0	DNEL	9 mg/m³	human, inhalatory	worker (in-dustry)	chronic - systemic ef-fects
Formaldehyde ... %	50-00-0	DNEL	0,375 mg/m³	human, inhalatory	worker (in-dustry)	chronic - local effects
Formaldehyde ... %	50-00-0	DNEL	0,75 mg/m³	human, inhalatory	worker (in-dustry)	acute - local effects
Formaldehyde ... %	50-00-0	DNEL	240 mg/kg bw/ day	human, dermal	worker (in-dustry)	chronic - systemic ef-fects
Formaldehyde ... %	50-00-0	DNEL	37 µg/cm²	human, dermal	worker (in-dustry)	chronic - local effects
Methanol	67-56-1	DNEL	260 mg/m³	human, inhalatory	worker (in-dustry)	acute - local effects

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Methanol	67-56-1	DNEL	40 mg/kg	human, dermal	worker (industry)	acute - systemic effects
Methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Methanol	67-56-1	DNEL	40 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	260 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

• relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Formaldehyde ... %	50-00-0	PNEC	4,44 mg/l	water	intermittent release
Formaldehyde ... %	50-00-0	PNEC	0,44 mg/l	freshwater	short-term (single instance)
Formaldehyde ... %	50-00-0	PNEC	0,44 mg/l	marine water	short-term (single instance)
Formaldehyde ... %	50-00-0	PNEC	0,19 mg/l	sewage treatment plant (STP)	short-term (single instance)
Formaldehyde ... %	50-00-0	PNEC	2,3 mg/kg	freshwater sediment	short-term (single instance)
Formaldehyde ... %	50-00-0	PNEC	2,3 mg/kg	marine sediment	short-term (single instance)
Formaldehyde ... %	50-00-0	PNEC	0,2 mg/kg	soil	short-term (single instance)
Methanol	67-56-1	PNEC	20,8 mg/l	freshwater	short-term (single instance)
Methanol	67-56-1	PNEC	2,08 mg/l	marine water	short-term (single instance)
Methanol	67-56-1	PNEC	100 mg/l	sewage treatment plant (STP)	short-term (single instance)
Methanol	67-56-1	PNEC	77 mg/kg	freshwater sediment	short-term (single instance)
Methanol	67-56-1	PNEC	7,7 mg/kg	marine sediment	short-term (single instance)
Methanol	67-56-1	PNEC	100 mg/kg	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

Use safety goggle with side protection. Wear face protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,4 mm.

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown). Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (fluid)
Colour	colourless
Odour	stinging
Odour threshold	No data available

Other physical and chemical parameters

pH (value)	3,5 –4,5 (20 °C)
------------	------------------

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

Melting point/freezing point	<-15 °C
Initial boiling point and boiling range	97 °C
Flash point	62 °C (closed cup)
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
<u>Explosive limits</u>	
• lower explosion limit (LEL)	7 vol%
• upper explosion limit (UEL)	73 vol%
Explosion limits of dust clouds	not relevant
Vapour pressure	1,3 mbar at 20 °C
Density	1,09 g/cm ³ at 20 °C
Vapour density	This information is not available.
Bulk density	Not applicable
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	0,35 (exp. TOXNET)
Auto-ignition temperature	>300 °C
Decomposition temperature	no data available
Viscosity	
• kinematic viscosity	2,018 mm ² /s
• dynamic viscosity	2,2 mPa s at 20 °C
Explosive properties	Shall not be classified as explosive
Oxidising properties	none

9.2 Other information

Temperature class (EU, acc. to ATEX)	T2 (Maximum permissible surface temperature on the equipment: 300°C)
--------------------------------------	--

SECTION 10: Stability and reactivity

1. Reactivity

Danger of polymerisation. In case of warming: Vapours can form explosive mixtures with air.

2. Chemical stability

May cause decomposition by long-term light influence.
Stabilized - Methanol.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: 50-00-0



Laboratoriumdiscounter

3. Possibility of hazardous reactions

Exothermic reaction with: Alkalies, Caustic soda, Permanganates, Strong oxidiser, Aniline, Violent reaction with: Acids, Phenol, Nitric acid, Hydrogen peroxide,
=> Explosive properties

4. Conditions to avoid

Direct light irradiation. Keep away from heat.

5. Incompatible materials

different metals

6. Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

1. Information on toxicological effects

Acute toxicity

• Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Formaldehyde ... %	50-00-0	oral	100 mg/kg
Formaldehyde ... %	50-00-0	dermal	300 mg/kg
Formaldehyde ... %	50-00-0	inhalation: vapour	2 mg/l/4h
Methanol	67-56-1	oral	100 mg/kg
Methanol	67-56-1	dermal	300 mg/kg
Methanol	67-56-1	inhalation: vapour	3 mg/l/4h

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction. May cause sensitization by skin contact.

Summary of evaluation of the CMR properties

Germ cell mutagenicity:

Suspected of causing genetic defects

Carcinogenicity:

May cause cancer

• Specific target organ toxicity - single exposure

Causes damage to organs (eye). May cause respiratory irritation.

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

corrosive to the respiratory tract, cough, headache, vertigo, Dyspnoea, pulmonary oedema

• If on skin

causes severe burns, risk of absorption via the skin, Allergic reactions

Other information

Other adverse effects: Spasms, Blood pressure drop, Narcosis, Nausea, Agitation, Liver and kidney damage

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Formaldehyde ... %	50-00-0	LC50	31,8 mg/l	fish	24 h
Formaldehyde ... %	50-00-0	EC50	5,8 mg/l	aquatic invertebrates	48 h
Formaldehyde ... %	50-00-0	ErC50	4,89 mg/l	algae	72 h
Methanol	67-56-1	LC50	15.400 mg/l	bluegill (<i>Lepomis macrochirus</i>)	96 h
Methanol	67-56-1	EC50	12.700 mg/l	bluegill (<i>Lepomis macrochirus</i>)	96 h
Methanol	67-56-1	ErC50	22.000 mg/l	<i>Pseudokirchneriella subcapitata</i>	96 h

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Formaldehyde ... %	50-00-0	EC50	19 mg/l	microorganisms	3 h

12.2 Process of degradability

The substance is readily biodegradable.

Process	Degradation rate	Time
biotic/abiotic	97 %	5 d

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Formaldehyde ... %	50-00-0	DOC removal	99 %	28 d
Methanol	67-56-1	biotic/abiotic	99 %	30 d
Methanol	67-56-1	oxygen depletion	76 %	5 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 0,35

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	Log KOW
Methanol	67-56-1	-0,77

4. Mobility in soil

Data are not available.

5. Results of PBT and vPvB assessment

Data are not available.

6. Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

2. Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

3. Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

SECTION 14: Transport information

1.	UN number	2209
2.	UN proper shipping name	FORMALDEHYDE SOLUTION
	Hazardous ingredients	Formaldehyde.....%, Methanol
3.	Transport hazard class(es)	
	Class	8 (corrosive substances)
4.	Packing group	III (substance presenting low danger)
5.	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
6.	Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.	
7.	Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.	
8.	Information for each of the UN Model Regulations	
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	
	UN number	2209
	Proper shipping name	FORMALDEHYDE SOLUTION
	Particulars in the transport document	UN2209, FORMALDEHYDE SOLUTION, 8, III, (E)
	Class	8
	Classification code	C9
	Packing group	III
	Danger label(s)	8
		
	Special provisions (SP)	533
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	3
	Tunnel restriction code (TRC)	E
	Hazard identification No	80
	Emergency Action Code	2X
	• International Maritime Dangerous Goods Code (IMDG)	
	UN number	2209
	Proper shipping name	FORMALDEHYDE SOLUTION

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Laboratoriumdiscounter

Formaldehyde 37%

article number: **50-00-0**

Particulars in the shipper's declaration	UN2209, FORMALDEHYDE SOLUTION, 8, III
Class	8
Marine pollutant	-
Packing group	III
Danger label(s)	8



Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	2209
Proper shipping name	Formaldehyde solution
Particulars in the shipper's declaration	UN2209, Formaldehyde solution, 8, III
Class	8
Packing group	III
Danger label(s)	8



Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

1. Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

• Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

• Regulation 850/2004/EC on persistent organic pollutants (POP)

None of the ingredients are listed.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: 50-00-0



Laboratoriumdiscounter

• Restrictions according to REACH, Annex XVII

Name of substance	CAS No	Wt%	Type of registration	Conditions of restriction	No
Formaldehyde solution		100	1907/2006/EC annex XVII	R3	3
Formaldehyde ... %		37	1907/2006/EC annex XVII	R28-30	28
Methanol	67-56-1	10	2018/0589/EC annex XVII	R69	69
Methanol		10	1907/2006/EC annex XVII	R40	40

Legend

- R28-30**
1. Shall not be placed on the market, or used,
 - as substances,
 - as constituents of other substances, or,
 - in mixtures,for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
 - either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
 - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
'Restricted to professional users'.
 2. By way of derogation, paragraph 1 shall not apply to:
 - (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
 - (b) cosmetic products as defined by Directive 76/768/EEC;
 - (c) the following fuels and oil products:
 - motor fuels which are covered by Directive 98/70/EC,
 - mineral oil products intended for use as fuel in mobile or fixed combustion plants,
 - fuels sold in closed systems (e.g. liquid gas bottles);
 - (d) artists' paints covered by Directive 1999/45/EC;
 - (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2.Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.
- R3**
1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
 - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: 50-00-0



Laboratoriumdiscounter

Legend

- R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopie' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
- 'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- R69 Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

• Restrictions according to REACH, Title VIII

None.

• List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

none of the ingredients are listed

• Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
22	methanol	500 5.000	

• Directive 75/324/EEC relating to aerosol dispensers

Filling batch

Deco-Paint Directive (2004/42/EC)

VOC content	47 % 1.217 ^{g/l}
-------------	------------------------------

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	47 %
VOC content	1.090 ^{g/l}
VOC content Water content was discounted	1.217 ^{g/l}

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: 50-00-0



Laboratoriumdiscounter

Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

none of the ingredients are listed

National inventories

Country	National inventories	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: 50-00-0



Laboratoriumdiscounter

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
Carc.	carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
Flam. Liq.	flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Muta.	germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
Skin Sens.	skin sensitisation
STEL	short-term exposure limit
STOT SE	specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

Formaldehyde 37%

article number: **50-00-0**



Laboratoriumdiscounter

Code	Text
H225	highly flammable liquid and vapour
H301	toxic if swallowed
H311	toxic in contact with skin
H314	causes severe skin burns and eye damage
H317	may cause an allergic skin reaction
H318	causes serious eye damage
H331	toxic if inhaled
H335	may cause respiratory irritation
H341	suspected of causing genetic defects
H350	may cause cancer
H370	causes damage to organs (eye)

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.