accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1 Version: 3.1 en Replaces version of: 2019-02-22 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Article number

Identification of the substance

Registration number (REACH)

Index number in CLP Annex VI

EC number

CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

lodine 99,9+%

053-001-00-3

231-442-4

7553-56-2

01-2119485285-30-xxxx

LK9239.1

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Laboratoriumdiscounter Zandvoortstraat 75 1976BN ljmuiden Nederland

Telephone:+31 (0) 255 700 210 e-mail: info@laboratoriumdiscounter.nl Website: www.laboratoriumdiscounter.nl

Competent person responsible for the safety data sheet:

e-mail (competent person):

info@laboratoriumdiscounter.nl

:Department Health, Safety and Environment

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance ormixture

Laboratoriumdiscounter

date of compilation: 2015-11-17 Revision: 2021-08-24

accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP



Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.11	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8R	Specifictarget organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



Hazard statements

H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H372	Causes damage to organs (thyroid gland) through prolonged or repeated ex-
H400	posure (if swallowed) Very toxic to aquatic life

Precautionary statements

Precautionary statements - prevention

P273 Avoid release to the environment

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing IF
P305+P351+P338	IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing

Laboratoriumdiscounter

accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1

Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

Symbol(s)



H372

3.1

Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

Substances			
Name of substance	lodine		
Molecular formula	2		
Molar mass	253,8 ^g / _{mol}		
REACH Reg. No	01-2119485285	-30-xxxx	
CAS No	7553-56-2		
EC No	231-442-4		
Index No	053-001-00-3		

Specific Conc. Limits	M-Factors	ATE	Exposure route
		1.500 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} 4,588 ^{mg} / _l /4h	oral dermal inhalation: dust/ mist

SECTION 4: Firstaidmeasures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult anophthalmologist.

United Kingdom (en)



accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

Most important symptoms and effects, both acute and delayed 2.

Breathing difficulties, Circulatory collapse, Diarrhoea, Vomiting, Irritation, Discoloration of the cornea, Cough, Dyspnoea, Corrosivity, Spasms

Indication of any immediate medical attention and special treatment needed 3. none

SECTION 5: Firefighting measures

5.1 **Extinguishing media**



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

2. Special hazards arising from the substance or mixture

Non-combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

Hydrogen iodide (HI)

3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidentalreleasemeasures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

2. **Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

3. Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.



accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

1. Precautions for safe handling

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid dust formation.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

2. Conditions for safe storage, including anyincompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

3. Specific end use(s)

No information available.

SECTION8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	ldentifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	iodine	7553-56-2	WEL		1,1			EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

Human health values

article number: LK9239.1



Laboratoriumdiscounter

Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	0,07 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	0,01 mg/kgbw/ day	human, dermal	worker (industry)	chronic - systemic effects		

Environmental values

Relevant	Relevant PNECs and other threshold levels							
End- point	End- point Threshold Organism Environme partn			Exposure time				
PNEC	18,13 ^{µg} /ı	aquatic organisms	freshwater	short-term (single instance)				
PNEC	60,01 ^{µg} /ı	aquatic organisms	marine water	short-term (single instance)				
PNEC	NEC 11 ^{mg} / _I aquatic organisms		sewage treatment plant (STP)	short-term (single instance)				
PNEC	3,99 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)				
PNEC	20,22 ^{mg} /kg	aquatic organisms	marine sediment	short-term (single instance)				
PNEC	5,95 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)				

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended tocheck the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Takerecovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physicaland chemical properties

Physical state	solid
Form	-
Colour	dark violet
Odour	stinging
Melting point/freezing point	113 – 114°C
Boiling point or initial boiling point and boiling range	184,4 °C at 1 atm (ECHA)
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	0,47 ^{mm²} /s not relevant
<u>Solubility(ies)</u>	
Water solubility	<0,5 ^g /ı at 20 °C
Partition coefficient	
Partition coefficient n-octanol/water (log value):	2,49 (20 °C) (ECHA) not relevant (inorganic)



Laboratoriumdiscounter

accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP



Laboratoriumdiscounter

article	number: LK9239.1	ካ (
	Vapour pressure	0,31 hPa at 25 °C
	Density	4,93 ^g / _{cm³} at 20 °C
	Relative vapour density	8,8 (air = 1)
	Particle characteristics	no data available
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

1. Reactivity

This material is not reactive under normal ambient conditions.

2. **Chemical stability**

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

3. Possibility of hazardous reactions

strong oxidiser.

Exothermic reaction with: Aldehydes, Metal powder, Phosphorus oxides (e.g. P2O5), Danger of explosion: Acetylene, Alkali metals, Amines, Ammonium compounds, Azides, Reducing agents, Sodium, Potassium, Iodide

4. **Conditions to avoid**

There are no specific conditions known which have to be avoided.

5. Incompatible materials

There is no additional information.

6. Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008 11.1

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1



Laboratoriumdiscounter

Acute toxicity							
Exposure route	Endpoint	Value	Species	Method	Source		
oral	LD50	14.000 ^{mg} / _{kg}	not specified		TOXNET		
inhalation: dust/ mist	LC50	>4,588 ^{mg} /ı/4h	rat		ECHA		
dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit		ECHA		

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Causes damage to organs (thyroid gland) through prolonged or repeated exposure (i f swallowed).

Hazard category	Target organ	Exposure route
1	thyroid gland	if swallowed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, vomiting

If in eyes

discoloration of the cornea, Causes serious eye irritation

If inhaled

Dyspnoea, Irritation to respiratory tract, cough

If onskin

causes skin irritation

Other information

Other adverse effects: Liver and kidney damage, Circulatory collapse, Spasms

according to Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	1,67 ^{mg} /ı	fish	96 h
ErC50	0,13 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Exposure time
EC50	280 ^{mg} /I	microorganisms	3 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

2. Process of degradability

Data are not available.

3. Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2,49 (20 °C) (ECHA)
---------------------------	---------------------

12.4 Mobility in soil

Henry's law constant	0,031 ^{Pa m³} / _{mol} at 20 °C (ECHA)
----------------------	---

5. Results of PBT and vPvB assessment

Data are not available.

- 6. Endocrine disrupting properties Not listed.
- 7. Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data



accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1

sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

2. Relevant provisions relating to waste

SECTION 14: Transport information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

3. Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

1.	UN number or IDnumber		
	ADR/RID/ADN	UN 3495	
	IMDG-Code	UN 3495	
	ICAO-TI	UN 3495	
2.	UN proper shipping name		
	ADR/RID/ADN	IODINE	
	IMDG-Code	IODINE	
	ICAO-TI	lodine	
3.	Transport hazard class(es)		
3.	Transport hazard class(es) ADR/RID/ADN	8(6.1)	
3.	Transport hazard class(es) ADR/RID/ADN IMDG-Code	8(6.1) 8(6.1)	
3.	Transport hazard class(es) ADR/RID/ADN IMDG-Code ICAO-TI	8(6.1) 8(6.1) 8(6.1)	
3. 4.	Transport hazard class(es) ADR/RID/ADN IMDG-Code ICAO-TI Packing group	8(6.1) 8(6.1) 8(6.1)	
3. 4.	Transport hazard class(es) ADR/RID/ADN IMDG-Code ICAO-TI Packing group ADR/RID/ADN	8(6.1) 8(6.1) 8(6.1) III	
3. 4.	Transport hazard class(es) ADR/RID/ADN IMDG-Code ICAO-TI Packing group ADR/RID/ADN IMDG-Code	8(6.1) 8(6.1) 8(6.1) III III	
3. 4.	Transport hazard class(es) ADR/RID/ADN IMDG-Code ICAO-TI Packing group ADR/RID/ADN IMDG-Code ICAO-TI	8(6.1) 8(6.1) 8(6.1) III III III	

5. **Environmental hazards** Special precautions for user

hazardous to the aquatic environment

Provisions for dangerous goods (ADR) should be complied within the premises.

Maritime transport in bulk according to IMO instruments 14.7

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

6.



accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1



Transport of dangerous goods by road, rail and information	inland waterway (ADR/RID/ADN) - Additional
Classification code	CT2
Danger label(s)	8+6.1, "Fish and tree"
$\bigcirc \diamondsuit $	
Environmental hazards	YES (hazardous to the aquatic environment)
Special provisions (SP)	279, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	86
Emergency Action Code	2WE
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	8+6.1, "Fish and tree"
Special provisions (SP)	279
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-B
Stowage category	В
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additionalinformation
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	8+6.1
Special provisions (SP)	A113
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg

accordingto Regulation (EC) No. 1907/2006 (REACH)

lodine 99,9+% pure EP/USP/BP

article number: LK9239.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance ormixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list not listed

Seveso Directive

2012/18/EU (Seveso III)

	. ,		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
E1	environmental hazards (hazardous tothe aquatic en- vironment, cat. 1)	100 200	56)

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Directive 2011/65/EU onthe restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

not listed

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

not listed

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed

Laboratoriumdiscounter

accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1

S	tatus

Laboratoriumdiscounter

Country	Inventory	Status
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CICR	Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL) EC Substance Inventory (FINECS, FLINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	National Inventory of Chemical Substances Korea Existing Chemicals Inventory
NZIOC	New Zealand Inventory of Chemicals
REACH Reg	REACH registered substances
TSCA	Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP

article number: LK9239.1



Laboratoriumdiscounter

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (<u>http://www.nationalarchives.gov.uk/doc/open-government-li-</u> cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of atested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Mari-Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

accordingto Regulation (EC) No. 1907/2006 (REACH)

Iodine 99,9+% pure EP/USP/BP



Laboratoriumdiscounter

article number: LK9239.1

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
H400	Very toxic to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.