

GARDEN CATALOGUE

LAWN CARE

Lawn mowers	4 - 16
Scarifiers	17 – 19
Accessories lawn mowers & scarifiers	20
Grass trimmers	21 – 25
Brush cutters	26 – 27

SHRUB AND HEDGE CARE


Multi tools	28 – 29
Hedge trimmers	38 – 39
Accessories brush cutters	
& multi tools	30 - 31
	and 35

18 V BATTERY TOOLS

18 V battery	garden	set	35	_	37
-	-		00		U

TREE CARE

•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • •	• • • • •	•••••
Chain	saws	40	_	46
Chain	sharpeners			47



40 – 47

TREE CARE



LEAVES, GROUND AND SOIL


Leaf vacs	48
Leaf blowers	49 - 50
Tillers	54 – 58
Rotating sieves	62 - 63

CLEANING TECHNOLOGY

High pressure cleaners		59
Sweepers	60 -	61

40 V BATTERY PRODUCTS

Lawn mowers	62 - 6 3
Grass trimmer	66
Multi tools	67
Hedge trimmer	68
Chain saw	69
Leaf vac	70
Accessories chain saws/ garden shredder/ batteries	70 71
& charger	70 – 71





48 - 63

LEAVES, GROUND AND SOIL

62 – 71 40 v battery products

MP132-40

17" PETROL LAWN MOWER

Whatever option you choose, you'll have a clean looking yard every time you mow, thanks to the unsurpassed results of the scheppach signature cut.

- 4 stroke engine for powerful performance
- 40 cm cutting width for optimal coverage
- Durable 35 L catcher well positioned to guarantee an optimum fil
- Folding handle allows easy storage and transportation
- Rear catcher for effective collection and easy emptyin
- Lightweight and maneuverable (large wide wheels)
- Cutting height adjustment in 3 steps (25 75 mm)
- High rear wheels easily handle uneven ground



SPECIFICATIONS

Dimensions L x W x H
Engine displacement
Input
Cutting width max.
Cutting heights
Deck
Catcher capacity

1330 x 480 x 1030 mm
132 cc
2500 W / 3.4 HP
40 cm
25 – 75 mm
plastic
35 L

LOGISTICAL DATA	
Weight gross	16,8 / 21 kg
Packaging dimensions	655 x 470 x 380 mn
Order No	5911250903

Barcode 40 HQ Container 4046664081913

588 pcs



SPECIFICATIONS

Dimensions L x W x H	
Engine displacement	
Input	
Cutting width max.	
Cutting heights	
Deck	
Catcher capacity	

1300 x 510 x 1010/1080 mm 132 cc 2500 W / 3.4 HP 40 cm 25 - 75 mm Steel 45 L

LOGISTICAL DATA	
Weight gross	27 kg
Packaging dimensions	720 x 525 x 448 mm
Order No	5911248903
Barcode	4046664081906
40 HQ Container	420 pcs

MS132-42

17" SELF-PROPELLED PETROL LAWN MOWER

Whatever option you choose, you'll have a clean looking yard every time you mow thanks to the unsurpassed results of the Scheppach signature cut.

- Rear catcher (half/half) for effective collection and easy emptying
- Lightweight and maneuverable (large wide wheels)



Comfort grip handle

Dimensions L x W x H	1380 x 510 x 1010/1080 mm
Engine displacement	132 cc
Input	2500 W / 3.4 HP
Cutting width max.	42 cm
Cutting heights	25 – 75 mm
Deck	Steel
Capacity catcher	45 L

LOGISTICAL DATA	
Weight gross	23.4 / 28 kg
Packaging dimensions	725 x 530 x 460 mm
Order No	5911249903
Barcode	720 x 525 x 448 mm
40 HQ Container	420 pcs



SPECIFICATIONS

Dimensions L x W x H	1460 x 651 x 1150 mm
Engine displacement	141 cc
Input	2500 W / 3.4 HP
Cutting width max.	46 cm
Cutting heights	25 – 75 mm
Deck	Steel
Catcher capacity	55 L

LOGISTICAL DATA

Weight net / gross	27 / 31 kg
Packaging dimensions	800 x 545 x 510 mm
Order No	5911240903
Barcode	4046664070559
20 Container	116 pcs
40 Container	232 pcs
40 HQ Container	320 pcs

MS150-46E

18" SELF-PROPELLED PETROL LAWN MOWER

This cheap lawn mower is suitable for homeowners who need quality. It features a user-friendly design and excellent mulching capacity for reliable, time-saving operation.

- 4-stroke OHV engines for powerful performance
- 46 cm cutting width for optimal coverage
- Powerful transmission (engineered for high torque and superior performance, designed for lifetime operation)
- Mower deck washout port for easy cleaning of the cutting deck
- Durable 55 L catcher well positioned to affect an optimum
- Folding handle allows easy storage and transportation
- Rear and side discharge
- Lightweight and maneuverable (large wide wheels)
- Central cutting height adjustment, 7 levels (25 75 mm)





- port Electric-start
- 🖌 Self-propelled



LOGISTICAL DATA

Weight gross Packaging dimensions Order No Barcode 40 HQ Container 34.5 kg 890 x 583 x 500 mm 5911244903 4046664080756 320 pcs

Dimensions L x W x H	1580 x 540 x 1060/1130 mm
Engine displacement	150 cc
Input	2700 W / 3.7 HP
Cutting width max.	46 cm
Cutting heights	25 – 75 mm
Deck	Steel
Catcher capacity	55 L

18" SELF-PROPELLED PETROL LAWN MOWER Cutting grass has never been easier with the new Scheppach gasoline mower MS161-46. Thanks to its powerful 161cc motor and its wheel drive, mowing is done easily and quickly. The lawn mower also features side discharge and mulching function, making it a real all-rounder. **Comfort Grip** Handle **Adjustable** handle 560 🖌 Mowing 🖌 Catching 🖌 Mulching 🖌 Side discharge Jeck washout port Large High torque, high catcher ✓ Self-propelled efficiency motor capacity: 55 L 18100 High rear wheels Steeldeck 46 cm

SPECIFICATIONS

Dimensions L x W x H	
Engine displacement	
Input	
Cutting width max.	
Cutting heights	
Deck	
Catcher capacity	

1460 x 651 x 1150 mm
161 cc
3000 W / 3.4 HP
46 cm
25 – 75 mm
Steel
55 L

LOGISTICAL DATA

Weight net / gross	32 / 34 kg
Packaging dimensions	780 x 545 x 500 mm
0 0	
Order No	5911238904
Barcode	4046664070542
20 Container	124 pcs
40 Container	256 pcs
40 HQ Container	320 pcs

4-stroke OHV engines

Hard top collection box

20" SELF-PROPELLED PETROL LAWN MOWER

The 20" self propelled lawnmower is built to heavy standards to suit the consumer's needs. It's heavyduty construction means that it will reliably serve you for years to come.

- 4-stroke OHV engines offers maximum performance and durability
- 51 cm cutting width for optimal coverage
- Equipped with a professional transmission (engineered for high torque and superior performance, designed to last the life of the mower)
- Mower deck washout port for easy cleaning of the cutting decl
- Durable 65 L catcher well positioned to affect an optimum f
- Folding handle allows easy storage and transportation
- An impressive amount of torque operate even through thick gras
- Lightweight and maneuverable (large wheels)
- Central cutting height adjustment in 7 steps (25 75 mm)
- Delivers professional-quality cut every time



LOGISTICAL DATA

Weight gross Packaging dimensions Order No Barcode 40 HQ Container 40 kg 890 x 583 x 500 mm 5911247903 4046664081890 260 pcs

SPECIFICATIONS Dimensions L x W x H 1640 x 560 x 1060/1130 mm Engine displacement 173 cc Input 3300 W / 4.5 PS

Input	3300 W / 4.5 PS
Cutting width max.	51 cm
Cutting heights	25 – 75 mm
Deck	Steel
Catcher capacity	65 L

MS196-51E



- 🖌 Mowing
- 🖌 Catching
- 🖌 Mulching
- 🖌 Side discharge
- Deck washout port
- ✓ Electric-start
- ✓ Self-propelled

Advantages of

- Auto choke (no need primer)
- No need pulling
- Lithium battery
- Both function
- (E-start and Manual start)

20"SELF-PROPELLED PETROL LAWN MOWER

The 20" self propelled lawnmower is built to heavy standards to suit the consumer's needs. It's heavyduty construction means that it will reliably serve you for years to come.

- 4-stroke OHV engines for maximum performance and durability
- 51 cm cutting width for optimal coverage
- Powerful transmission (engineered for high torque and superior performance, designed for lifetime operation)
- Mower deck washout port for easy cleaning of the cutting deck
- Durable 65 L catcher well positioned to guarantee an optimum f
- Folding handle allows easy storage and transportation
- An impressive amount of torque to operate even through thick grass
- Lightweight and maneuverable (large wheels)
- Central cutting height adjustment in 7 steps (25 75 m
- Delivers professional-quality cut every til



SPECIFICATIONS

Dimensions L x W x H Engine displacement Input Cutting width max. Cutting heights Deck Catcher capacity

1640 x 560 x 1070/1140 mm
196 cc
3300 W / 4.5 HP
51 cm
25 – 75 mm
Steel
65 L

LOGISTICAL DATA

Weight net / gross	
Packaging dimensions	
Order No	
Barcode	
40 HQ Container	

34 / 38 kg 890 x 583 x 500 mm 5911246903 4046664081883 260 pcs

MS225-53



Dimensions L x W x H	1610 x 695 x 1055 - 1140 mm
Engine displacement	224 cc
Input	5150 W / 7 HP
Cutting width max.	53 cm
Cutting heights	25 – 75 mm
Deck	Steel
Catcher capacity	65 L

LOGISTICAL DATA	
Weight net / gross	38 / 40 kg
Packaging dimensions	890 x 583 x 500 mm
Order No	5911241903
Barcode	4046664070566
20 Container	104 pcs
40 Container	216 pcs
40 HQ Container	260 pcs

MS225-53E



SPECIFICATIONS

Dimensions L x W x H	1610
Engine displacement	224
Input	5150
Cutting width max.	53 c
Cutting heights	25 –
Deck	Steel
Catcher capacity	65 L

610 x 695 x 1055 – 1140 mm 24 cc 150 W / 7 PS 3 cm 5 – 75 mm teel 5 L

LOGISTICAL DATAWeight net / gross38 / 40 kgPackaging dimensions890 x 583 x 500 mmOrder No5911245903Barcode404666408076320 Container104 pcs40 Container216 pcs40 HQ Container260 pcs



SPECIFICATIONS

Dimensions L x W x H	1100 x 415 x 990 mm
Cutting width max.	33 cm
Cutting heights	30 – 60 mm
Deck	Plastic
Capacity catcher	28 L
Motor	230 V~ / 50 Hz
Input	1000 W (1.36 HP)

LOGISTICAL DATAWeight net / gross10 / 11.5 kgPackaging dimensions600 x 400 x 330 mmOrder No5911307901Barcode4046664066286Truck924 pcs



38 CM ELECTRIC PUSH LAWN MOWER

Scheppach's 38 cm electric push lawn mower is a great corded machine, able to easily cut tall grass and turf, leaving a nice, perfect yard. The mower also represents an environmentally friendly solution in comparison with gas-propelled machines.

- 38 cm 2-in-1 mower mowing and catching for multiple mowing modes
- Powerful 1.8 HP motor for powerful operation
- Height adjustment 3 settings; manually adjustable wheels for cutting heights 35 - 50 - 65 mm
- Lightweight easy to push and manoeuvre
- Maintenance free no gas, oil or tune-ups
- Removable catcher for easy disposal
- 170 mm high rear wheels for manoeuvrability on uneven ground



SPECIFICATIONS

Dimensions L x W x H Cutting width max. Cutting heights Deck Catcher capacity Motor Input

1170 x 430 x 1000 mm
38 cm
35 – 65 mm
Plastic
35 L
230 V~ / 50 Hz
1300 W (1.8 HP)

LOGISTICAL DATA

Weight net / gross
Packaging dimensions
Order No
Barcode
Truck

12 / 14 kg 600 x 400 x 370 mm 5911306901 4046664066279 792 pcs

MR196-61



Dimensions L x W x H	1780 x 720 x 1050 mm
Engine displacement	196 cc
Output	4800 W
Cutting width max.	61 cm
Cutting heights	35 – 75 mm
Deck	Steel
Catcher capacity	150 L

LOGISTICAL DATA	
Weight net / gross	115 / 139 kg
Packaging dimensions	1480 x 770 x 855 mm
Order No	5911235903
Barcode	4046664069478
20 Container	20 pcs
40 Container	40 pcs
40 HQ Container	72 pcs



LOGISTICAL DATA

Weight net / gross
Packaging dimensions
Order No
Barcode
20 Container
40 Container
40 HQ Container

9.3 / 11 kg
525 x 425 x 308 mm
5912006901
4046664076261
399 pcs
860 pcs
1000 pcs

1130 x 505 x 920 mm
32 cm
-12 to +4 mm
4-steps, central
16
20
30 L
230 – 240 V~ / 50 Hz
1500 W



Dimensions L x W x H	1130
Working width	36 c
Scarifier height	-15 t
Height adjustment	cent
Working method	8 bla
Number of blades	8
Number of springs	24
Box size	45 L
Motor	230
Output	1500

130 x 605 x 1085 mm
6 cm
5 to +5 mm
entralized / variable
blades or 24 springs
4
5 L
30 – 240 V~ / 50 Hz
500 W

LOGISTICAL DATA	
Weight net / gross	13.5 / 15.9 kg
Packaging dimensions	615 x 465 x 365 mm
Order No	5912005952
Barcode	4046664064886
20 Container	297 pcs
40 Container	558 pcs
40 HQ Container	681 pcs

SC40P



Abmessung L x B x H	1260 x 610 x 1130 mm
Working width	40 cm
Scarifier height	-15 to +5 mm
Height adjustment	6-level, central
Number of blades	18
Catcher capacity	45 L
Tank	2.5 L
Engine displacement	118 cc
Motor	4-Stroke, full crank engine
Output	2200 W

LOGISTICAL DATA	
Weight net / gross	30.5 / 34.5 kg
Packaging dimensions	650 x 580 x 630 mm
Order No	5911901903
Barcode	4046664067955
20 Container	108 pcs
40 Container	216 pcs
40 HQ Container	288 pcs

A COVER



B AERATOR ROLLER







D KNIFE ROLL



LAWN MOWER BLADE

For EMP-33 Order No: 5911307006 Barcode: 4014915188766

A COVER

For MR196-61 Order No: 7911200707 Barcode: 4046664069508

D KNIFE ROLL

For SC40P Order No: 7911901701 Barcode: 4046664068310

LAWN MOWER BLADE

For EMP-38 Order No: 5911306012 Barcode: 4014915188599

B AERATOR ROLLER

For SC36 Order No: 7912005701 Barcode: 4046664067214

LAWN MOWER BLADE

For MR196-61 Order No: 7911200616 Barcode: 4046664069874

C KNIFE ROLL

For SC36 Order No: 7912005702 Barcode: 4046664067221

RT450 / RT600

LINE TRIMMER

The scheppach Line Trimmers Are ideal for trimming grass in hard to reach areas where mowers cannot cut and maintenance edging along hard surfaces. They are ready to meet your weekend-warrior needs.

- Lightweight ergonomic design with adjustable height and pivoting handle positions gives maximum comfort and control
 Produces no harmful emissions
- Delivering great cutting results without the mess and hassles of gas powered trimmers
- 280 mm (RT450) / 300 mm (RT600) cutting diameter for efficient clearing capability
 94 118 cm adjustable telescopic handle

🖌 Edging







Tip automatic spool



Double line tap and go system




	RT450	RT600
Dimensions L x W x H	1210 x 290 x 240 mm	1180 x 280 x 370 mm
Motor speed	9500 min ⁻¹	9500 min ⁻¹
Cutting diameter max.	280 mm	300 mm
Handle type	Adjustable telescopic har	ıdle (94 – 118 cm)
Line size	Ø 1.4 mm; length 8 m (one line = 4 m)	\emptyset 1.65 mm; length 6 m (one line = 3 m)
Number of trim lines	2	2
Motor	220 – 240 V~ / 50 Hz	220 – 240 V~ / 50 Hz
Output	450 W	600 W

LOGISTICAL DATA		
	RT450	RT600
Weight net / gross	2.4 / 3.1 kg	3.2 / 3.6 kg
Packaging dimensions	940 x 240 x 110 mm	960 x 340 x 280 mm
Order No	5910804901	5910805901
Barcode	4046664066309	4046664066316
20 Container	1280 pcs	1280 pcs
40 Container	2600 pcs	2600 pcs
40 HQ Container	3000 pcs	3000 pcs

PETROL

BCH3300PB



BCH5200PB

PETROL 🖬



PETROL

BCH5300BP



BCH5300BP

PETROL



Dimensions L x W x H
Engine displacement
Engine type
Shaft
Anti-Vibration
Cutting width (line head)
Cutting width (knife)
Tank
Fuel
Motor

2850 x 370 x 550 mm
51.7 cc
2-stroke
143 cm
Yes
450 mm
255 mm
1.0 L
40:1 fuel / oil mixture
1300 W (1.8 HP)

LOGISTICAL DATA

Weight net / gross	11.8 / 14.6 kg
Packaging dimensions	1200 x 290 x 430 / 130 mm
Order No	5910707903
Barcode	4046664044918
20 Container	297 pcs
40 Container	600 pcs
40 HQ Container	708 pcs

PETROL

MFH3300-4P / MFH5200-4P



MFH3300-4P / MFH5200-4P

PETROL



40 Container

40 HQ Container

950 pcs

1050 pcs

Bar length

Cutting length

305 mm

254 mm


www. scheppach .com 27

920 pcs

1050 pcs

PETROL

MFH3300-4BP / MFH5300-4BP



MFH3300-4BP / MFH5300-4BP

PETROL



SPECIFICATIONS

	MFH3300-4BP	MFH5300-4BP
Dimensions L x W x H	2850 x 370 x 550 mm	2850 x 370 x 550 mm
Engine displacement	32.6 cc	51.7 cc
Engine type	2-stroke	2-stroke
Tank	0,9 L	1,0 L
Fuel	40:1 fuel / oil mixture	
Output	900 W (1.22 HP)	1300 W (1.8 HP)

LOGISTICAL DATA

	MFH3300-4BP	MFH5300-4BP
Weight net / gross	15.6 / 18.8 kg (Set)	16.4 / 19.6 kg (Set)
Packaging dimensions	1200 x 280 x 440 / 140 mm	1200 x 280 x 440 / 140 mm
Order No	5904806903	5904805903
Barcode	4046664064053	4046664044901
20 Container	297 pcs	297 pcs
40 Container	600 pcs	600 pcs
40 HQ Container	708 pcs	708 pcs

BRUSH CUTTER

BRUSH CUTTER		
	MFH3300-4BP	MFH5300-4BP
Cutting Ø (blade)	255 mm	
	LINE TRIMMER	
Cutting Ø max.	430 mm	450 mm
Line style size	2.4 mm – 4 m	2.8 mm – 4 m
HEDGE TRIMMER		
Total length	3250 x 320 x 560 mm	
Swivel range	165° (90° – 0° – -70°); 1	1 steps/15°
Cutting length	400 mm	
POLE SAW		
Total length	3050 x 320 x 560 mm	
Bar length	305 mm	
Cutting length	254 mm	

A 3 TEETH BLADE



B 4 TEETH BLADE







D EXTENSION FOR POLE SAW



A 3 TEETH BLADE

Ø 255 / 25,4 MM

For BCH3300-100PB, BCH5200PB, BCH5300BP, BCH3200PB4, MFH3300-4P, MFH5200-4P, MFH3300-4BP, MFH5300-4BP and MF1200-4E

This blade's main application is in cutting, it is ideal for removing brush and grass, as well as cutting back (thorn) hedges

Order No: 7910700702 Barcode: 4014915090786

TRICORD SPOOL

CUTTING Ø 43 CM / 45 CM Revolutionary wear indicator.

Order No:7910702701 / 7910702702 Barcode: 4046664068440 / 4046664070924

B 4 TEETH BLADE

Ø 255 / 25,4 MM

For BCH3300-100PB, BCH5200PB, BCH5300BP, BCH3200PB4, MFH3300-4P, MFH5200-4P, MFH5300-4P, MFH5300-4BP, MFH5300-4BP and MF1200-4E

Efficient blade for cutting tough, dry grass as well as dense undergrowth in large areas

Order No: 7910700705 Barcode: 4046664042327

J CHAIN FOR PRUNERS

For MFH3300-4P, MFH5200-4P, MFH3300-4BP, MFH5300-4BP

Order No:7910700704 Barcode: 4014915095392

i

C 8 TEETH BLADE

Ø 255 / 25,4 MM

For BCH3300-100PB, BCH5200PB, BCH5300BP, BCH3200PB4, MFH3300-4P, MFH5200-4P, MFH3300-4BP, MFH5300-4PP and MF1200-4E

This blade's main application is in cutting strong, dry grass and strong wild growth. It is very suitable for bushes and reeds as well

Order No: 7910700711 Barcode: 4046664063872

BLADE FOR HEDGE TRIMMERS

For MFH3300-4P, MFH5200-4P, MFH3300-4BP, MFH5300-4BP

Order No:7910700703 Barcode: 4014915090786

÷



D EXTENSION FOR POLE SAW

For MFH3300-4P, MFH5200-4P, MFH3300-4BP and MFH5300-4BP

Extend your power and your reach. The aluminium extension pole securely attaches to the Pole Saw attachment for trimming away branches up to 4 m height

Order No: 7910700710 Barcode: 4046664044666

BLADE PROTECTION FOR PRUNERS

For MFH3300-4P, MFH5200-4P, MFH3300-4BP, MFH5300-4BP

Order No :3904801039 barcode: 4046664045304

E PROFESSIONAL SHOULDER HARNESS

For BCH3300-100PB, BCH5200PB, BCH3200PB4, MFH3300-4P, MFH5200-4P and MF1200-4E

Make brush cutting easier with this Profi shoulder harness from Scheppach. Its padded straps and pads provide comfort and help take the weight of the brush cutter off your hands and arms

Order No: 7910700709 Barcode: 4046664044659

F G H SPOOLS

Innovative twin line bump feed spool and tip automatic system for speed feed trimmer head reloads line in seconds without disassembly

F (Ø 450 MM, Ø 2,8 MM x 4 M) For MFH5200-4P, BCH5300BP, BCH5200PB and MFH5300-4BP Order No: 7910700707 Barcode: 4014915117117

G (Ø 430 MM, Ø 2,4 MM x 4 M) For MFH3300-4P, BCH3200PB4, BCH3300-100PB and MFH3300-4BP Order No: 7910700701 Barcode: 4014915090779

(Ø 250 MM, Ø 1,5 MM x 8 M)
 For RT450 and RT600
 Order No: 7910800703
 Barcode: 4046664041603

TPH500





900 W TELESCOPIC POLE HEDGE TRIMMER

Ditch the ladder and shape up your shrubs while you stand safely on solid ground. Take dead branches and groom your growing hedges overhead in half the time and with twice the efficiency.


- Telescoping shaft retracts to 2 m for use in compact spaces and extends up to 2.5 m when additional reach is required (aluminium extension is a part of standard equipment)
- At 5.2 kg the lightweight design makes it ideal for trimming tall, awkwardly-sited, or hard-to-reach hedges and shrubs
- The 135-degree 7 position pivoting head allows for trimming of top or bottom of hedges

Dimensions L x W x H	2500 x 210 x 205 mm
Motor speed	1000 rpm
Total length	2.5 m
Bar length	438 mm
Cutting length	410 mm
Cutting Ø max.	20 mm
Swivel range	7 steps
Power supply	230 – 204 V ~ / 50 Hz
Output	900 W (1.2 HP)

LOGISTICAL DATA

Weight net / gross	5.3 / 6.2 kg
Packaging dimensions	1070 x 190 x 105 mm
Order No	5910504901
Barcode	4046664066156
20 Container	1096 pcs
40 Container	2300 pcs
40 HQ Container	2760 pcs

TPX710



Total length

Cutting length

Bar length

1590 - 2160 mm

240 mm

190 mm

40 HQ Container

20 Container

40 Container

750 pcs

1562 pcs

1732 pcs



2 IN 1 MULTI GARDEN TOOL

2 In 1 versatility – hedge trimmer and pole saw attachments cover all your gardening needs.

- Enjoy mobility with a cord-free solution
- Anti-Vibration design helps provide extended use
- Includes "Quick Battery Charger" and 1.5 Ah battery
- Ergonomic design allows for more comfortable use over a period of time

LOGISTICAL DATA

 Weight net / gross
 5.75 / 6.93 kg

 Packaging dimensions
 990 x 240 x 160 mm

 Order No
 5912401903

 Barcode
 4046664040323

 20 Container
 570 pcs

 40 Container
 1330 pcs

 40 HQ Container
 1540 pcs

BATTERY		
Dimensions L x W x H	118 x 77 x 56 mm	
Battery voltage	18 V	
Battery capacity	1.5 Ah	
Temperature protector	Yes	
CHARGER		
Input voltage	220 – 240 V	
Charger Volt Range	18 V	
Charging time	75 min	

HEDGE TRIMMER		
Total length	1770 – 2590 mm (incl. extension)	
Bar length	615 mm	
Cutting length	410 mm	
POLE SAW		
Total length	1680 – 2600 mm (incl. extension)	
Bar length	245 mm	
Cutting length	203 mm	



GS18-3Li



SPECIFICATIONS

BATTERY			
Dimensions L x W x H	15.5 x 7.5 x 6.5 mm		
Battery voltage	18 V		
Battery capacity	4 Ah		
Temperature protector	Yes		
CHARGER			
Dimensions L x W x H	13.5 x 10 x 7 mm		
Input voltage	220 – 240 V		
Charger Volt Range	18 V		
Charging time	120 min		

LOGISTICAL DATA

Weight net / gross	
Packaging dimensions	
Order No	
Barcode	
40 HQ Container	



- 1x LAWN MOWER
- 1x HEDGE TRIMMER
- 1x LINE TRIMMER
- 2x 18 V / 4 AH BATTERIES
- 1x CHARGER



GS18-3Li

LINE TRIMMER

This Line trimmer is designed to deliver cordless convenience without sacrificing power with an 18 Volt 4.0 Ah Lithium battery. The 90° pivoting head swings out for easy walk-behind edging.

- Ergonomic design allows for more comfortable use over a period of time

SPECIFICATIONS

Dimensions L x W x H	910 x 265 x 228 mm
Weight	1.85 kg
Cutting diameter max.	230 mm
Handle type	adjustable telescopic handle
Line size	Ø 1.2 mm; length 5 m
Number of trim lines	2



HEDGE TRIMMER

The Scheppach 18 V hedge trimmer is the perfect match for garden hedges, shrubs and general untidy growth, which gives the user cordless freedom to take over any job around the garden.

- Suitable for powerful 18 V Lithium-Ion rechargeable battery
- 440 mm cutting length
- Large 14.5 mm diameter cutting capacity

SPECIFICATIONS

Dimensions L x W x H **Cutting length** Cutting Ø max.

850 x 210 x 210 mm 440 mm 14.5 mm



LAWN MOWER

The LMB400-Li18V battery powered lawn mower is quiet, lightweight and easy to use. With no mains cable to drag behind you or get snagged in plants or furniture, it makes cutting your lawn a pleasure.

- Enjoy this cord-free solution
- Height adjustment 5 settings; single lever easily adjusts the cutting height from 25 to 65 mm

SPECIFICATIONS

Dimensions L x W x H	1200 x 950 x 400 mm
Cutting width max.	400 mm
Cutting heights	25 – 65 mm
Deck	Plastic
Bag size	40 L





LOGISTICAL DATA

 Weight net / gross

 Packaging dimensions

 Order No

 Barcode

 20 Container

 40 Container

 40 HQ Container

3,6 / 4,3 kg 1105 x 190 x 850 / 185 mm 5910506901 4046664066255 960 pcs 1952 pcs 2440 pcs

SPECIFICATIONS

Dimensions L x W x H	1100 x 183 x 185 mm
Bar length	660 mm
Cutting length	600 mm
Cutting Ø max.	20 mm
Power supply	230 – 240 V~ / 50 Hz
Output	620 W (0.8 HP)



Engine displacement Engine type Anti-Vibration Bar length Cutting length Cutting Ø max. Tank Fuel Output

1165 x 230 x 220 mm 25.4 cc 2-Stroke full crank air cooled yes 690 mm 600 mm 27 mm 0.6 L 40:1 fuel / oil mixture 700 W (1.0 HP)

Weight net / gross	5.9 / 7.9 kg
Packaging dimensions	1175 x 270 x 240 mm
Order No	5910401903
Barcode	4046664035442
20 Container	400 pcs
40 Container	800 pcs
40 HQ Container	927 pcs

-360°

CSE2400




The simple, compact and lightweight design of this Scheppach 18" electric chainsaw makes it easy for anyone to use and makes a prudent choice for any homeowner. It's ideal for first-time users, quick jobs and/or light duty limbing and pruning of small to medium sized branches.

ProCut

System

scheppech

- Wrap-around front handle allows operator to leverage the machine from different angles




LOGISTICAL DATA Weigh

Weight net / gross	5.5/6.1 kg
Dimensions packaging	525 / 260 x 220 x 280 /
Order No	5910202901
EAN	4046664066187
20 Container	1030 pcs
40 Container	2140 pcs
40 HQ Container	2510 pcs

40 www. scheppach .com

/ 120 mm

SPECIFICATIONS	
Dimensions L x W x H	920 x 210 x 285 mm
Chain bar length	46 cm
Cutting length max.	Ø 45 cm
Chain speed	14 m/sec
Chain tensioning system	toolless
Tank / Chain oil	0,28 L
Power supply	230 – 240 V~ / 50 Hz
Output	2400 W (3.3 HP)



CSE2500

LOGISTICAL DATA

Weight net / gross Packaging dimensions Order No Barcode 20 Container 40 Container 40 HQ Container

5.5 / 6.4 kg 550 x 210 x 250 / 90 mm 5910203901 4046664066194 1210 pcs 2410 pcs 2800 pcs

SPECIFICATIONS

Dimensions L x W x H	980 x 230 x 210 mm
Chain bar length	46 cm
Cutting length max.	Ø 45.5 cm
Chain speed	14 m/sec
Chain tensioning system	toolless
Tank / Chain oil	0.125 L
Power supply	230 – 240 V~ / 50 Hz
Output	2400 W (3.3 HP)
,	

// LIGHTWEIGHT

CSP2540



Dimensions L x W x H	250 x 230 x 220 mm
Engine type	2-Stroke
Fuel mixture	40:1
Engine displacement	25.4 cc
Chain bar length	25 cm
Cutting length max.	Ø 20 cm
Chain tension adjustment	Yes
Chain brake	Yes
Oil tank capacity	0.16 L
Fuel tank capacity	0.23 L
Output	900 W (1.2 HP)

LOGISTICAL DATA	
Weight net / gross	3.5 / 4.5 kg
Packaging dimensions	320 x 250 x 250 mm
Order No	5910108903
Barcode	4046664040699
20 Container	1450 pcs
40 Container	2900 pcs
40 HQ Container	3400 pcs

PETROL 16" PETROL CHAIN SAW If a 16" petrol chain saw is a suitable capacity for your requirements, the Scheppach csp41 will take some beating for performance and price. Complete with the help of the sds tool-less chain mounting and tension system, this impressive chainsaw meets all demands within its cutting capacity. Oregon quality bar and chain come as standard. 91 Scheppach CSP 41 **Powerful** Hand guard 2 HP motor Heimwerker 40 cm බඳගම්බඳ ගැනීබඳ ගැනී බඳ ගැනී බඳ ගැනී බද n ସଙ୍କାତ ସାଦ ପାଦ ସାଦ ହାଦ ପାଦ ପାଦ 16" Oregon **Tool-free chain tensioning** bar & chain Auto lubrication Switch blades and make quick adjustments system with the simple turn of a knob 360 ANTI **VIBRATION SPECIFICATIONS** SYSTEM 380 x 255 x 255 mm (without har) Dimensions Engine type Fuel mixture Engine displ LOGISTICAL DATA Chain bar le 5.7 / 7.0 kg Weight net / gross **Cutting leng** Packaging dimensions 800 x 270 x 280 / 135 mm Chain tensio Order No 5910113903

Barcode

20 Container

40 Container

40 HQ Container

4046664065913

560 pcs

1150 pcs

1350 pcs

Dimensions L x W x H	380 x 255 x 255 mm (without bar) 750 x 255 x 255 mm (with bar)
Engine type	2-Stroke
Fuel mixture	40:1
Engine displacement	41 cc
Chain bar length	40 cm
Cutting length max.	Ø 37.5 cm
Chain tension adjustment	Yes
Chain brake	Yes
Oil tank capacity	0.21 L
Fuel tank capacity	0.26 L
Output	1500 W (2 HP)



CSP41

-360°

INSYSTEM

CSH46



The 18" scheppach professional chainsaw is a high-powered machine that is designed to suit a variety of applications, from building sheds to cutting fire-wood and many more appropriate uses.

46 cm

- 46 cc 2-stroke engine offers powerful performance
- 18" Oregon bar and chain with low kickback
- High performance air filter works to extend lifetime performance
- Anti-Vibration control ensures convenient working
- Massive spiked metal bumper for safe operatio
- Automatic chain lubrication

ORECON DOUBLE GUAR

Auto lubrication

system

Safety chain braking system stops the chain within milliseconds

Powerful 2.7 HP motor





Hand guard

SPECIFICATIONS

Dimensions L x W x H	430 x 255 x 250 mm
Engine type	2-Stroke
Fuel mixture	40:1
Engine displacement	46 cc
Chain bar length	46 cm
Cutting diameter maximum	Ø 43 cm
Chain tension adjustment	Yes
Chain brake	Yes
Oil tank capacity	0.26 L
Fuel tank capacity	0.55 L
Output	2000 W (2.7 HP)



18" Oregon

bar & chain

LOGISTICAL DATA	
Weight net / gross	6.0 / 7.2 kg
Packaging dimensions	480 × 260 × 285 mm
Order No	5910109903
Barcode	4046664040705
20 Container	800 pcs
40 Container	1600 pcs
40 HQ Container	1900 pcs





SPECIFICATIONS	
Dimensions L x W x H	375 x 185 x 190 mm
Engine type	2-stroke
Fuel mixture	40:1
Engine displacement	53 cc
Chain bar length	51 cm
Cutting length max.	Ø 47 cm
Chain tension adjustment	Yes
Chain brake	Yes
Oil tank capacity	0.26 L
Fuel tank capacity	0.55 L
Output	2200 W (2,7 HP)

Weight net / gross	5.5 / 8.0 kg
Packaging dimensions	480 x 260 x 300 mm
Order No	5910112903
Barcode	4046664044994
20 Container	800 pcs
40 Container	1600 pcs
40 HQ Container	1865 pcs

CSH56

20" PETROL CHAIN SAW

The scheppach CSH56 chain saw with its 56 cc petrol engine is the professional choice for high power. Its 3.1 HP tackles every task and is built for heavy duty use. The chainsaw comes with a 20" bar for cutting larger trees and branches. Complete with Oregon bar and chain as well as chain braking system, it combines optimum performance with safety.

- Powerful 56 cc 2-stroke engine for heavy duty use
- 20" Oregon bar and chain with low kickback
- Anti-vibration control ensures convenient working
- Safety chain braking system stops the chain within milliseconds





Powerful 3.1 HP Motor

Hand guard

Automatic chain lubrication

• 14

20" Oregon bar & chain

51 cm

ORECON PROJAM" .325"

Fuel gauge

325

SPECIFICATIONS

of Edition Tonio	
Dimensions L x W x H	430 x 255 x 250 mm
Engine type	2 stroke
Engine displacement	56 cc / max. 2300 W
Chain bar length	51 cm
Cutting Ø max.	47 cm
Chain tension adjustment	Yes
Chain brake	Yes
Oil tank capacity	0.26 L
Fuel tank capacity	0.55 L

STOP

LOGISTICAL DATA	
Weight net / gross	5.5 / 8.5 kg
Packaging dimensions	490 x 260 x 300 mm
Order No	5910114903
Barcode	4046664069065
20 Container	800 pcs
40 Container	1600 pcs
40 HQ Container	1900 pcs

KS1200

ELECTRIC 📖



SPECIFICATIONS

Dimensions L x W x H

Speed

Output

Order No Barcode

20 Container

40 Container 40 HQ Container

Bore diameter

Power supply

Grinding wheel Ø

Grinding wheel thickness

LOGISTICAL DATA Weight net / gross

Packaging dimensions





CHAIN SHARPENER

A chainsaw sharpener with its own electric motor. Forget about the hassle of fitting your electric drill into a lesser gadget, this unit is fully self contained and is capable of sharpening all common chains. Keep it sharp!

- Suitable for all makes and sizes of chains
- Great value for money
- Lightweight for easy transport to the job site
- Extremely compact in design
- Scale for precise grinding angle adjustment
- Robust and durable
- 100 mm grinding wheel
- Large side safety guard

2500 pcs
5144 pcs
5800 pcs

Order No: 3903602701 Barcode: 4046664007050

350 x 140 x 200 mm

7500 rpm

10 mm

100 mm

3.2 mm

230 V~ 220 W

1.8 / 2.1 kg 265 x 180 x 205 mm

5903602901

4046664063940

LIGHTWEIGHT

LB2600E





Weight net / gross	3,1 / 4,1 kg
Packaging dimensions	445 x 275 x 275 mm
Order No	5911001901
Barcode	4046664030041
20 Container	800 pcs
40 Container	1680 pcs
40 HQ Container	1920 pcs

LBH2600P



SPECIFICATIONS

Dimensions L x W x H	
Engine displacement	
Engine type	
Air power max.	
Air speed max.	
Engine speed max.	
Idling speed	
Tank	
Mulch ratio	
Bag size	
Fuel mixing ratio	
Output	

1260 x 550 x 370 mm
25.4 cc
2-stroke, full crank engine
678 m³/h
268 km/h
7500 / 7900 rpm
3500 rpm
650 ml
10:1
50 L
40:1
700 W (1.0 HP)

LOGISTICAL DATA	
Weight net / gross	5.6 / 8 kg
Packaging dimensions	590 x 285 x 415 mm
Order No	5911104903
Barcode	4046664067962
20 Container	396 pcs
40 Container	840 pcs

980 pcs

40 HQ Container

Powerful

9 HP motor

LB5200BP

51.7 CC BACKPACK BLOWER

The LB5200BP is a powerful commercial backpack blower designed for demanding tasks. Perfect for clearing leaves, twigs and debris from patios, driveways and paths, making garden maintenance a breeze.

- Powerful 51.7 cc motor provides plenty of power to handle all domestic garden tasks
- Anti-Vibration design helps with extended use
- Produces an impressive air velocity maximum 295 km/h
- Power through your garden work with an efficient 1.4 kW motor
- The engine is mounted on an incredibly comfortable, fully adjustable, padded
 and vibration dampened backpack

100

ANTI VIBRATION SYSTEM

- Extra flexible hose for cold weather
- Commercial grade air filter gives long operating time
 and trouble free use



Adjustable handles Adjustable handles for superior comfort

SPECIFICATIONS

Dimensions L x W x H	1380 x 400 x 450 mm
Engine displacement	51.7 cc
Engine type	2-stroke, full crank engine
Air power max.	1080 m³/h
Air speed max.	295 km/h
Engine speed max.	8000 rpm
Idling speed	3500 rpm
Tank	1 L
Treibstoff	40:1
Leistung	1400 W (1.9 HP)

LOGISTICAL DATA	
Weight net / gross	7.9 / 9.5 kg
Packaging dimensions	410 x 340 x 460 mm
Order No	5911103903
Barcode	4046664064725
20 Container	450 pcs
40 Container	910 pcs
40 HQ Container	1060 pcs

GS45



LOGISTICAL DATA

Weight net / gross Packaging dimensions Order No Barcode 20 Container 40 Container 40 HQ Container 10.7 / 11.5 kg 680 x 275 x 360 mm 5904410901 4046664065807 438 pcs 876 pcs 1000 pcs

SPECIFICATIONS

Dimensions L x W x H	490 x 370 x 810 mm
Chipper blade material	Steel
Shredder capacity	45 mm
Motor speed max.	4500 rpm
Motor	230 V~
Output	2000 W (S1) / 2400 W (S6)

GS50



40 HQ Container

40 Container

580 pcs

656 pcs



LOGISTICAL DATA

Weight net / gross	52 / 59 kg	
Packaging dimensions	800 x 580 x 850 mm	
Order No	40510000	40520000
Barcode	4014915024408	4014915024415
20 Container	N.A.	
40 Container	N.A.	
40 HQ Container	N.A.	

D 5

SPECIFICATIONS

Dimensions L x W x H	600 x 410 x 1400 mm	
Shredder roll material	Steel	
Shredder capacity	50 mm	
Motor speed max.	2800 min ⁻¹	
Motor	230 V~	400 V~
Output	3000 W	3500 W

// LIGHTWEIGHT

MTE370

1.36 HP ELECTRIC TILLER

Scheppach MTE370 Tiller Cultivator is the clean air choice. Zero emission tool, durable tines and compact profile, the Scheppach Tiller is perfect for new gardens, tilling in narrow rows and raised beds or along fences.

- Ideal for small to mid-sized gardens and flowerbeds
- Powerful 1000 W motor
- Cultivates up to 365 mm width x 180 mm depth
- 16 steel tilling blades for maximum durability and performance
- Instant start with safety button to prevent unauthorised use
- Collapsible handle for compact storage
- No petrol, oil or tune-ups make it effortless to start and maintain





SPECIFICATIONS	
Dimensions L x W x H	540 x 365 x 1350 mm
Tilling width max.	365 mm
Tilling Ø	180 mm
Number of blades	16
Motor	230 V~ / 50 Hz
Output engine	1000 W (1.36 HP)

8.4 / 9.7 kg
600 x 425 x 280 mm
5912308901
4046664066231
400 pcs
825 pcs
970 pcs

MTE450



SPECIFICATIONS

Dimensions L x W x H Tilling width max. Tilling Ø Number of blades Motor Output engine

530 x 465 x 1300 mm
450 mm
180 mm
24
230 V~ / 50 Hz
1500 W (2 HP)

Packaging dimensions	11.5 / 14.8 kg
Order No	510 x 490 x 310 mm
Barcode	5912307901
EAN	4046664066224
20 Container	355 pcs
40 Container	740 pcs
40 HQ Container	870 pcs

MTP560



SPECIFICATIONS

Dimensions L x W x H	1390 x 605 x 980 mm
Engine displacement	150 cc
Tilling width max.	560 mm
Tilling Ø	260 mm
Forward speed	110 min ⁻¹
Number of blades	24
Engine output	2700 W (3.7 HP) 4-stroke engine

24 blades

Weight net / gross	29.2/ 33.7 kg
Packaging dimensions	700 x 365 x 665 mm
Order No	5912306903
Barcode	4046664063636
20 Container	144 pcs
40 Container	297 pcs
40 HQ Container	396 pcs

MTP850

PETROL 🗈

196 CC PETROL TILLER

A powerful cultivator designed for use in medium to large areas which is ideal for loosening soil, seedbed preparation or, working organic fertiliser or peat into the soil. Speedy progress even through firm soil is assured by the robust cultivator blades.

- Power forward and reverse transmission means less work and increased efficiency while enhancing as before and easily freeing clogged tines
- Solid construction reduces vibration and increases durability for years of quality performance
- Adjustable tilling widths of 372 mm / 612 mm and 760 mm adds versatility and convenience
- \bullet Fuel-efficient, 196 cc (6.5 HP) engine, with forward and reverse gear
- Adjustable handlebars provide the perfect working stance for any operator, tall or small
- Comes with 24 long tines (330 mm tilling depth) for efficient garden bed tilling
- Transportation is quick and e



Forward & reverse speed

Comfort grip handle

Powerful 6.5 HP 4-stroke engine



24 blades

Strong metal frame



SPECIFICATIONS

Dimensions L x W x H Engine displacement Tilling width max. Tilling depth max. Forward speed Reverse speed Number of blades Engine output 1130 x 760 x 1020 mm 196 cc / 6.5 HP 372 / 612 / 760 mm 330 mm 145 rpm 51 rpm 24 4100 W (6.5 HP)

Weight net / gross	56 / 60 kg
Packaging dimensions	615 x 425 x 740 mm
Order No	5912301903
Barcode	4046664042266
20 Container	90 pcs
40 Container	200 pcs
40 HQ Container	300 pcs

PETROL

196 CC PETROL TILLER

Tilling and cultivating tasks become a breeze with Scheppach's rugged tiller. Built for convenience and performance, this tiller features a reliable 196 cc / 6.5 HP engine to tackle various tilling jobs, as well as an adjustable handle with easy access

- Power forward and reverse transmission means less work and increased efficiency while enhancing as before and easily freeing clogged tines
- Solid construction reduces vibration and increases durability for years of quality performance
- Adjustable tilling widths of 372 mm / 612 mm and 852 mm adds versatility and convenience
- Fuel-efficient, 196 cc (6.5 HP) engine, with forward and reverse gear
- Adjustable handlebars provide the perfect working stance for any operator, tall or small

4-stroke engine

- Comes with 24 long tines (Ø 330 mm) for efficient garden bed tilling
- Transportation is quick and ea

MTP900







3 forward & 1 1 reverse speed

24 blades

SPECIFICATIONS

Dimensions L x W x H
Engine displacement
Tilling width max.
Tilling Ø
Forward speed
Reverse speed
Number of blades
Engine Output

1535 x 760 x 1050 mm
196 cc
372 / 612 / 852 mm
330 mm
57 / 81 / 143 rpm
41 rpm
24
4800 W (6.5 HP)

Weight net / gross	74.5 / 82 kg
Packaging dimensions	720 x 475 x 725 mm
Order No	5912302903
Barcode	4046664042341
20 Container	108 pcs
40 Container	216 pcs
40 HQ Container	216 pcs

HCP2600

PETROL



173 CC PETROL HIGH PRESSURE CLEANER WITH 5 NOZZLES, PISTOL, 7.5 M HOSE & BUILT-IN DETERGENT RESERVOIR

The scheppach HCP2600 high performance pressure cleaner is the perfect tool at home, business, farm or on site for blasting stubborn dirt and grime on driveways, yards, patios, decking, vehicles, boats and outdoor furniture. The possibilities are unlimited.

- 173 cc 4-stroke engine for efficient cleaning of residential areas
- Hose reel stored on frame for convenient portability and storage
- Heavy duty pump
- Stainless steel spray land
- On-board accessory and hose storage
- Ideal for mobile applications
- Large wheels for easy transport
- Stable torsion resistant, powder coated steel cons
- Including 5 nozzles nistal 7.5 m hase and built in detergent deliver


SPECIFICATIONS

Dimensions L x W x H	670 x 490 x 1000 mm
Power	3300 W
Engine type	4-Stroke air cooled
Pressure max.	200 bar
Rated pressure	180 bar
Flow rate max.	522 L/h
Water temperature max.	50 °C
Inlet water pressure max.	10 bar
Fuel tank capacity	0.9 L
Cleaning agent tank capacity	0.9 L

Packaging dimensions	26 / 29.9 kg
Order No	555 x 410 x 650 mm
Barcode	5907701903
EAN	4046664045502
20 Container	168 pcs
40 Container	366 pcs
40 HQ Container	448 pcs




SC2200PE



SC2200PE





POWER SWEEPER WITH COLLECTING BOX & SNOW PLOUGH

The scheppach SC2200PE petrol-powered sweeper with collecting box and snow plough makes your work easy when you want to clean large areas or remove snow. The E-Start and the shiftable rear-wheel drive with 3 forward and 1 rear speed help you complete the work without effort. The wide 100 cm brush and the powerful 173 cc, 6.5 HP four-stroke engine will do the work fast and efficiently.

- Speed adjustable brush
- Shiftable rear-wheel drive
- 3 forward and 1 reverse speed
- Angle- and height adjustable brush
- Brush separately shiftable
- Adjustable handle
- Rear-wheels with sturdy tread for superior vehicle handling irrespective of the ground
- 3 level control lever (engine Stop / drive / choke)
- Electric and pull starter
- Comes with big 105 cm wide snow plough
- Comes with big dust collector

-360°

Advantages of ELECTRIC START • No need for pull starter

Built-in 12 V battery

SPECIFICATIONS

Sweeping width Brush Ø Brush Speed Transmission Forward speed **Reverse speed** Engine displacement Engine Power

1000 mm 350 mm 180 – 350 rpm 3 forward speeds, 1 reverse speed 2.52 - 4.32 km/h 2.52 km/h 173 cc 6.5 HP, 4-stroke engine 4800 W

Weight net / gross	84 / 114 kg
Packaging dimensions	Sweeper: 1150 x 835 x 850 mm Snow plough: 1070 x 420 x 80 mm Collecting box: 1100 x 510 x 330 mm
Order No	5908703903
Barcode	4046664069317
20 Container	28 pcs
40 Container	56 pcs
40 HQ Container	66 pcs

RS350 / RS400


ROTARY GARDEN SIEVES

These scheppach rotary garden sieves won't let anything pass that you deem too coarse. With this sieve you can refine large quantities of soil or compost, or even the children's sandpit. The adjustable angle of the sieve drum, as well as the differen mesh sizes facilitate sieving a wide variety of materials.

- Suitable for a wide variety of materials
- Sieve drum dia. 400 mm, length 900 mm (RS400) / 800 mm (RS350)
- Drum can be set at various angles
- Sieve mesh diameter 20 mm
- Standard sieve insert with a mesh size of 10 mm
- Sieve drum speed 42 rpr
- Throughput depending on material 3 m³/h







Sieved compost is ideal for new flower beds and for refining and grading hard, old soil.



The standard brush bar ensures a reliable cleaning of the sieve drum, particularly when sieving moist material.





RS350 / RS400



Thanks to the sieve drum design, nothing is in the way when feeding it.



By selecting the drum angle, you can control the speed of the material passing through.



Thanks to the standard wheels and the light weight of 37 kg, the rotary sieve is mobile and can be used in every corner of your garden.



SPECIFICATIONS

	RS350	RS400
Dimensions L x W x H	1040 x 665 x 1480 mm	1080 x 740 x 1400 mm
Throughput (depending on material)	3 m³/h	3 m³/h
Sieve drum Ø	400 mm	400 mm
Sieve drum length	800 mm	900 mm
Drum inclination	3 stages	10° / 2 stages
Sieve drum speed	42 rpm	42 rpm
Sieve opening Ø	20 mm	20 mm
Sieve insert with mesh (size)	10 mm	10 mm
Motor	230 V~	230 V~
Motor Output	250 W	360 W

LOGISTICAL DATA		
	RS350	R\$400
Weight net / gross	32 / 37 kg	37 / 44 kg
Packaging dimensions	890 x 580 x 940 mm	1040 x 480 x 780 mm
Order No	1904501901	42030000
Barcode	4014915089186	4014915010975
20 Container	48 pcs	66 pcs
40 Container	103 pcs	134 pcs
40 HQ Container	130 pcs	144 pcs

MP43-40Li

43 CM BATTERY LAWN MOWER 3IN1 $\label{eq:charge} The \ scheppach \ MP43-40Li \ is \ a \ quiet, \ environmentally-friendly \ 40 \ V \ battery \ lawn$ mower, designed to help you work your garden like a professional. Indeed, this 6-steps lightweight (14.2 kg) lawn mower features a 43 cm cutting width, 6-step adjustable height and a mulching function. What else do you need? 🖌 Mowing • Designed for small and medium-sized areas 🖌 Catching 🖌 Mulching • Collection bag with plastic cover for rapid filling and emptying • Folding handle for comfortable, space-saving storage • Adjustable 6-steps cutting height (20 - 70 mm) • 40 V Lithium-ion battery, no memory effect, no self-discharge **Comfort grip** handle Folding handle Large capacity bag: 45 L Low noise **High rear wheels** Plastic deck -360° 43 cm **Battery and** charger not included

SPECIFICATIONS

Dimensions L x W x H Battery Cutting width max. Cutting height adjustment Deck Bag capacity

1320 x 480 x 1035 mm
40 V DC
43 cm
20 – 70 mm
Plastic
45 L

LOGISTICAL DATA Weight net / gross 14.2 / 16.2 kg Packaging dimensions 820 x 500 x 340 mm Order No 5911405900 Barcode 4046664072270 20 Container 190 pcs 40 Container 385 pcs

475 pcs

40 HQ Container



SPECIFICATIONS

Dimensions L x W x H Battery Cutting width max. **Cutting height adjustment** Deck Bag capacity

1320 x 480 x 1035 mm
40 V DC
43 cm
20 – 70 mm
Plastic
45 L

Weight net / gross 14.2 / 16.2 kg Packagin Order No

Packaging dimensions 820 x 500 x 340 mm Order No 5911405900 Barcode 4046664072270 20 Container 190 pcs 40 Container 385 pcs 40 HQ Container 475 pcs		
Barcode 4046664072270 20 Container 190 pcs 40 Container 385 pcs	Packaging dimensions	820 x 500 x 340 mm
20 Container 190 pcs 40 Container 385 pcs	Order No	5911405900
40 Container 385 pcs	Barcode	4046664072270
	20 Container	190 pcs
40 HQ Container 475 pcs	40 Container	385 pcs
	40 HQ Container	475 pcs

🖉 LIGHTWEIGHT

BCH3300-40Li

BATTERY BRUSH CUTTER

The scheppach BCH3300-40Li is ideal for a large variety of applications in your garden. Thanks to its 40 V battery, this brush cutter is environment-friendly, but nevertheless as powerful as a petrol powered machine. The BCH3300-40Li is also equipped with a 33 mm thread with automatic feed: a huge plus for your garden works.

- Lightweight with an ergonomic adjustable hand
- Electric drive without harmful exhaust gas
- Optimal cutting results

cutter ∢ Brush cutter

360

- Large 33 cm cutting diameter
- Double thread with automatic feed



90°

adjustable

Double thread with automatic feed

Battery and charger not included

SPECIFICATIONS

Dimensions L x W x H Motor speed Cutting width Ø max. Double thread Number of spools Battery 1650 x 310 x 380 mm 6500 rpm 33 cm Ø 1,6 mm; length 8 m (each spool = 4 m) 2 40 V DC

Weight net / gross	2.92 / 3.2 kg
Packaging dimensions	940 x 265 x 145 mm
Order No	5910902900
Barcode	4046664072331
20 Container	610 pcs
40 Container	1295 pcs
40 HQ Container	1520 pcs

BPT700-40Li



SPECIFICATIONS

Battery	40 V DC	
Hedge trimmer		
Overall length	2060 – 2710 mm (included extension)	
Bar length	430 mm	
Cutting length	410 mm	
Cutting diameter max.	24 mm	
Pivoting range	9-steps 95° (-20° / +75°)	
Pole saw		
Overall length	1885 – 2535 mm (included extension)	
Bar length	240 mm	
Cutting length	200 mm	
Chain oil tank	0.065 L	

with soft grip

Battery and charger not included

LOGISTICAL DATA	
Weight net / gross	5.44 / 7 kg
Packaging dimensions	1270 x 225 x 165 mm
Order No	5912403900
Barcode	4046664072294
20 Container	370 pcs
40 Container	760 pcs
40 HQ Container	907 pcs







Handle

BHT560-40Li

BATTERY HEDGE TRIMMER

The battery hedge trimmer BHT560-40Li is a reliable help for trimming your hedges. In fact, the 630 mm laser-cut bar guarantees efficient cutting in less than no time. Cutting efficiency is also improved by the powerful 40 V Li-ion battery, enabling nearly vibration- and noise-free work, compared to any equivalent petrol-powered trimming tool. In addition, the 90° rotating handle offers comfort and control in a variety of hand positions.

- Electric drive without harmful exhaust gases
- Light and handy for comforta
- Heavy-duty steel bar
- Double running blades for excellent cutting performance

24 mm max.

630 mm

cutting Ø

- Cutting Ø max. 24 mm
- Max. cutting length 530 mm
- Metal gear for longer life
- 90° adjustable handle for ergonomic grip
- Transparent hand protection

90° rotating handle

Battery and charger not included

SPECIFICATIONS

Dimensions L x W x H Bar length Cutting length Cutting Ø max. Battery 1045 x 230 x 160 mm 630 mm 530 mm 24 mm 40 V DC

Weight net / gross	2.9 / 4.5 kg
Packaging dimensions	1110 x 240 x 280 / 55 mm
Order No	5910604900
Barcode	4046664072324
20 Container	710 pcs
40 Container	1510 pcs
40 HQ Container	1770 pcs

CS350-40Li









51 CM BATTERY CHAIN SAW

Cutting or felling trees has never been easier with the scheppach CS350-40Li. Indeed, the chain saw features an eco-friendly, energy-efficient smart-cut system which automatically adjusts torque to optimise power transmission and increase cutting efficiency. The chain saw comes with a 35 cm Oregon-branded chain and bar for high-quality results:

- Powerful 40 V motor
- 14" high quality Oregon chain and bar for best results
- Anti-vibration system for long fatigue-free work
- Automatic chain lubrication
- Chain brake stops chain in milliseconds in case of kickback
- Scheppach Smart Cut efficient power control according to application



SPECIFICATIONS

Dimensions L x W x H	770 x 230 x 210 mm
Battery	40 V DC
Chain bar length	35 cm
Cutting Ø max.	34 cm
Chain tension adjustment	Yes
Chain brake	Yes
Oil tank capacity	0.18 L

Weight net / gross Packaging Dimensi Order No Barcode

LOGISTICAL DATA

20 40 40

ight net / gross	3.7 / 5.7 kg
ckaging Dimensions	445 x 245 x 245 mm
ler No	5910303900
rcode	4046664072287
Container	580 pcs
Container	2060 pcs
HQ Container	2430 pcs





51 CM BATTERY CHAIN SAW

Cutting or felling trees has never been easier with the scheppach CS350-40Li. Indeed, the chain saw features an eco-friendly, energy-efficient smart-cut system which automatically adjusts torque to optimise power transmission and increase cutting efficiency. The chain saw comes with a 35 cm Oregon-branded chain and bar for high-quality results:

- Powerful 40 V motor
- 14" high quality Oregon chain and bar for best results
- Anti-vibration system for long fatigue-free work
- Automatic chain lubrication
- Chain brake stops chain in milliseconds in case of kickback
- Scheppach Smart Cut efficient power control according to application



SPECIFICATIONS

Dimensions L x W x H	770 x 230 x 210 mm
Battery	40 V DC
Chain bar length	35 cm
Cutting Ø max.	34 cm
Chain tension adjustment	Yes
Chain brake	Yes
Oil tank capacity	0.18 L

Weight net / gross	3.7 / 5.7 kg
Packaging Dimensions	445 x 245 x 245 mm
Order No	5910303900
Barcode	4046664072287
20 Container	580 pcs
40 Container	2060 pcs
40 HQ Container	2430 pcs



CHAINS FOR CHAINSAWS

CSP2540 Order No: 7910700704 Barcode: 4014915095392

CSP41 Order No: 7910100703 Barcode: 4014915091691

CSE2400, CSE2500, CSH46 Order No: 7910100707 Barcode: 4014915191933

CSP5300, CSH56 Order No: 7910100717 Barcode: 4046664045267 CS-350-40Li Order No: 7910100713 Barcode: 4046664039075



REVERSIBLE CUTTING BLADES

GS45 Order No: 7904400701 Barcode: 4014915092414

Biostar 3000 100 x 40 x 4 mm Order No: 40400140 Barcode: 4014915021001



COLLECTION BAG

GS45 Order No: 5904410023 Barcode: 4014915185963



BATTERY

BPS2.5-40Li Li-lon 40 V 2.5 Ah Order No: 7909203702 Barcode: 4046664072317

BPS4.0-40Li Li-lon 40 V 4.0 Ah Order No: 7909203701 Barcode: 4046664072300





CHARGER

BCA2.2-40Li 200 – 240 V 50 Hz 2.1 A 40 V Order No: 7909203703 Barcode: 4046664072348



Our Garden catalogue is available on our website: www.scheppach.com



scheppach Fabrikation von Holzbearbeitungsmaschinen GmbH D-89335 Ichenhausen | Fon 0049/8223/4002-0 | Fax 0049/8223/4002-93 export@scheppach.com | www.scheppach.com