User Manual of LED String Lights

WARNING: When using outdoors basic safety precautions should always be followed to reduce the risk of fire,electric shock and personal injury. Install in accordance with these instructions and current electrical codes such as the National Electric Code(NEC)

When used outdoors in Wet Locations, Ground Fault Circuit Interrupter protection (GFCI) is to be provided on the circuits or outlets. The receptacle cover should always be in place to prevent the entry of water (unless a plug is inserted)

Product Parameters:

Number of lamp holder	15 or customizable
Color Number	12 Colors Choose From
Programs Number	9 Programs, more than 20 models for different
	application scenarios
Control Distance	8-10 Meters
Input /Output Voltage	120V (12V/1A)
Outdoor /Indoor use	Yes
Product Power	4w/7.5w
Cable Color	Black
Package	Neutral Packing. Personalized packaging can be
	customized according to customer requirements.

RF REMOTER



Strobe: 1 color as the main color for most bulbs.Another color appears at random of the rest of the bulbs.Press the button to change color.Total 6 programs.The program's colors are mainly Red and Skyblue in the rest bulbs, Mainly Green and Purple in the rest bulbs, Mainly Blue and Yellow in rest bulbs,Mainly Yellow and Blue in the rest bulbs.Mainly Skyblue and red in the rest bulbs,Mainly Purple and Green in the rest bulbs in order.

Fade:The string light will change the color one by one at each several seconds.The program's colors are Red,Orange,Yellow,Green,Skyblue,Dark Blue,Purple,Pink in order. Totally 8 colors in this program.

Twinkle:The string light will flash single color 3 times as 1 round.3 rounds will change into the next color.The colors are White,Purple,Skyblue,Yellow,Dark blue,Green and Red in order.Totally 7 colors.

Breath: The string light will flash 3 breaths as 1 round.3 rounds change into another color. The Program's colors are Red, Blue, Yellow, Skyblue, Purple, White in order. Totally 6 colors

Chaser:Several colors appear at the same time as a snake,flash like a forward snake, press the button to change other color combinations.Totally 6 programs,3 programs are one color chase.The colors are Red,Green and Dark blue in order.another 3 programs are different colors chase.The colors are Skyblue red,Purple Green and Red Yellow Green Purple White Skyblue in order.

Random: It will changes the color randomly.

RGBW Flash:1 color as the main color flashes regularly for all bulbs.You can press the bottom to change the color.7colors available they are Red Green Dark

Blue Yellow Purple Skyblue White in order.

Voice:The string light will perceive any voice or music and will flashes automatically basis on your voice or music.It's your dance partner

Reminder: When you are playing single color light.you can press the speed button to adjust the brightness.When you are playing the program functional buttons like Strobe Fade etc.You can press the speed button to adjust the frequency of flashes or voice and music.To meet your requirements for the speed or brightness of all buttons.

INSTALLATION METHODS:

I.Using a Guide Wire with S-hooks or zip ties(not included)



How to install it properly

①Screw existing lamps by holding the socket in one hand and twisting the lamp clockwise. Lamps may be tight in the sockets.



⁽²⁾Lace with a medium base lamp. Screw the bulb into the socket clockwise until top of the socket forms a tight seal around the bulb and the bulb makes solid contact with the socket.







Caution:

Risk of Electric Shock. (Avoid making connections or disconnections when the equipment is wet.Do not Submerse. Keep lamps at least 16 feet from pools and spas. Keep receptacles dry).

(1) .Light sockets must be installed base on so that bulbs are facing down only.



(2).Not intended for installation in ceilings,sofa,cabinets or other enclosed spaces.



(3).Keep bulbs from combustible material . Do NOT allow lamps or sockets to come into contact with.fabrics associated with shades, blinds or other materials. The bulbs is at least 3 inches away from the nearest object.

(4).Do not cluster the bulbs. (5).Disconnect power at source prior to wiring, re-lamping or servicing in any way.