


3 bar configuration shown.
To be used in conjuction with the instalframe.
The number of bars can be decreased or increased to suit your bathroom.
Please ensure that the top rail incorporates the bleed screw.
If the rails fail to warm up, this may be due to air in the system which is preventing the water from circulating properly. If this happens, bleed the top rail using a suitable bleed key to remove any air that may be present.

TTLE:		Floating	D'Rail			
CALE:	SHEET	MATERIAL:				
	A3					
7		03/05/2017				
sze Bard & Brazier		Product Code FDR	1/3		REVISION	


revision history					
REV	DESCRIPTION	DATE	INITIALS		



2 bar configuration shown.
To be used in conjuction with the instalframe.
The number of bars can be decreased or increased to suit your bathroom.
Please ensure that the top rail incorporates the bleed screw.
If the rails fail to warm up, this may be due to air in the system which is preventing the water from circulating properly. If this happens, bleed the top rail using a suitable bleed key to remove any air that may be present.


TITLE:		Floating	D'Rail	
CALE:	SHEET A3	MATERIAL:		
-		DATE 03/05/2017		
sze Bard & Brazier		Product Code FDR	1/2	REVISION


REVISION HISTORY					
REV	DESCRIPTION	DATE	INITIALS		



Single bar configuration shown.
To be used in conjuction with the instalframe.
The number of bars can be decreased or increased to suit your bathroom.
Please ensure that the top rail incorporates the bleed screw.
If the rails fail to warm up, this may be due to air in the system which is preventing the water from circulating properly. If this happens, bleed the top rail using a suitable bleed key to remove any air that may be present.

Floating D'Rail						
SCALE:	SHEET	MATERIAL:				
	A3					
-		03/05/2017				
BARD & BRAZIER		Product Code FDR	:1/1		REVISION	






AS OUR RAILS ARE HANDMADE THEY CARRY A TOLERANCE OF ±5.0mm.
WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.

TITLE:	INSTALFRAME - FLOATING RAILS					
SCALE:	А3	03.05.17		DRAWN BY	M	DW
		MATERIAL:	FINISH:			
BARD & BRAZIFR		PRODUCT CODE INF 1/	4	SHEET		REVISION

revision history					
REV	DESCRIPTION	DATE	INITIALS		



INSTALFRAME - FLOATING RAILS

SCALE: A3 DATE 03.05.17 DRAWN BY MDW


MATERIAL: FINSH:


BARD & BRAZIER

PRODUCT CODE INF 1/5 SHEET REVISION

AS OUR RAILS ARE HANDMADE THEY CARRY A TOLERANCE OF ± 5.0 mm. WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.

REVISION HISTORY						
REV	DESCRIPTION	DATE	INITIALS			







ITEM NO.	PART NUMBER	QTY.
T035	Aluminium Channel - 1" x 3/4" x 1/8"	440mm
T036	Aluminium Channel - 3/4" x 3/4" x 1/16"	120mm
T037	Flat Aluminium 2" x 3/16"	1135mm
T039	15mm x 1.0 x 6 CU Copper Tube (TY) EN1057 R250	1150mm
P119	15mm YPS120 Copper Elbow 08280	4

	INSTALFRAME - FLOATING RAILS					S		
	SCALE:	А3	03.05.	17		DRAWN BY MDW		
	7		MATERIAL:		FINISH:			
BARD & BRAZIER		RAZIFR	PRODUCT CODE	INF 1/	5		SHEET	REVISION

AS OUR RAILS ARE HANDMADE THEY CARRY A TOLERANCE OF ±5.0mm. WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.

revision history					
REV	DESCRIPTION	DATE	INITIALS		





ITEM NO.	PART NUMBER	QTY.
HEMINO.	FART NUMBER	QII.
T035	Aluminium Channel - 1" x 3/4" x 1/8"	120mm
T036	Aluminium Channel - 3/4" x 3/4" x 1/16"	30mm
T037	Flat Aluminium 2" x 3/16"	575mm
T039	15mm x 1.0 x 6 CU Copper Tube (TY) EN1057 R250	610mm
P119	15mm YPS120 Copper Elbow 08280	2

Т	INSTALFRAME - FLOATING RAILS							
SC	SCALE: A3		03.05.17			DRAWN BY MDW		
			MATERIAL:		FINISH:			
BARD & BRAZIER			PRODUCT CODE INF 1/5		SHEET		REVISION	

AS OUR RAILS ARE HANDMADE THEY CARRY A TOLERANCE OF ±5.0mm. WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.