

5 bar configuration shown.

To be used in conjunction with the instalframe and Panama concealed valves.




The number of bars can be decreased or increased to suit your bathroom.

Please ensure that the top rail incorporates the bleed screw.

If the rails fail to warm up, this may be due to air in the system which is preventing the water from circulating properly.

If this happens, bleed the top rail using a suitable bleed key to remove any air that may be present.

TITLE: 1" Floating Rail Assembly 5 Bar			
SCALE: A3	DATE 09.05.17	DRAWN BY MDW	
MATERIAL:		FINISH:	
DWG NO. FLF1/5		SHEET	REVISION






4 bar configuration shown.

To be used in conjunction with the instalframe and Panama concealed valves.

The number of bars can be decreased or increased to suit your bathroom.

Please ensure that the top rail incorporates the bleed screw.
 If the rails fail to warm up, this may be due to air in the system which is preventing the water from circulating properly.
 If this happens, bleed the top rail using a suitable bleed key to remove any air that may be present.

TITLE: 1" Florian Floating Rail - 4 Bar			
SCALE: A3	DATE 09.05.17	DRAWN BY MDW	
MATERIAL:		FINISH:	
DWG NO. FLF1/4		SHEET	REVISION



3 bar configuration shown.

To be used in conjunction with the instalframe and Panama concealed valves.




The number of bars can be decreased or increased to suit your bathroom.

Please ensure that the top rail incorporates the bleed screw.

If the rails fail to warm up, this may be due to air in the system which is preventing the water from circulating properly.

If this happens, bleed the top rail using a suitable bleed key to remove any air that may be present.

TITLE: 1" Florian Floating Rail - 3 Bar			
SCALE: A3	DATE 09.05.17	DRAWN BY MDW	
MATERIAL:		FINISH:	
DWG NO. FLF1/3		SHEET	REVISION



2 bar configuration shown.


To be used in conjunction with the instalframe and Panama concealed valves.




The number of bars can be decreased or increased to suit your bathroom.

Please ensure that the top rail incorporates the bleed screw.

If the rails fail to warm up, this may be due to air in the system which is preventing the water from circulating properly.

If this happens, bleed the top rail using a suitable bleed key to remove any air that may be present.

TITLE: 1" Florian Floating Rail - 2 Bar			
SCALE: A3	DATE 09.05.17	DRAWN BY MDW	
MATERIAL:		FINISH:	
 BALDWIN	DWG NO. FLF1/2	SHEET	REVISION



Single bar configuration shown.


To be used in conjunction with the instalframe and Panama concealed valves.




The number of bars can be decreased or increased to suit your bathroom.

Please ensure that the top rail incorporates the bleed screw.

If the rails fail to warm up, this may be due to air in the system which is preventing the water from circulating properly.

If this happens, bleed the top rail using a suitable bleed key to remove any air that may be present.

TITLE: 1" Florian Floating Rail - 1 Bar			
SCALE: A3	DATE 09.05.17	DRAWN BY MDW	
MATERIAL:		FINISH:	
 BALDWIN & JOZWIK	DWG NO. FLF1/1	SHEET	REVISION



REVISION HISTORY			
REV	DESCRIPTION	DATE	INITIALS



ITEM NO.	PART NUMBER	QTY.
T035	Aluminium Channel - 1" x 3/4" x 1/8"	1385mm
T036	Aluminium Channel - 3/4" x 3/4" x 1/16"	650mm
T037	Flat Aluminium 2" x 3/16"	1135mm
T039	15mm x 1.0 x 6 CU Copper Tube (TY) EN1057 R250	3000mm
P119	15mm YPS120 Copper Elbow 08280	2
P120	15mm YPS24 Copper Tee 08450	8

PANAMA CONCEALED VALVES ARE RECOMMENDED WITH ALL *** RAILS.
 AS OUR RAILS ARE HANDMADE THEY CARRY A TOLERANCE OF ±5.0mm.
 WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.

TITLE: INSTALFRAME - FLOATING RAILS			
SCALE: A3	DATE: 03.05.17	DRAWN BY: MDW	
	MATERIAL:	FINISH:	
	PRODUCT CODE: INF 1/5	SHEET:	REVISION:


REVISION HISTORY

REV	DESCRIPTION	DATE	INITIALS





ITEM NO.	PART NUMBER	QTY.
T035	Aluminium Channel - 1" x 3/4" x 1/8"	1065mm
T036	Aluminium Channel - 3/4" x 3/4" x 1/16"	500mm
T037	Flat Aluminium 2" x 3/16"	1135mm
T039	15mm x 1.0 x 6 CU Copper Tube (TY) EN1057 R250	2400mm
P119	15mm YPS120 Copper Elbow 08280	2
P120	15mm YPS24 Copper Tee 08450	6

PANAMA CONCEALED VALVES ARE RECOMMENDED WITH ALL *** RAILS.
 AS OUR RAILS ARE HANDMADE THEY CARRY A TOLERANCE OF $\pm 5.0\text{mm}$.
 WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.

TITLE: INSTALFRAME - FLOATING RAILS			
SCALE: A3	DATE: 03.05.17	DRAWN BY: MDW	
 BARD & BRAZIER	MATERIAL:	FINISH:	
	PRODUCT CODE: INF 1/4	SHEET	REVISION

REVISION HISTORY

REV	DESCRIPTION	DATE	INITIALS




ITEM NO.	PART NUMBER	QTY.
T035	Aluminium Channel - 1" x 3/4" x 1/8"	745mm
T036	Aluminium Channel - 3/4" x 3/4" x 1/16"	320mm
T037	Flat Aluminium 2" x 3/16"	1135mm
T039	15mm x 1.0 x 6 CU Copper Tube (TY) EN1057 R250	1850mm
P119	15mm YPS120 Copper Elbow 08280	2
P120	15mm YPS24 Copper Tee 08450	4

PANAMA CONCEALED VALVES ARE RECOMMENDED WITH ALL *** RAILS.
 AS OUR RAILS ARE HANDMADE THEY CARRY A TOLERANCE OF ±5.0mm.
 WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.

TITLE: INSTALFRAME - FLOATING RAILS			
SCALE: A3	DATE: 03.05.17	DRAWN BY: MDW	
	MATERIAL:	FINISH:	
	PRODUCT CODE: INF 1/3	SHEET	REVISION

REVISION HISTORY

REV	DESCRIPTION	DATE	INITIALS






ITEM NO.	PART NUMBER	QTY.
T035	Aluminium Channel - 1" x 3/4" x 1/8"	450mm
T036	Aluminium Channel - 3/4" x 3/4" x 1/16"	160mm
T037	Flat Aluminium 2" x 3/16"	1135mm
T039	15mm x 1.0 x 6 CU Copper Tube (TY) EN1057 R250	1200mm
P119	15mm YPS120 Copper Elbow 08280	2
P120	15mm YPS24 Copper Tee 08450	2

PANAMA CONCEALED VALVES ARE RECOMMENDED WITH ALL *** RAILS.
 AS OUR RAILS ARE HANDMADE THEY CARRY A TOLERANCE OF ±5.0mm.
 WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.

TITLE: INSTALFRAME - FLOATING RAILS			
SCALE: A3	DATE: 03.05.17	DRAWN BY: MDW	
	MATERIAL:	FINISH:	
	PRODUCT CODE: INF 1/2	SHEET:	REVISION:

REVISION HISTORY

REV	DESCRIPTION	DATE	INITIALS



ITEM NO.	PART NUMBER	QTY.
T035	Aluminium Channel - 1" x 3/4" x 1/8"	110mm
T036	Aluminium Channel - 3/4" x 3/4" x 1/16"	25mm
T037	Flat Aluminium 2" x 3/16"	565mm
T039	15mm x 1.0 x 6 CU Copper Tube (TY) EN1057 R250	600mm
P119	15mm YPS120 Copper Elbow 08280	2

PANAMA CONCEALED VALVES ARE RECOMMENDED WITH ALL *** RAILS.
 AS OUR RAILS ARE HANDMADE THEY CARRY A TOLERANCE OF ±5.0mm.
 WE THEREFORE RECOMMEND THAT ANY INSTALLATION WORK BE CARRIED OUT UPON RECEIPT OF RAIL.

TITLE: INSTALFRAME - FLOATING RAILS			
SCALE: A3	DATE: 03.05.17	DRAWN BY: MDW	
	MATERIAL:	FINISH:	
	PRODUCT CODE: INF 1/1	SHEET:	REVISION: