



TRALERT[®]

BETTER LIGHT - WORK SAFER

LED Rear Lights



Tralert® **your LED specialist**

As European importer of exclusive LED vehicle light solutions, Tralert® is distinctive with its complete range of sustainable products, excellent service and professional technical support. Because of our specialization and focus we have grown into one of the largest suppliers in our industry in a short period of time. We represent various reputable manufacturers for the European market.

"It is our mission to make a contribution through the use of LED technology to deliver the safety and visibility of road users"

BETTER LIGHT - WORK SAFER

Extensive range of certified products

With our LED vehicle lighting we focus on both the 12V and the 24V market. Our product range includes:

- LED Work lights
- LED Flashers
- LED Rear lights
- LED Marker lights
- LED Interior lights
- LED Warning lights
- Arrow signs
- Harness systems

For the most up-to-date range, please visit our website: [**www.tralert.nl**](http://www.tralert.nl)

Proven quality

With the Tralert® range you purchase proven quality. The products comply with the applicable standards such as European homologation (E-standards), have an IP56 to IP68 classification, EMC suppression, ECE-R10, ECE-R23 and ECE-R65, EN12352 and EN50293.

Quick delivery

All products are delivered from our logistics centre in Didam (The Netherlands). 95% of all products are available from stock, so that you have the products the next day. We deliver to:

- Truck & trailer part dealers (24V)
- Automotive (12V)
- Manufacturer of mobile roadblocks
- Bodyshops (1st mounting)
- Trailerbuilders
- Intralogistics companies
- Earth-moving manufacturers
- Manufacturers of agricultural machines
- Government



TRALERT®

BETTER LIGHT - WORK SAFER

Tralert® your LED specialist

Distribution support, Technical support

In addition to the professional sales team, we additionally support you with our expert technical department. This creates the possibility to act and develop immediately to customer requests and given suggestions. Many products we produce can be made with customized features on request.

Dealerships

Interested in becoming a dealer of the TRALERT® Portfolio?
Contact TRALERT® to see dealership opportunities.
We are capable to support you actively with sales, tailor-made marketing and product training.

Creating safer roads together.

We work with the TRALERT® Referral Policy for Dealers. International inquiries will be forwarded to the Dealer that controls that region.



Tralert® your LED specialist


In addition to the LED Rear lights, Tralert® further offers numerous other products within the field of LED vehicle lights. Underneath, you will find a selection from our range LED solutions:




LED Work lights



LED Marker lights



LED Interior lights



LED Warning lights



Wiring systems





TRALERT®

BETTER LIGHT - WORK SAFER

Tralert® your LED specialist

Tralert® rear lights

Tralert® supplies tail lights of high quality, excellent workmanship and a long warranty, the benefits of the Tralert® tail lights are shown below in the picture:






TRALERT®

BETTER LIGHT - WORK SAFER

Index

700-serie



Page 1 & 2
DIM. 99,5 x 93 x 39,5mm

12ARM



Page 3
DIM. 131 x 30 x 8mm

99 & 149-serie



Page 4
DIM. 107x107x23mm / 150x80x29mm

100 & 150-serie




Page 5
DIM. 100x100x22mm / 150x80x24mm

101 & 151-serie




Page 6
DIM. 100x100x22mm / 150x80x24mm

98-serie



Page 7
DIM. 100 x 100 x 22mm

81-serie



Page 8
DIM. 81 x 81 x 24mm

800-serie




Page 9 & 10
DIM. ø140 x 50,5mm

140-serie



Page 11
DIM. ø140 x 100mm

HB140-serie



Page 12
DIM. ø140 x 40mm

EU140-serie



Page 13
DIM. ø140 x 20mm

145-serie



Page 14
DIM. ø145 x 23mm

95-serie



Page 15
DIM. ø95 x 18mm

140D-serie



Page 16
DIM. ø140 x 38mm

1XR & 1XC-serie



Page 17
DIM. ø125 x 40mm

250-serie



Page 18
DIM. 250 x 80 x 24mm

VC-2300 serie



Page 19 & 20
DIM. 214,3 x 94,3 x 36,2/37,7mm

600-serie



Page 21 & 22
DIM. 220 x 100 x 50,5mm

VC-320 serie



Page 23 & 24
DIM. 195 x 75 x 35mm

VC-2700 serie



Page 25 & 26
DIM. 200 x 130 x 50mm

283-serie



Page 27
DIM. 283 x 100 x 25mm



TRALERT®

BETTER LIGHT - WORK SAFER

Index

EU200-serie



Page 28

DIM. 200 x 150 x 25mm

500-serie



Page 29 & 30

DIM. 240 x 140 x 55mm

VC-2000 serie



Page 31

DIM. 360 x 135 x 35,5mm

900-serie



Page 32

DIM. 304 x 132 x 48mm

Kingpoint-serie



Page 33 & 34

DIM. 400 x 153 x 88mm

3XR-serie



Page 35

DIM. 370 x 135 x 40mm

EU390-serie



Page 36

DIM. 390 x 140 x 20mm

82-serie



Page 37 t/m 38

Various sizes

80, 100 & 125-serie



Page 39 t/m 44

Diverse afmetingen

110 & 130-serie



Page 45 & 46

DIM. ø109 x 53mm / 135 x 86 x 48mm


135-serie



Page 47 & 48

DIM. 135 x 38 x 24mm

200-serie



Page 49 & 50

DIM. 200 x 50 x 28mm

235-serie



Page 51 & 52

DIM. 237 x 25 x 16mm


380-serie



Page 51 & 52

DIM. 383 x 25 x 16mm

VC100-serie



Page 53

DIM. 257 x 27 x 20 x 39,5mm

High mount stop lights



Page 54

Various sizes

LED control box



Page 55

DIM-module



Page 56

Canbus solutions



Page 57 & 58

Adapter cables



Page 59 & 60

Accessories



Page 60



TRALERT®

BETTER LIGHT - WORK SAFER

LED Compact combination rear lights 12/24v




Approved for vertical and horizontal mounting



Fog- en reverse available in the same look




Nightview Lavaflow




Specifications

- Universal LED rear light with NEON-look
- Also available with a license plate light
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- Dimensions: 99,5 x 93 x 39,5mm
- 2 years warranty
- Reverse polarity protection system
- Available with a 1m. cable and a 5-PIN bayonet connector
- Available with different lens colours
- The lamp is homologated to be mounted horizontally and vertically as well
- For different connection options and adapter cables see pages 59 & 60

700-serie with cable



700-serie with bayonet



Current draw (13,8v/28v)

Tail:	0,06A / 0,06A
Tail + license:	0,14A / 0,14A
Stop:	0,08A / 0,08A
Indicator:	0,08A / 0,08A
Reverse:	0,20A / 0,10A
Fog:	0,16A / 0,08A

Available adapter cables, view the complete range and a detailed explanation on pages **59 & 60**





TRALERT®

BETTER LIGHT - WORK SAFER

700-Serie



Article number:	V10C3-700		
	- 3 Function LED rear light - 1m. cable - Without license plate light	- Lens indicator:	Colorless
		- Lens stop light:	Colorless

Article number:	V10C3-700B5		
	- 3 Function LED rear light - 5-PIN bayonet - Without license plate light	- Lens indicator:	Colorless
		- Lens stop light:	Colorless



Article number:	V10C4-730		
	- 4 Function LED rear light - 1m. cable - With a license plate light	- Lens indicator:	Colorless
		- Lens stop light:	Colorless

Article number:	V10C4-730B5		
	- 4 Function LED rear light - 5-PIN bayonet - With a license plate light	- Lens indicator:	Colorless
		- Lens stop light:	Colorless



Article number:	V10C3-710		
	- 3 Function LED rear light - 1m. cable - Without license plate light	- Lens indicator:	Amber
		- Lens stop light:	Colorless

Article number:	V10C3-710B5		
	- 3 Function LED rear light - 5-PIN bayonet - Without license plate light	- Lens indicator:	Amber
		- Lens stop light:	Colorless



Article number:	V10C4-740		
	- 4 Function LED rear light - 1m. cable - With a license plate light	- Lens indicator:	Amber
		- Lens stop light:	Colorless

Article number:	V10C4-740B5		
	- 4 Function LED rear light - 5-PIN bayonet - With a license plate light	- Lens indicator:	Amber
		- Lens stop light:	Colorless



Article number:	V10C3-720		
	- 3 Function LED rear light - 1m. cable - Without license plate light	- Lens indicator:	Amber
		- Lens stop light:	Red

Article number:	V10C3-720B5		
	- 3 Function LED rear light - 5-PIN bayonet - Without license plate light	- Lens indicator:	Amber
		- Lens stop light:	Red



Article number:	V10C4-750		
	- 4 Function LED rear light - 1m. cable - With a license plate light	- Lens indicator:	Amber
		- Lens stop light:	Red

Article number:	V10C4-750B5		
	- 4 Function LED rear light - 5-PIN bayonet - With a license plate light	- Lens indicator:	Amber
		- Lens stop light:	Red



Article number:	V10C2-760		
	- 2 Function LED foglight - 1m. cable - Without license plate light	- Lens indicator:	N/A
		- Lens stop light:	N/A
		- With tail light function	

Article number:	V10C2-760B5		
	- 2 Function LED fog light - 5-PIN's bayonet - Without license plate light	- Lens indicator:	N/A
		- Lens stop light:	N/A
		- With tail light function	



Article number:	V10C2-770		
	- 2 Function LED reverse light - 1m. cable - Without license plate light	- Lens indicator:	N/A
		- Lens stop light:	N/A
		- With tail light function	

Article number:	V10C2-770B5		
	- 2 Function LED reverse light - 5-PIN's bayonet - Without license plate light	- Lens indicator:	N/A
		- Lens stop light:	N/A
		- With tail light function	

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒

☒	☒	☒	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☒	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☒	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☒	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☒	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☒	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☒	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☐	☐	☒	☐	☐	☐	☒	☒
-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☐	☐	☒	☐	☐	☐	☒	☒
-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☐	☐	☐	☒	☐	☐	☒	☒
-------------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☐	☐	☐	☒	☐	☐	☒	☒
-------------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



TRALERT®


BETTER LIGHT - WORK SAFER

LED Compact combination rear light 12/24v

12ARM



Backed with super strong 3M™ tape for fully water resistant and secure permanent fastening.



Specifications

- The 12ARM Compact Combination Lamp is one of the smallest fully approved Rear Stop/Tail/Indicator's available on the market.
- Multivoltage 12/24 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Approved for horizontal and vertical mounting
- Dimensions 131 x 30 x 8mm

Current draw (13,8v/28v)

Tail:	0,01A / 0,02A
Stop:	0,19A / 0,20A
Indicator:	0,14A / 0,15A

Article number: **12ARM**



- 3 Function LED rear light
- 25cm cable

- Voltage Range 12/24V

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



TRALERT®

BETTER LIGHT - WORK SAFER



LED Compact combination rear lights 12v

99 & 149-Serie



Specifications

- Universal LED rear light
- Also available with a license plate light
- 12 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- 3 years warranty
- Available in a twinpack
- Dimensions: 99-serie 107 x 107 x 23mm
- Dimensions: 149-serie 150 x 80 x 29mm



Current draw (13,8v)

Tail:	0,05A
Stop:	0,07A
Indicator:	0,08A



Article number:	99AR	- 4 Function LED rear light - 50cm cable	- Without a license plate light - 12v only
Article number:	99ARL	- 5 Function LED rear light - 50cm cable	- With a license plate light - 12v only
Article number:	99AR2	- Twin pack blister with 2 x 99AR	
Article number:	99ARL2	- Twin pack blister with 1 x 99AR & 1 x 99ARL	
Article number:	99ARLL2	- Twin pack blister with 2 x 99ARL	
Article number:	149BAR	- 4 Function LED rear light - 40cm cable	- Without a license plate light - 12v only
Article number:	149BARLP	- 5 Function LED rear light - 40cm cable	- With a license plate light - 12v only
Article number:	149BARLP2	- Twin pack blister with 1 x 149BAR & 1 x 149BARLP	

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☐
☒	☒	☒	☐	☐	☒	☒	☒	☐
☒	☒	☒	☐	☐	☒	☒	☒	☐
☒	☒	☒	☐	☐	☒	☒	☒	☐
☒	☒	☒	☐	☐	☒	☒	☒	☐
☒	☒	☒	☐	☐	☒	☒	☒	☐
☒	☒	☒	☐	☐	☒	☒	☒	☐

LED Compact combination rear lights 12v or 12/24v

100 & 150-Serie





2-pin accessory connection -
compatible with 'plug & play'
number plate lamps
41BLM1P & 35BLME1P



Specifications

- Universeel compact LED rear light
- 12 Volt or multivoltage 12/24 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- Lifetime warranty guarantee
- Available in twinpacks
- Dimensions: 100-serie 100 x 100 x 22mm
- Dimensions: 150-serie 150 x 80 x 24mm



Current draw (13,8v/28v)

Tail: 0,07A / 0,06A
Stop: 0,15A / 0,12A
Indicator: 0,11A / 0,07A



Article number:	100BARE	- 4 Function LED rear light - 40cm cable	- Without a license plate light - 12v only
Article number:	100BARE2	- Twin pack blister with 2 x 100BARE	
Article number:	100ARME	- 4 Function LED rear light - 40cm cable	- Without a license plate light - Multivoltage 12/24v
Article number:	100ARME10	- 4 Function LED rear light - 10m. cable	- Without a license plate light - Multivoltage 12/24v
Article number:	150BARE	- 4 Function LED rear light - 40cm cable	- Without a license plate light - 12v only
Article number:	150BARE2	- Twin pack blister with 2 x 150BARE	
Article number:	150ARME	- 4 Function LED rear light - 40cm cable	- Without a license plate light - Multivoltage 12/24v
Article number:	150ARME10	- 4 Function LED rear light - 10m. cable	- Without a license plate light - Multivoltage 12/24v

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☐
☒	☒	☒	☐	☐	☐	☒	☒	☐
☒	☒	☒	☐	☐	☐	☒	☒	☒
☒	☒	☒	☐	☐	☐	☒	☒	☒
☒	☒	☒	☐	☐	☐	☒	☒	☐
☒	☒	☒	☐	☐	☐	☒	☒	☒
☒	☒	☒	☐	☐	☐	☒	☒	☒




TRALERT®

BETTER LIGHT - WORK SAFER



LED Compact combination rear lights 12v

101 & 151-Serie



Specifications

- Universal LED rear light
- 12 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- 3 years warranty
- Available in a twinpack
- Dimensions: 101-series 100 x 100 x 22mm
- Dimensions: 151-series 150 x 80 x 22mm



Current draw (13,8v)

Tail:	0,01A
Stop:	0,08A
Indicator:	0,07A



Article number:	101BARE
	- 4 Function LED rear light - 40cm cable - Without a license plate light - 12v only
Article number:	101BARE2
	- Twin pack blister with 2 x 101BARE
Article number:	151BARE
	- 4 Function LED rear light - 40cm cable - Without a license plate light - 12v only
Article number:	151BARE2
	- Twin pack blister with 2 x 151BARE

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☐
☒	☒	☒	☐	☐	☐	☒	☒	☐
☒	☒	☒	☐	☐	☐	☒	☒	☐
☒	☒	☒	☐	☐	☐	☒	☒	☐



TRALERT®

BETTER LIGHT - WORK SAFER


LED Compact combination rear light 12v

98-Serie



Specifications

- Universal LED rear light
- 12 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Available in a twinpack
- Dimensions: 100 x 100 x 22mm



Current draw (13,8v)

Tail:	0,01A
Stop:	0,04A
Indicator:	0,03A



Article number: **98BAR**



- 4 Function LED rear light
- 30cm cable

- Without a license plate light
- 12v only

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☐



Article number: **98BAR2**



- Twin pack blister with 2 x 98BAR

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☐



TRALERT®

BETTER LIGHT - WORK SAFER

LED Compact combination rear lights 12v or 12/24v

81-Serie


Specifications

- Universeel compact LED rear light
- 12 Volt or multivoltage 12/24 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Dimensions: 81 x 81 x 24mm



Current draw (13,8v/28v)

Tail:	0,01A / 0,01A
Stop:	0,22A / 0,12A
Indicator:	0,19A / 0,09A
Reverse:	0,30A / 0,17A
Fog:	0,17A / 0,11A



Article number:	81STI
	- 3 Function LED rear light - 30cm cable
	- Without a license plate light - 12v only



Article number:	81TIM
	- 3 Function LED rear light - 30cm cable
	- Without a license plate light - Multivoltage 12/24v



Article number:	81R
	- 2 Function LED stop/tail light - 30cm cable
	- 12v only

Article number:	81RM
	- 2 Function LED stop/tail light - 30cm cable
	- Multivoltage 12/24v



Article number:	81A
	- 2 Function LED indicator - 30cm cable
	- 12v only

Article number:	81AM
	- 2 Function LED indicator - 30cm cable
	- Multivoltage 12/24v



Article number:	81F
	- 2 Function LED fog light - 30cm cable
	- 12v only

Article number:	81FM
	- 2 Function LED fog light - 30cm cable
	- Multivoltage 12/24v



Article number:	81W
	- 2 Function LED reverse light - 30cm cable
	- 12v only

Article number:	81WM
	- 2 Function LED reverse light - 30cm cable
	- Multivoltage 12/24v

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☐

☒	☒	☒	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☐	☐	☐	☐	☐	☒	☐
-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

☒	☒	☐	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☐	☐	☒	☐	☐	☐	☐	☒	☐
--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

☐	☐	☒	☐	☐	☐	☐	☒	☒
--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☐	☐	☐	☒	☐	☐	☐	☒	☐
--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

☐	☐	☐	☒	☐	☐	☐	☒	☒
--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☐	☐	☐	☐	☒	☐	☐	☒	☐
--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

☐	☐	☐	☐	☒	☐	☐	☒	☒
--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



TRALERT®

BETTER LIGHT - WORK SAFER

LED Combination rear lights 12/24v

Create a dynamic indicator with the D.I.M. Module

See page 56



Fog and reverse light available in the same look



Current draw (13,8v/28v)

Tail:	0,05A / 0,05A
Stop:	0,08A / 0,08A
Indicator:	0,08A / 0,08A
Reverse:	0,20A / 0,20A
Fog:	0,25A / 0,25A


Specifications

- Universal LED rear light with NEON-look
- Fog and reverse light available in the same look
- Indicator is available in 2 designs
- Multivoltage 12/24 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: ø 140 x 50,5mm
- 2 years warranty
- Reverse polarity protection system
- Available with a 1m. cable and a 5-PIN bayonet connector
- For different connection options and adapter cables see pages 59 & 60.


V10C3-840 & V10C3-840B5 with Y-homologation

The V10C3-840 and the V10C3-840B5 are equipped with the European homologation to mount 2 or 3 lamps per side.

To comply with this homologation the lamps must be mounted with the restriction as shown here beneath. Max. 17mm next to each other.



Nightview Lavaflow



Available adapter cables, view the complete range and a detailed explanation on pages **59 & 60**







TRALERT®

BETTER LIGHT - WORK SAFER

800-Serie



Article number: **V10C3-800**
 - 3 Function LED rear light - 12/24v multivoltage
 - 1m. cable

Article number: **V10C3-800B5**
 - 3 Function LED rear light - 12/24v multivoltage
 - 5-PIN's bayonet



Article number: **V10C3-830**
 - 3 Function LED rear light - 12/24v multivoltage
 - 1m. cable

Article number: **V10C3-830B5**
 - 3 Function LED rear light - 12/24v multivoltage
 - 5-PIN's bayonet



Article number: **V10C3-840**
 - 3 Function LED rear light - 12/24v multivoltage
 - 1m. cable - Approved for 2 or 3 lamps

Article number: **V10C3-840B5**
 - 3 Function LED rear light - 12/24v multivoltage
 - 5-PIN's bayonet - Approved for 2 or 3 lamps



Article number: **V10C2-810**
 - 2 Function LED fog light - 12/24v multivoltage
 - 1m. cable - With tail light function

Article number: **V10C2-810B5**
 - 2 Function LED fog light - 12/24v multivoltage
 - 5-PIN's bayonet - With tail light function



Article number: **V10C2-820**
 - 2 Function LED reverse light - 12/24v multivoltage
 - 1m. cable - With tail light function

Article number: **V10C2-820B5**
 - 2 Function LED reverse light - 12/24v multivoltage
 - 5-PIN's bayonet - With tail light function

Rear Stop Indicator Fog Reverse Licence plate Reflector 12 Volt 24 Volt

☒ ☒ ☒ ☐ ☐ ☐ ☐ ☒ ☒

☒ ☒ ☒ ☐ ☐ ☐ ☐ ☒ ☒

☒ ☒ ☒ ☐ ☐ ☐ ☐ ☒ ☒

☒ ☒ ☒ ☐ ☐ ☐ ☐ ☒ ☒

☒ ☒ ☒ ☐ ☐ ☐ ☐ ☒ ☒

☒ ☒ ☒ ☐ ☐ ☐ ☐ ☒ ☒

☒ ☐ ☐ ☒ ☐ ☐ ☐ ☒ ☒

☒ ☐ ☐ ☒ ☐ ☐ ☐ ☒ ☒

☒ ☐ ☐ ☐ ☒ ☐ ☐ ☒ ☒

☒ ☐ ☐ ☐ ☒ ☐ ☐ ☒ ☒

LED Combination rear lights 12/24v

140-Serie

Create a dynamic indicator with the D.I.M. Module

See page 56





Specifications

- Universal LED rear light with "Hamburger"-design
- Fog and reverselight available in the same look
- Multivoltage 12/24 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: ø 140 x 100mm
- 2 years warranty

Current draw (13,8v/28v)

Tail:	0,25A / 0,25A
Stop:	1,25A / 1,25A
Indicator:	1,25A / 1,25A
Reverse:	0,21A / 0,12A
Fog:	0,16A / 0,08A



Article number: **140ESTIM**

- 3 Function LED rear light - 12/24v multivoltage
- Without cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



Article number: **140FSTIM**

- 1 Function LED fog light - 12/24v multivoltage
- Without cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☐	☒	☒



Article number: **140WSTIM**

- 1 Function LED reverse light - 12/24v multivoltage
- Without cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☐	☒	☒



Article number: **VAC-140LB**

- Low base housing for articles 140ESTIM / 140FSTIM / 140WSTIM
- Dimensions: ø 143 x 35mm
- Dimensions: incl lamp ø143 x 54mm



Article number: **VAC-140CB**

- Chrome bracket for articles 140ESTIM / 140FSTIM / 140WSTIM



TRALERT®

BETTER LIGHT - WORK SAFER

LED Slimline combination rear lights 12/24v

HB140-Serie




Specifications

- Universal LED rear light with "Hamburger"-design
- Slimline housing (only 40mm high)
- Mist- en achteruitrijlicht zijn beschikbaar in dezelfde look
- Multivoltage 12/24 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: $\varnothing$ 140 x 40mm
- 5 years warranty

Current draw (13,8v/28v)

Tail:	0,16A / 0,05A
Stop:	0,16A / 0,15A
Indicator:	0,17A / 0,12A
Reverse:	0,85A / 0,20A
Fog:	0,13A / 0,08A



Article number: **HB140STIM**



- 3 Function LED rear light
- 12/24v multivoltage
- 40cm cable
- Slimline design

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



Article number: **HB140FM**



- 1 Function LED fog light
- 12/24v multivoltage
- 40cm cable
- Slimline design

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☐	☒	☒



Article number: **HB140WM**



- 1 Function LED reverse light
- 12/24v multivoltage
- 40cm cable
- Slimline design

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☐	☒	☒




TRALERT®

BETTER LIGHT - WORK SAFER

LED Slimline combination rear lights 12/24v


EU140-Serie



EU140STIM



EU140TFM



EU140TRM



Specifications



- Universal low-profile round rear lights in "Hamburger"-design
- Fog and reverse light available in the same look and equipped with stop and tail light
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- Dimensions:
- ø 140 x 20mm
- 5 years warranty
- Click & stick mounting system

Backed with super strong 3M™ tape for fully water resistant and secure permanent fastening.




Current draw (13,8v/28v)

Tail:	0,08A / 0,06A
Stop:	0,54A / 0,17A
Indicator:	0,77A / 0,16A
Reverse:	0,39A / 0,06A
Fog:	0,38A / 0,17A




Article number:	EU140STIM
	- 3 Function LED rear light - 12/24v (multivoltage) - 40cm cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



Article number:	EU140TFM
	- 3 Function LED fog light - 12/24v multivoltage - 40cm cable
	- Supplementary stop function to be used only in combination with approved stop lamp (EU140STIM)

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☐	☒	☐	☐	☐	☒	☒



Article number:	EU140TRM
	- 3 Function LED reverse light - 12/24v multivoltage - 40cm cable
	- Supplementary stop function to be used only in combination with approved stop lamp (EU140STIM)

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☐	☐	☒	☐	☐	☒	☒






TRALERT®

BETTER LIGHT - WORK SAFER

LED Combination rear lights 12/24v

145-Serie





Specifications

- Universal LED rear light with chrome bezel
- Multivoltage 12/24 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: ø 145 x 23mm
- 5 years warranty


Current draw (13,8v/28v)

Tail:	0,07A / 0,01A
Stop:	0,27A / 0,17A
Indicator:	0,26A / 0,09A
Reverse:	0,10A / 0,17A
Fog:	0,27A / 0,16A




Article number:	145RME
	- 2 Function LED rear light - 12/24v multivoltage
	- 15cm cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☐	☐	☐	☐	☐	☒	☒



Article number:	145AME
	- 1 Function LED indicator - 12/24v multivoltage
	- 15cm cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☒	☐	☐	☐	☐	☒	☒



Article number:	145FME
	- 1 Function LED fog light - 12/24v multivoltage
	- 15cm cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☐	☒	☒



Article number:	145WME
	- 1 Function LED reverse light - 12/24v multivoltage
	- 15cm cable


Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☐	☒	☒

LED Compact rear lights 12/24v

95-Serie


Specifications

- Universal LED rear light
- Surface mounting bracket available
- Multivoltage 12/24 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: $\varnothing$ 95 x 18mm (incl. 95BKT: $\varnothing$ 100 x 31mm)
- 3 years warranty



Current draw (13,8v/28v)

Tail:	0,02A / 0,01A
Stop:	0,15A / 0,08A
Indicator:	0,15A / 0,09A
Reverse:	0,15A / 0,10A
Fog:	0,35A / 0,20A



* 95BKT




Article number:	95STIM
	- 3 Function LED tail/stop/indicator - 20cm cable - 12/24v (multivoltage) - 95BKT not included

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



Article number:	95RM
	- 2 Function LED tail/stop - 20cm cable - 12/24v (multivoltage) - 95BKT not included

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☐	☐	☐	☐	☐	☒	☒



Article number:	95AM
	- 1 Function LED indicator - 20cm cable - 12/24v (multivoltage) - 95BKT not included

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☒	☐	☐	☐	☐	☒	☒



Article number:	95FM
	- 1 Function LED fog light - 20cm cable - 12/24v (multivoltage) - 95BKT not included

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☐	☒	☒



Article number:	95WM
	- 1 Function LED reverse light - 20cm cable - 12/24v (multivoltage) - 95BKT not included

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☐	☒	☒

**TRALERT®**

BETTER LIGHT - WORK SAFER

LED Combination rear lights 12/24v**140D-Serie**


• Tail



• Stop




• Indicator



• Reverse





• Fog

**Current draw (13,8v/28v)**

Tail:	0,08A / 0,13A
Stop:	0,13A / 0,10A
Indicator:	0,21A / 0,23A
Reverse:	0,16A / 0,16A
Fog:	0,25A / 0,16A

Specifications

- Universal LED rear light with NEON-look
- Rear lights available in 3 versions including a version with a D-homologation. These lamps are approved to be mounted double per side.
- The V14C4-140D & V14C5-142D are equipped with a dynamic indicator, the V14C4-141D doesn't
- License plate light to be connected separately with the V14C4-140D & V14C4-141D
- Multivoltage 12/24 Volt
- IP68 waterproof
- European homologation
- EMC suppressed
- Dimensions: $\varnothing$ 140 x 38mm
- 2 years warranty

**140D-serie****Article number: V14C4-140D (4 Function version)**

- 4 Function LED rear light equipped with a dynamic indicator
- Multivoltage 12/24v
- License plate light to be connected separately
- 150cm cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☒	☒	☒	☒

**Article number: V14C4-141D (with D-homologation)**

- 4 Function LED ear light equipped with a static indicator
- Approved to be mounted double per side (D-homologation)
- Multivoltage 12/24v
- License plate light to be connected separately
- 150cm cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☒	☒	☒	☒


**Article number: V14C5-142D (5 Function version)**

- 5 Function LED achterlicht equipped with a fog & reverse light and a dynamic indicator
- Multivoltage 12/24v
- License plate light to be connected separately
- 150cm cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒

LED Combination rear lights 12/24v

1XR & 1XC-Serie



Specifications

- Universal LED rear light with chroom-look
- Mist- en achteruitrijlicht zijn beschikbaar in dezelfde look
- Multivoltage 12/24v
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: ø 125 x 40mm
- 7 years warranty
- Lights are available with a round and rectangular reflector

Current draw (13,8v/28v)

Tail:	0,08A / 0,06A
Stop:	0,54A / 0,17A
Indicator:	0,77A / 0,16A
Reverse:	0,39A / 0,23A
Fog:	0,38A / 0,24A



Article number:	MAXILAMP-1XRE
	- 3 Function LED rear light - 12/24v multivoltage
	- 40cm cable - Rectangular reflector

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☒



Article number:	MAXILAMP-1XRFE
	- 1 Function LED fog light - 12/24v multivoltage
	- 40cm cable - Rectangular reflector

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☒	☒	☒



Article number:	MAXILAMP-1XRWE
	- 1 Function LED reverse light - 12/24v multivoltage
	- 40cm cable - Rectangular reflector

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☒	☒	☒



Article number:	MAXILAMP-1XCE
	- 3 Function LED rear light - 12/24v multivoltage
	- 40cm cable - Round reflector

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☒



Article number:	MAXILAMP-1XCFE
	- 1 Function LED fog light - 12/24v multivoltage
	- 40cm cable - Round reflector

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☒	☒	☒



Article number:	MAXILAMP-1XCWE
	- 1 Function LED reverse light - 12/24v multivoltage
	- 40cm cable - Round reflector

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☒	☒	☒



TRALERT®

BETTER LIGHT - WORK SAFER

LED Combination rear lights 12/24v

250-Serie




2-pin accessory connection –
compatible with 'plug & play'
number plate lamps
41BLM1P & 35BLME1P

Specifications

- Universal LED rear combination light
- Multivoltage 12/24 Volt
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: 250 x 80 x 24mm
- 5 years warranty
- Plug & play connection for a license plate light (41BLM1P & 35BLME1P)

Current draw (13,8v/28v)

Tail:	0,32A / 0,03A
Stop:	0,04A / 0,17A
Indicator:	0,32A / 0,17A
Reverse:	0,24A / 0,13A
Fog:	0,15A / 0,08A



Article number:

250WARM



- 5 Function LED rear light
- 40cm cable
- Plug & play connection for a license plate light (41BLM1P & 35BLME1P)
- 12/24v multivoltage
- With a reverse light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☒	☐	☒	☒	☒



Article number:

250FARM



- 5 Function LED rear light
- 40cm cable
- Plug & play connection for a license plate light (41BLM1P & 35BLME1P)
- 12/24v multivoltage
- With a fog light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☐	☒	☒	☒



Article number:

250ARWM



- 5 Function LED rear light
- 40cm cable
- Plug & play connection for a license plate light (41BLM1P & 35BLME1P)
- 12/24v multivoltage
- With a reverse light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☒	☐	☒	☒	☒




TRALERT®

BETTER LIGHT - WORK SAFER

LED Combination rear lights 12/24v

Dynamic indicator



Specifications

- Universal LED rear light equipped with a dynamic indicator
- Also available with a license plate light
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- Dimensions cable version: 214,3 x 94,3 x 36,2mm
- Dimensions bayonet version: 214,3 x 94,3 x 37,7mm
- 2 years warranty
- Reverse polarity protection system
- Other cable lengths are on request
- Rear light available with a fog or reverse light
- For different connection options and adapter cables see pages 59 & 60.

Current draw (13,8v/28v)

Tail:	0,12A / 0,12A
Stop:	0,12A / 0,12A
Indicator:	0,35A / 0,35A
Reverse:	0,22A / 0,22A
Fog:	0,16A / 0,16A

Nightview



Available adapter cables, view the complete range and a detailed explanation on pages **59 & 60**



5 PIN's left to 8-PIN's Aspöck

VAC-5-8L



5 PIN's right to 8-PIN's Aspöck



VAC-5-8R



TRALERT®

BETTER LIGHT - WORK SAFER

VC-2300 Serie



Article number:	VC-2300	
	- 5 Function LED rear light - 1m. cable	- Without license plate light - 12/24v multivoltage

Article number:	VC-2300B5	
	- 5 Function LED rear light - 5-PIN's bayonet	- Without license plate light - 12/24v multivoltage

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☐	☒	☒	☒

☒	☒	☒	☒	☐	☐	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------



Article number:	VC-2310	
	- 5 Function LED rear light - 1m. cable	- Without license plate light - 12/24v multivoltage

Article number:	VC-2310B5	
	- 5 Function LED rear light - 5-PIN's bayonet	- Without license plate light - 12/24v multivoltage

☒	☒	☒	☐	☒	☐	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☒	☐	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------



Article number:	VC-2320	
	- 6 Function LED rear light - 1m. cable	- With license plate light - 12/24v multivoltage

Article number:	VC-2320B5	
	- 6 Function LED rear light - 5-PIN's bayonet	- With license plate light - 12/24v multivoltage

☒	☒	☒	☒	☐	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☒	☐	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------



Article number:	VC-2330	
	- 6 Function LED rear light - 1m. cable	- With license plate light - 12/24v multivoltage

Article number:	VC-2330B5	
	- 6 Function LED rear light - 5-PIN's bayonet	- With license plate light - 12/24v multivoltage

☒	☒	☒	☐	☒	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☒	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------



TRALERT®

BETTER LIGHT - WORK SAFER

LED Combination rear lights 12/24v



Specifications

- Universal LED rear light with NEON-look
- Also available with a license plate light
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- Dimensions: 214,3 x 94,3 x 36,2mm
- 2 years warranty
- Reverse polarity protection system
- Other cable lengths are on request
- Available with a 1m. cable and a 5-PIN bayonet connector
- For different connection options and adapter cables see pages 59 & 60.

Nightview



Current draw (13,8v/28v)

Tail:	0,25A / 0,21A
Stop:	0,08A / 0,08A
Indicator:	0,11A / 0,11A
Reverse:	0,28A / 0,14A
Fog:	0,12A / 0,06A

Available adapter cables, view the complete range and a detailed explanation on pages **59 & 60**



5 PIN's left to 8-PIN's Aspöck

VAC-5-8L



5 PIN's right to 8-PIN's Aspöck


VAC-5-8R




TRALERT®

BETTER LIGHT - WORK SAFER

600-Serie



600-serie with a cable



600-serie with a bayonet



Article number:	V10C5-600	
	- 5 Function LED rear light - 1m. cable	- Without license plate light - 12/24v multivoltage

Article number:	V10C5-600B5	
	- 5 Function LED rear light - 5-PIN's bayonet	- Without license plate light - 12/24v multivoltage

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☐	☒	☒	☒



Article number:	V10C5-610	
	- 5 Function LED rear light - 1m. cable	- Without license plate light - 12/24v multivoltage

Article number:	V10C5-610B5	
	- 5 Function LED rear light - 5-PIN's bayonet	- Without license plate light - 12/24v multivoltage

☒	☒	☒	☒	☐	☐	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------



Article number:	V10C6-620	
	- 6 Function LED rear light - 1m. cable	- With license plate light - 12/24v multivoltage

Article number:	V10C6-620B5	
	- 6 Function LED rear light - 5-PIN's bayonet	- With license plate light - 12/24v multivoltage

☒	☒	☒	☒	☐	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☒	☐	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------



Article number:	V10C6-630	
	- 6 Function LED rear light - 1m. cable	- With license plate light - 12/24v multivoltage

Article number:	V10C6-630B5	
	- 6 Function LED rear light - 5-PIN's bayonet	- With license plate light - 12/24v multivoltage

☒	☒	☒	☐	☒	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☒	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------



TRALERT®

BETTER LIGHT - WORK SAFER

LED Combination rear light 12/24v

Dynamic indicator



Tail



Indicator



Stop



Specifications

- Universal LED rear light with a dynamic indicator and a smoked lens for a distinctive look
- Fog en reverse light available with the same look en they are available with a surface mount and a stud mount.
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- Dimensions: rear light 195 x 75 x 35mm
- Dimensions fog & reverse unit surface mount 75 x 75 x 33,2mm
- Dimensions fog & reverse unit stud mount 75 x 95 x 33,2mm
- 2 years warranty

- The VC-320B5SS has been equipped with a extra SuperSeal connector. This connection can be used to connect a fog or reverse light with a SuperSeal connector attached to it. A simpel plug&play solution.



Available adapter cables



5 PIN's left to 8-PIN's Aspöck

VAC-5-8L





5 PIN's right to 8-PIN's Aspöck

VAC-5-8R

Current draw (13,8v/28v)

Tail:	0,10A / 0,10A
Stop:	0,20A / 0,20A
Indicator:	0,35A / 0,35A
Reverse:	0,25A / 0,13A
Fog:	0,25A / 0,13A




**TRALERT®**

BETTER LIGHT - WORK SAFER

VC-320 SerieArticle number: **VC-320**

- 3 Function LED rear light with a dynamic indicator
- Smoke lens design
- Multivoltage 12/24v
- 1m. cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☒

Article number: **VC-320B5**

- 3 Function LED rear light with a dynamic indicator
- Smoke lens design
- Multivoltage 12/24v
- 5 PIN's bayonet connection

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☒


 Article number: : Surface mount: **VM-330**
 Stud mount: **VM-331**



- LED fog light
- available as surface and studmount
- 50cm cable
- Multivoltage 12/24v

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☒	☒	☒


 Article number: : Surface mount: **VR-340**
 Stud mount: **VR-341**


- LED reverse light
- available as surface and stud mount
- 50cm cable
- Multivoltage 12/24v

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☒	☒	☒

VC-320 SuperSeal-versionsArticle number: **VC-320B5SS**

- 3 Function LED rear light with a dynamic indicator
- Smoke lens design
- Multivoltage 12/24v
- 5 PIN's bayonet connection
- Equipped with a SuperSeal connector for a plug&play connection (fog & reverse)

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☒


 Article number: : Surface mount: **VM-330SS**
 Stud mount: **VM-331SS**


- LED fog light
- available as surface and stud mount
- SuperSeal connector with 50cm cable, fits the VC-320B5SS
- Multivoltage 12/24v

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☒	☒	☒


 Article number: : Surface mount: **VR-340SS**
 Stud mount: **VR-341SS**


- LED reverse light
- available as surface and stud mount
- SuperSeal connector with 50cm cable, fits the VC-320B5SS
- Multivoltage 12/24v

Rear	Stop	Indicator	Fog	Reverse	Licence plate	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☒	☒



TRALERT®


BETTER LIGHT - WORK SAFER

LED Combination rear lights 12v




Specifications

- LED rear light 12v suitable
- This lamp is available in a left version with fog light and a right version with a reverse light.
- Also available with a license plate light
- Available with a 1m. cable and a 5-PIN bayonet connector
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- Dimensions: 200 x 130 x 50mm
- Fixation Bolt Distance 152mm
- 2 years warranty
- For different connection options and adapter cables see pages 59 & 60.



Available adapter cables



5 PIN's left to 8-PIN's Aspöck

VAC-5-8L



5 PIN's right to 8-PIN's Aspöck

VAC-5-8R

Current draw (13,8v)



Tail:	0,10A
Stop:	0,20A
Indicator:	0,20A
Reverse:	0,20A
Fog:	0,20A



TRALERT®

BETTER LIGHT - WORK SAFER

VC-2700 Serie



Article number:	VC-2701	
	- 5 Function LED rear light - 1m. cable - Left version	- Without a license plate light - 12v only

Article number:	VC-2701B5	
	- 5 Function LED rear light - 5-PIN's bayonet - Linker uitvoering	- Without a license plate light - 12v only

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☐	☒	☒	☒



Article number:	VC-2712	
	- 5 Function LED rear light - 1m. cable - Right version	- Without a license plate light - 12v only

Article number:	VC-2712B5	
	- 5 Function LED rear light - 5-PIN's bayonet - Right version	- Without a license plate light - 12v only

☒	☒	☒	☒	☐	☐	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☒	☐	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------



Article number:	VC-2721	
	- 6 Function LED rear light - 1m. cable - Left version	- With a license plate light - 12v only

Article number:	VC-2721B5	
	- 6 Function LED rear light - 5-PIN's bayonet - Left version	- With a license plate light - 12v only

☒	☒	☒	☒	☐	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☒	☐	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------



Article number:	VC-2732	
	- 6 Function LED rear light - 1m. cable - Right version	- With a license plate light - 12v only

Article number:	VC-2732B5	
	- 6 Function LED rear light - 5-PIN's bayonet - Right version	- With a license plate light - 12v only

☒	☒	☒	☐	☒	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☒	☒	☒	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------



TRALERT®

BETTER LIGHT - WORK SAFER

LED Combination rear light 12/24v

283-Serie




Specifications

- Universal LED rear light
- Multivoltage 12/24v
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions:
- 283 x 100 x 25mm
- 5 years warranty

Current draw (13,8v/28v)

Tail:	0,03A / 0,02A
Stop:	0,24A / 0,12A
Indicator:	0,27A / 0,14A
Reverse:	0,17A / 0,10A
Fog:	0,17A / 0,15A



283-serie



Article number: **283WARM**



- 5 Function LED rear light
- 12/24v multivoltage
- 30cm cable
- With a reverse light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☒	☐	☒	☒	☒



Article number: **283FARM**



- 5 Function LED rear light
- 12/24v multivoltage
- 30cm cable
- With a fog light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☐	☒	☒	☒



TRALERT®

BETTER LIGHT - WORK SAFER

LED Slimline combination rear light 12/24v

EU200-Serie



2-pin accessory connection –
compatible with 'plug & play'
number plate lamps
41BLM1P & 35BLME1P




Specifications

- Slimline combination rear light with a triangle reflector
- Multivoltage 12/24v
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: 200 x 150 x 25mm
- 5 years warranty
- Also available in a blister twinpack
- Plug & play connection for a license plate light (41BLM1P & 35BLME1P)

Current draw (13,8v/28v)

Tail:	0,01A / 0,01A
Stop:	0,31A / 0,19A
Indicator:	0,15A / 0,09A
Reverse:	0,27A / 0,15A
Fog:	0,15A / 0,01A




Article number:	EU200L
	- 6 Function LED rear light - Left version - 40cm cable - Plug & play connection for a license plate light (41BLM1P & 35BLME1P)
	- 12/24v (multivoltage) - With a fog light - With a reverse light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒



Article number:	EU200R
	- 6 Function LED rear light - Right version - 40cm cable - Plug & play connection for a license plate light (41BLM1P & 35BLME1P)
	- 12/24v (multivoltage) - With a fog light - With a reverse light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒



Article number:	EU200LR2
	- - Twin pack blister with 1 x EU200L & 1 x EU200R

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒



TRALEART®

BETTER LIGHT - WORK SAFER

LED Combination rear light 12/24v



Left version



Right version

Specifications

- LED NEON rear light with a triangle reflector
- Also available with a license plate light
- Multivoltage 12/24 Volt
- IP68 Waterproof
- European homologation
- EMC suppressed
- Dimensions: 240 x 140 x 55mm
- 2 years warranty
- Reverse polarity protection system
- Connection available with a 1m. cable, 5 PIN's bayonet or a 7 PIN's AMP connector.
- This lamp is available in many different configurations and therefore offers a solution for every demand
- For different connection options and adapter cables see pages 59 & 60.

Current draw (13,8v/28v)

Tail:	0,25A / 0,20A
Stop:	0,08A / 0,08A
Indicator:	0,12A / 0,12A
Reverse:	0,20A / 0,10A
Fog:	0,15A / 0,08A




Nightview Lavaflow






5 PIN's bayonet


7 PIN's AMP



500-serie with a cable



500-serie with a bayonet



Available adapter cables, view the complete range and a detailed explanation on pages **59 & 60**



7 PIN's AMP to ASS-2 Aspöck

VAC-AMPASP



7 PIN's AMP to 8-PIN's Aspöck

VAC-7-8L of VAC-7-8R



5 PIN's left to 8-PIN's Aspöck

VAC-5-8L



5 PIN's right to 8-PIN's Aspöck

VAC-5-8R



TRALERT®

BETTER LIGHT - WORK SAFER

500-Serie



Connection	Left	Right	Details
1m. cable	V10C4-501	V10C4-502	- 4 Function LED rear light - Without a license plate light
5 PIN's bayonet	V10C4-501B5	V10C4-502B5	
7 PIN's AMP	N/A	N/A	

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☒	☒	☒



Connection	Left	Right	Details
1m. cable	V10C5-511	N/A	- 5 Function LED rear light - With a fog light - Without a license plate light
5 PIN's bayonet	V10C5-511B5	N/A	
7 PIN's AMP	N/A	N/A	

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☐	☒	☒	☒



Connection	Left	Right	Details
1m. cable	N/A	V10C5-512	- 5 Function LED rear light - With a reverse light - Without a license plate light
5 PIN's bayonet	N/A	V10C5-512B5	
7 PIN's AMP	N/A	N/A	

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☒	☐	☒	☒	☒



Connection	Left	Right	Details
1m. cable	V10C5-521	V10C5-522	- 5 Function LED rear light - With a side license plate light
5 PIN's bayonet	V10C5-521B5	V10C5-522B5	
7 PIN's AMP	N/A	N/A	

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☒	☒	☒	☒



Connection	Left	Right	Details
1m. cable	V10C6-531	V10C6-532	- 6 Function LED rear light - With a fog and reverse light - Without a license plate light
5 PIN's bayonet	N/A	N/A	
7 PIN's AMP	N/A	N/A	

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒



Connection	Left	Right	Details
1m. cable	V10C6-541	N/A	- 6 Function LED rear light - With a fog light - With a side license plate light
5 PIN's bayonet	V10C6-541B5	N/A	
7 PIN's AMP	N/A	N/A	

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☒	☒	☒	☒



Connection	Left	Right	Details
1m. cable	N/A	V10C6-542	- 6 Function LED rear light - With a reverse light - With a side license plate light
5 PIN's bayonet	N/A	V10C6-542B5	
7 PIN's AMP	N/A	N/A	

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☒	☒	☒	☒	☒



Connection	Left	Right	Details
1m. cable	V10C7-551	V10C7-552	- 7 Function LED rear light - Met fog and reverse light - With a side license plate light
5 PIN's bayonet	N/A	N/A	
7 PIN's AMP	V10C7-551B7	V10C7-552B7	

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☒	☒	☒	☒



Connection	Left	Right	Details
1m. cable	V10C7-561	V10C7-562	- 7 Function LED rear light - Met fog and reverse light - With a bottom license plate light
5 PIN's bayonet	N/A	N/A	
7 PIN's AMP	V10C7-561B7	V10C7-562B7	

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☒	☒	☒	☒



TRALEART®

BETTER LIGHT - WORK SAFER

LED Combination rear lights 12/24v

VC-2000 Serie




Dynamic indicator



Specifications

- LED NEON trailer rear light in a unique design
- Equipped with a dynamic indicator
- Multivoltage 12/24 Volt
- IP67 Waterproof
- European homologation
- EMC suppressed
- Dimensions: 360 x 135 x 35,5mm
- Fixation bolt distance 152mm
- 3 years warranty
- This light is equipped with a triangle reflector
- available connections are a 2m. cable and a 7 PIN's AMP connector

VC2000-serie



Current draw (13,8v/28v)

Tail:	0,25A / 0,13A
Stop:	0,22A / 0,11A
Indicator:	0,14A / 0,07A
Reverse:	0,28A / 0,13A
Fog:	0,35A / 0,18A

Available adapter cables, view the complete range on pages 59 & 60



VAC-AMPASP



VAC-7-8L

Version VC-2001 trailer rear light **left side**



NEON LED left trailer rear light equipped with:

- Dynamic indicator
- NEON rear light
- Slimline design
- 2m. cable or 7 PIN's AMP connector

Connection	Art.nr
1,5m. cable	VC-2001
7 PIN's AMP	VC-2001B7

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒
☒	☒	☒	☒	☒	☐	☒	☒	☒

Version VC-2002 trailer rear light **right side**



NEON LED right trailer rear light equipped with:

- Dynamic indicator
- NEON rear light
- Slimline design
- 2m. cable or 7 PIN's AMP connector

Connection	Art.nr
1,5m. cable	VC-2002
7 PIN's AMP	VC-2002B7

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒
☒	☒	☒	☒	☒	☐	☒	☒	☒



TRALERT®

BETTER LIGHT - WORK SAFER

LED Combination rear light 12/24v

900-Serie

Dynamic indicator



Nightview Lavaflow




Current draw (13,8v/28v)

Tail:	0,21A / 0,22A
License plate:	0,04A / 0,04A
Stop:	0,17A / 0,17A
Indicator:	0,35A / 0,36A
Reverse:	0,13A / 0,13A
Fog:	0,22A / 0,13A

Specifications

- Universal LED rear light with NEON-look
- Equipped with a dynamic indicator
- Multivoltage 12/24 Volt
- IP68 waterproof
- European homologation
- EMC suppressed
- Dimensions: 304 x 132 x 48mm
- 2 years warranty
- License plate light to be connected separately



Article number: **V14C7-901**



- 7 Function LED rear light
- Left version
- Equipped with a dynamic indicator
- 150cm cable
- 12/24v (multivoltage)
- With fog light
- With reverse light
- License plate light to be connected separately

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☒	☒	☒	☒



Article number: **V14C7-902**



- 7 Function LED rear light
- Right version
- Equipped with a dynamic indicator
- 150cm cable
- 12/24v (multivoltage)
- With fog light
- With reverse light
- License plate light to be connected separately

Rear	Stop	Indicator	Fog	Reverse	License plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☒	☒	☒	☒



TRALERT®

BETTER LIGHT - WORK SAFER

LED Combination rear lights 12/24v



Dynamic indicator



Specifications

- LED trailer rear light in NEON-look, available in left and right versions
- The light is equipped with a in-build can-bus solution for the indicator function
- Optional available with a bottom license plate light
- Optional available with a flexible stalk lamp
- Optional available with SuperSeal connector for plug & play connection for the marker lights, extra reverse light and high Mount Stop Lamp
- Optional available with a back-up alarm
- Multivoltage 12/24 Volt
- Waterproof
- VEuropean homologation
- EMC suppressed
- Dimensions: without a stalk lamp 400 x 153 x 88mm
- Dimensions: with a stalk lamp 569 x 153 x 88mm
- 2 years warranty
- Reverse polarity protection system




Available adapter cables, view the complete range and a detailed explanation on pages 59 & 60




Current draw (13,8v/28v)

Tail:	0,12A / 0,12A
Stop:	0,34A / 0,17A
Indicator:	0,40A / 0,20A
Reverse:	0,10A / 0,05A
Fog:	0,34A / 0,17A



Kingpoint-serie



Kingpoint-serie

Service parts

Lampshade/ left & right side	Art.nr	VA-1000K
Reversing panel RIGHT LED	Art.nr	VA-1000REVR
Reversing panel LEFT LED	Art.nr	VA-1000REVL
Stop panel RIGHT LED	Art.nr	VA-1000RR
Stop panel LEFT LED	Art.nr	VA-1000RL
Fog panel RIGHT LED	Art.nr	VA-1000MR
Fog panel LEFT LED	Art.nr	VA-1000ML
Indicator panel RIGHT LED	Art.nr	VA-1000KNR
Indicator panel LEFT LED	Art.nr	VA-1000KNL
Back-up alarm	Art.nr	VA-1000BS



TRALERT®

BETTER LIGHT - WORK SAFER

Kingpoint Serie

Version VC-1011 Kingpoint **left side**



Kingpoint LED trailer rear light equipped with:

- Without a license plate light
- Without a stalk lamp
- Without SuperSeal connectors
- Without a back-up alarm

Connection	Art.nr
2m. cable	VC-1011
7 PIN's AMP	VC-1011B7

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	Super seal conn.	Back-up alarm	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☐	☐	☒	☒
☒	☒	☒	☒	☒	☐	☒	☐	☐	☒	☒

Version VC-1012 Kingpoint **right side**



Kingpoint LED trailer rear light equipped with:

- Without a license plate light
- Without a stalk lamp
- Without SuperSeal connectors
- Without a back-up alarm

Connection	Art.nr
2m. cable	VC-1012
7 PIN's AMP	VC-1012B7

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	Super seal conn.	Back-up alarm	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☐	☐	☒	☒
☒	☒	☒	☒	☒	☐	☒	☐	☐	☒	☒

Version VC-1021 Kingpoint **left side**



Kingpoint LED trailer rear light equipped with:

- Without a license plate light
- With a stalk lamp
- Optional available with SuperSeal connectors, only the VC-1021B7SS
- Without a back-up alarm

Connection	Art.nr
2m. cable	VC-1021
7 PIN's AMP	VC-1021B7
7 PIN's AMP	VC-1021B7SS

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	Super seal conn.	Back-up alarm	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☐	☐	☒	☒
☒	☒	☒	☒	☒	☐	☒	☐	☐	☒	☒
☒	☒	☒	☒	☒	☐	☒	☒	☐	☒	☒

Version VC-1022 Kingpoint **right side**



Kingpoint LED trailer rear light equipped with:

- Without a license plate light
- With a stalk lamp
- Optional available with SuperSeal connectors, only the VC-1022B7SS
- Optional available with a back-up alarm, only the VC-1022B7SSA

Connection	Art.nr
2m. cable	VC-1022
7 PIN's AMP	VC-1022B7
7 PIN's AMP	VC-1022B7SS
7 PIN's AMP	VC-1022B7SSA

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	Super seal conn.	Back-up alarm	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☐	☐	☒	☒
☒	☒	☒	☒	☒	☐	☒	☐	☐	☒	☒
☒	☒	☒	☒	☒	☐	☒	☒	☐	☒	☒
☒	☒	☒	☒	☒	☐	☒	☒	☒	☒	☒

Version VC-1031 Kingpoint **left side**



Kingpoint LED trailer rear light equipped with:

- With a license plate light
- Without a stalk lamp
- Without SuperSeal connectors
- Without a back-up alarm

Connection	Art.nr
2m. cable	VC-1031
7 PIN's AMP	VC-1031B7

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	Super seal conn.	Back-up alarm	12 Volt	24 Volt
☒	☒	☒	☒	☒	☒	☒	☐	☐	☒	☒
☒	☒	☒	☒	☒	☒	☒	☐	☐	☒	☒

Version VC-1041 Kingpoint **left side**



Kingpoint LED trailer rear light equipped with:

- With a license plate light
- With a stalk lamp
- Without SuperSeal connectors
- Without a back-up alarm

Connection	Art.nr
2m. cable	N/A
7 PIN's AMP	VC-1041B7

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	Super seal conn.	Back-up alarm	12 Volt	24 Volt
☒	☒	☒	☒	☒	☒	☒	☐	☐	☒	☒
☒	☒	☒	☒	☒	☒	☒	☐	☐	☒	☒



TRALET®

BETTER LIGHT - WORK SAFER

LED Combination rear lights 12/24v

3XR-Serie




Specifications

- Universal LED rear light in chrome-look
- Available with a fog or reverse light
- Multivoltage 12/24 Volt
- IP67 Waterproof
- European homologation
- EMC suppressed
- Dimensions: 370 x 135 x 40mm
- 7 warranty



Current draw (13,8v/28v)

Tail:	0,08A / 0,06A
Stop:	0,54A / 0,17A
Indicator:	0,77A / 0,16A
Reverse:	0,39A / 0,23A
Fog:	0,38A / 0,24A



Article number:

MAXILAMP-3XRF



- 5 Function LED rear light
- 12/24v multivoltage
- 40cm cable
- With a fog light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☐	☒	☒	☒

Article number:

MAXILAMP-3XRW



- 5 Function LED rear light
- 12/24v multivoltage
- 40cm cable
- With a reverse light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☒	☐	☒	☒	☒





TRALERT®

BETTER LIGHT - WORK SAFER

LED Slimline combination rear light 12/24v

EU390-Serie



2-pin accessory connection –
compatible with 'plug & play'
number plate lamps
41BLM1P & 35BLME1P





Specifications

- Slimline combination rear light with a triangle reflector
- Multivoltage 12/24v
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: 390 x 140 x 20mm
- 5 years warranty
- Also available in a blister twinpack
- Plug & play connection for a license plate light (41BLM1P & 35BLME1P)

Current draw (13,8v/28v)

Tail:	0,47A / 0,25A
Stop:	0,59A / 0,30A
Indicator:	0,55A / 0,31A
Reverse:	0,58A / 0,29A
Fog:	0,44A / 0,29A



Article number:

EU390L



- 6 Function LED rear light
- Left version
- 40cm cable
- Plug & play connection for a license plate light (41BLM1P & 35BLME1P)
- 12/24v (multivoltage)
- With a fog light
- With a reverse light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒




Article number:

EU390R



- 6 Function LED rear light
- Right version
- 40cm cable
- Plug & play connection for a license plate light (41BLM1P & 35BLME1P)
- 12/24v (multivoltage)
- With a fog light
- With a reverse light

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒



Article number:

EU390LR2



- Twin pack blister with 1 x EU200L & 1 x EU200R

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☒	☒	☒



TRALERT®

BETTER LIGHT - WORK SAFER

LED Modular combination rear lights 12v or 12/24v



Specifications

- Universal LED rear lights, can be ordered as a complete rear light or can be built modularly.
- The single lamps are backed with super strong 3M™ tape for fully water resistant and secure permanent fastening.
- Choice of colored or clear lenses and in addition, the triple & quad rear lights can be chosen in a black or chrome housing
- Multivoltage 12/24v
- IP67 waterproof
- European homologation
- EMC suppressed
- Dimensions: single lamps $\varnothing 80 \times 18\text{mm}$
- Dimensions: triple lamps $281 \times 101 \times 30\text{mm}$
- Dimensions: quad lamps $372 \times 101 \times 30\text{mm}$
- 30cm cable
- 5 years warranty

Current draw (13,8v/28v)




Tail:	0,02A / 0,02A
Stop:	0,10A / 0,06A
Indicator:	0,19A / 0,08A
Reverse:	0,24A / 0,13A
Fog:	0,24A / 0,13A

Article number:	12V 82R 12/24V 82RM
• Colored lens • Single unit	

Article number:	12V 82A 12/24V 82AM
• Colored lens • Single unit	

- ☒ Tail light
- ☒ Stop light
- ☐ Indicator
- ☐ Fog light
- ☐ Reverse

- ☐ Tail light
- ☐ Stop light
- ☒ Indicator
- ☐ Fog light
- ☐ Reverse



Article number:	12V 82RC 12/24V 82RCM
• Clear lens • Single unit	

Article number:	12V 82AC 12/24V 82ACM
• Clear lens • Single unit	

- ☒ Tail light
- ☒ Stop light
- ☐ Indicator
- ☐ Fog light
- ☐ Reverse

- ☐ Tail light
- ☐ Stop light
- ☒ Indicator
- ☐ Fog light
- ☐ Reverse



TRALERT®

BETTER LIGHT - WORK SAFER

82-Serie

Article number: **12V 82F**
12/24V 82FM

- Colored lens
- Single unit

- ☐ Tail light
- ☐ Stop light
- ☐ Indicator
- ☒ Fog light
- ☐ Reverse

Article number: **12V 82W**
12/24V 82WM

- Colored lens
- Single unit

- ☐ Tail light
- ☐ Stop light
- ☐ Indicator
- ☐ Fog light
- ☒ Reverse

Article number: **12V 82BFAR**
12/24V 82BFARM

- Colored lens
- Black housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☒ Fog light
- ☐ Reverse

Article number: **12V 82BWAR**
12/24V 82BWARM

- Colored lens
- Black housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☐ Fog light
- ☒ Reverse

Article number: **12V 82CFAR**
12/24V 82CFARM

- Colored lens
- Chrome housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☒ Fog light
- ☐ Reverse

Article number: **12V 82CWAR**
12/24V 82CWARM

- Colored lens
- Chrome housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☐ Fog light
- ☒ Reverse


Article number: **12V N/A**
12/24V 82BFWRAM

- Colored lens
- Black housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☒ Fog light
- ☒ Reverse



Triple lamp housing
• Chrome **82B3C**
• Black **82B3B**



Quad lamp housing
• Chrome **82B4C**
• Black **82B4B**

Article number: **12V 82FC**
12/24V 82FCM

- Clear lens
- Single unit

- ☐ Tail light
- ☐ Stop light
- ☐ Indicator
- ☒ Fog light
- ☐ Reverse

Article number: **12V 82BFARC**
12/24V 82BFARCM

- Clear lens
- Black housing

- ☒ Tail light
- ☒ Remlicht
- ☒ Indicator
- ☒ Fog light
- ☐ Reverse

Article number: **12V 82BWARC**
12/24V 82BWARCM

- Clear lens
- Black housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☐ Fog light
- ☒ Reverse

Article number: **12V 82CFARC**
12/24V 82CFARCM

- Clear lens
- Chrome housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☒ Fog light
- ☐ Reverse

Article number: **12V 82CWARC**
12/24V 82CWARCM

- Clear lens
- Chrome housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☐ Fog light
- ☒ Reverse

Article number: **12V N/A**
12/24V 82BFWRACM

- Clear lens
- Black housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☒ Fog light
- ☒ Reverse

Article number: **12V N/A**
12/24V 82CFWRACM

- Clear lens
- Chrome housing

- ☒ Tail light
- ☒ Stop light
- ☒ Indicator
- ☒ Fog light
- ☒ Reverse



TRALEART®

BETTER LIGHT - WORK SAFER

LED Modular combination rear lights 12/24v



Specifications

- Universal LED rear lights
- Available in various sizes (80-, 100- & 125-serie)
- Available with a black and chrome housing
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Dimensions: 80-serie 100 x 100 x 28mm
- Dimensions: 100-serie 122 x 122 x 31mm
- Dimensions: 125-serie 145 x 145 x 31mm
- Dimensions: 80-serie (double) 188 x 100 x 28mm



Current draw 80-serie (13,8v/28v)

Tail:	0,07A / 0,01A
Stop:	0,27A / 0,12A
Indicator:	0,26A / 0,09A
Reverse:	0,10A / 0,17A
Fog:	0,27A / 0,16A


Current draw 100-serie (13,8v/28v)

Tail:	0,04A / 0,04A
Stop:	0,38A / 0,24A
Indicator:	0,38A / 0,23A
Reverse:	0,31A / 0,17A
Fog:	0,42A / 0,21A


Current draw 125-serie (13,8v/28v)

Tail:	0,04A / 0,06A
Stop:	0,42A / 0,26A
Indicator:	0,43A / 0,25A
Reverse:	0,36A / 0,18A
Fog:	0,42A / 0,21A


Single lamp version **80-serie**




Single lamp version **100-serie**



Double lamp version **125-serie**



Double lamp version **80-serie**





TRALERT®


BETTER LIGHT - WORK SAFER

80, 100 & 125-Serie




Series	Black housing	Chrome housing
80-series	80RME	80CRME
100-series	100RME	100CRME
125-series	125RME	125CRME

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☐	☐	☐	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80AME	80CAME
100-series	100AME	100CAME
125-series	125AME	125CAME

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☒	☐	☐	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80FME	80CFME
100-series	100FME	100CFME
125-series	125FME	125CFME

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80WME	80CWME
100-series	100WME	100CWME
125-series	125WME	125CWME

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80BSTIME	80CSTIME
100-series	100BSTIME	100CSTIME
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80BARM	80CARM
100-series	N/A	N/A
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80B1B	80B1C
100-series	100B1B	100B1C
125-series	125B1B	125B1C

Description

Mounting bracket single lamp unit. Available in black and chrome. Comes standard with the above lamps.



Series	Black housing	Chrome housing
80-series	80B2B	80B2C
100-series	N/A	N/A
125-series	N/A	N/A

Description

Mounting bracket double lamp unit. Available in black and chrome. Comes standard with the above lamps.



TRALERT®

BETTER LIGHT - WORK SAFER


LED Modulaire combinatie achterlichten 12/24v



Specifications

- Universal LED rear lights
- Available in various sizes (80-, 100- & 125-serie)
- Available with a black and chrome housing
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Dimensions: 80-serie 278 x 100 x 28mm
- Dimensions: 100-serie 352 x 122 x 31mm
- Dimensions: 125-serie 435 x 146 x 31mm


Triple lamp version **80-serie**



Current draw 80-series (13,8v/28v)

Tail:	0,07A / 0,01A
Stop:	0,27A / 0,12A
Indicator:	0,26A / 0,09A
Reverse:	0,10A / 0,17A
Fog:	0,27A / 0,16A


Triple lamp version **100-serie**



Current draw 100-series (13,8v/28v)

Tail:	0,04A / 0,04A
Stop:	0,38A / 0,24A
Indicator:	0,38A / 0,23A
Reverse:	0,31A / 0,17A
Fog:	0,42A / 0,21A

Triple lamp version **125-serie**



Current draw 125-series (13,8v/28v)

Tail:	0,04A / 0,06A
Stop:	0,42A / 0,26A
Indicator:	0,43A / 0,25A
Reverse:	0,36A / 0,18A
Fog:	0,42A / 0,21A



TRALERT®

BETTER LIGHT - WORK SAFER

80, 100 & 125-Serie



Series	Black housing	Chrome housing
80-series	80BARRME	80CARRME
100-series	100BARRME	100CARRME
125-series	125BARRME	125CARRME

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



Series	Black housing	CChrome housing
80-series	80BFARME	80CFARME
100-series	100BFARME	100CFARME
125-series	125BFARME	125CFARME

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80BRAWME	80CRAWME
100-series	100BRAWME	100CRAWME
125-series	125BRAWME	125CRAWME

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☒	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	N/A	N/A
100-series	100BSTIWFMLE	100CSTIWFMLE
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	N/A	N/A
100-series	100BSTIWFMR	100CSTIWFMR
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80B3B	80B3C
100-series	100B3B	100B3C
125-series	125B3B	125B3C

Description
Mounting bracket triple lamp unit. Available in black and chrome. Comes standard with the above lamps.



Series	Black housing	Chrome housing
80-series	80B3SKT	80C3SKT
100-series	N/A	N/A
125-series	N/A	N/A

Description
80 Series-Triple Steel Mounting Bracket



Art.nr: **80BKT**
80 Series Triple Bracket Housing



Art.nr: 80B3V
Specially designed bracket allows for 80 series lamp modules to be mounted in vertical formation



TRALERT®

BETTER LIGHT - WORK SAFER

LED Modular combination rear lights 12/24v





Specifications

- Universal LED rear lights
- Available in various sizes (80- & 100-series)
- Only available with a black housing
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Dimensions: 80-series 350 x 105 x 47mm
- Dimensions: 100-series 430 x 125 x 50mm





Quad lamp version **80-series**



Current draw 80-series (13,8v/28v)

Tail:	0,07A / 0,01A
Stop:	0,27A / 0,12A
Indicator:	0,26A / 0,09A
Reverse:	0,10A / 0,17A
Fog:	0,27A / 0,16A

Quad lamp version **100-series**



Current draw 100-series (13,8v/28v)


Tail:	0,04A / 0,04A
Stop:	0,38A / 0,24A
Indicator:	0,38A / 0,23A
Reverse:	0,31A / 0,17A
Fog:	0,42A / 0,21A



TRALERT®


BETTER LIGHT - WORK SAFER

80 & 100-Series



Series	Black housing	Chrome housing
80-series	80BRRWME	N/A
100-series	100BRRWME	N/A
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☒	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80BAARRME	N/A
100-series	100BAARRME	N/A
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80BFARRME	N/A
100-series	100BFARRME	N/A
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☐	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	80BFWARME	N/A
100-series	100BFWARME	N/A
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	N/A	N/A
100-series	100BSTI2WFMLE	N/A
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☐	☒	☒



Series	Black housing	Chrome housing
80-series	N/A	N/A
100-series	100CSTI2WFMRE	N/A
125-series	N/A	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☒	☒	☐	☐	☒	☒

LED Round Modular rear lights 12/24v




Specifications

- Universal round Modular rear lights
- Multivoltage 12/24 Volt
- IP67 Waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Use the 3-PIN plug for connection (53102)
- Use one of the mounting brackets for mounting
- Overall size 110-series: $\varnothing 109 \times 53\text{mm}$
- Cut out size 110-series: $\varnothing 115\text{mm}$
- Overall size 130-series: $134 \times 86 \times 48\text{mm}$
- Cut out size 130-series: $139 \times 91\text{mm}$

Current draw 110-serie (13,8v/28v)

Tail:	0,08A / 0,02A
Stop:	0,23A / 0,14A
Indicator:	0,16A / 0,13A
Reverse:	0,21A / 0,15A
Fog:	0,41A / 0,20A


110-serie rear lights



Current draw 130-serie (13,8v/28v)

Tail:	0,07A / 0,04A
Stop:	0,15A / 0,12A
Indicator:	0,20A / 0,14A
Reverse:	0,15A / 0,08A
Fog:	0,42A / 0,20A

130-serie rear lights




Article number: **110RME**

- 2-Function LED round recess combination light
- 3-pins connection (art.nr. 53102)

Article number: **130RME**

- 2-Function LED square recess combination light
- 3-pins connection (art.nr. 53102)

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☐	☐	☐	☐	☐	☒	☒



Article number: **110AME**

- 1-Function LED round recess indicator
- 3-pins connection (art.nr. 53102)

Article number: **130AME**

- 1-Function LED square recess indicator
- 3-pins connection (art.nr. 53102)

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☒	☐	☐	☐	☐	☒	☒

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☒	☐	☐	☐	☐	☒	☒



TRALERT®

BETTER LIGHT - WORK SAFER

110 & 130-Serie



Article number: **110FME**
 - 1-Function LED round recess fog light
 - 3-pins connection (art.nr. 53102)

Article number: **130FME**
 - 1-Function LED square recess fog light
 - 3-pins connection (art.nr. 53102)

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☒	☐	☐	☐	☒	☒

☐	☐	☐	☒	☐	☐	☐	☒	☒
--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



Article number: **110WME**
 - 1-Function LED round recess reverse light
 - 3-pins connection (art.nr. 53102)

Article number: **130WME**
 - 1-Function LED square recess reverse light
 - 3-pins connection (art.nr. 53102)

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☒	☐	☐	☒	☒

☐	☐	☐	☐	☒	☐	☐	☒	☒
--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



Article number: **53101B**
 - Black steel flange for the 110-series lights

Article number: **59401B**
 - Black steel flange for the 130-series lights

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☐	☐	☐	☐	☐

☐	☐	☐	☐	☐	☐	☐	☐	☐
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------



Article number: **53101C**
 - Chrome steel flange for the 110-series lights

Article number: **59401C**
 - Chrome steel flange for the 130-series lights

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☐	☐	☐	☐	☐

☐	☐	☐	☐	☐	☐	☐	☐	☐
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------



Article number: **53101**
 - Rubber grommet for the 110-series lights

Article number: **59401**
 - Rubber grommet for the 130-series lights

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☐	☐	☐	☐	☐

☐	☐	☐	☐	☐	☐	☐	☐	☐
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------



Article number: **53102**
 - 3-PIN connector for the 110- & 130-series modular rear lights

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☐	☐	☐	☐	☐	☐	☐

☐	☐	☐	☐	☐	☐	☐	☐	☐
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------



TRALERT®

BETTER LIGHT - WORK SAFER

LED Slimline rear lights 12/24v



Specifications


- Universal compact slimline LED rear light
- Available in surface or recess mount
- Multivoltage 12/24 Volt
- IP67 Waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Dimensions 135-series surface: 135 x 38 x 24mm
- Dimensions 135-series recess: 145 x 48mm
- Cut-out size 135-series recess: 133 x 36mm

Current draw (13,8v/28v)


Tail:	0,02A / 0,02A
Stop:	0,11A / 0,08A
Indicator:	0,16A / 0,06A
Reverse:	0,23A / 0,19A
Fog:	0,33A / 0,20A




135-serie surface mount



135-serie recess mount



135BKT



Article number:

135ARME

- 3 Function LED combination light
- 12/24v (multivoltage)
- Surface mount
- 18cm cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



Article number:

135ARMGE

- 3 Function LED combination light
- 12/24v (multivoltage)
- Recess mount
- 18cm cable

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒



TRALERT®

BETTER LIGHT - WORK SAFER

135-Serie



Article number:	135RME
	- 2 Function LED tail/stop light - 12/24v (multivoltage) - 18cm cable - Surface mount

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☐	☐	☐	☐	☐	☒	☒



Article number:	135RMGE
	- 2 Function LED tail/stop light - 12/24v (multivoltage) - 18cm cable - Recess mount

☒	☒	☐	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



Article number:	135AME
	- 1 Function LED indicator - 12/24v (multivoltage) - 18cm cable - Surface mount

☐	☐	☒	☐	☐	☐	☐	☒	☒
--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



Article number:	135AMGE
	- 1 Function LED indicator - 12/24v (multivoltage) - 18cm cable - Recess mount

☐	☐	☒	☐	☐	☐	☐	☒	☒
--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



Article number:	135FME
	- 1 Function LED fog light - 12/24v (multivoltage) - 18cm cable - Surface mount

☐	☐	☐	☒	☐	☐	☐	☒	☒
--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



Article number:	135FMGE
	- 1 Function LED fog light - 12/24v (multivoltage) - 18cm cable - Recess mount

☐	☐	☐	☒	☐	☐	☐	☒	☒
--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



Article number:	135WME
	- 1 Function LED reverse light - 12/24v (multivoltage) - 18cm cable - Surface mount

☐	☐	☐	☐	☒	☐	☐	☒	☒
--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



Article number:	135WMGE
	- 1 Function LED reverse light - 12/24v (multivoltage) - 18cm cable - Recess mount

☐	☐	☐	☐	☒	☐	☐	☒	☒
--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



Article number:	135BKT
	- Fits 135 series grommet mounted lamps - Light units are not included

☐	☐	☐	☐	☐	☐	☐	☐	☐
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------



Article number:	135G
	- Rubber mounting bracket. Comes standard with the above lamps.

☐	☐	☐	☐	☐	☐	☐	☐	☐
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------



Article number:	135B
	- Surface mounting bracket. Comes standard with the above lamps.

☐	☐	☐	☐	☐	☐	☐	☐	☐
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------



TRALERT®

BETTER LIGHT - WORK SAFER

LED Slimline rear lights 12/24v




Specifications

- Universal LED rear lights
- Available with a black and chrome housing
- Multivoltage 12/24v
- IP68 waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Dimensions: 200 x 50 x 28mm

Current draw (13,8v/28v)

Tail:	0,04A / 0,04A
Stop:	0,32A / 0,18A
Indicator:	0,39A / 0,19A
Reverse:	0,39A / 0,18A
Fog:	0,35A / 0,20A



Article number:	200BIRSTME
	- 4 Function LED combination - 12/24v (multivoltage) light
	- 40cm cable
	- Black housing



Article number:	200BSTME
	- 3 Function LED combination - 12/24v (multivoltage) light
	- 40cm cable
	- Black housing



Article number:	200CSTME
	- 3 Function LED combination - 12/24v (multivoltage) light
	- 40cm cable
	- Chrome housing

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☒	☐	☐	☒	☒

☒	☒	☒	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☒	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



TRALERT®

BETTER LIGHT - WORK SAFER

200-Serie



Article number: **200RME**
 - 2 Function LED stop/tail light - 12/24v (multivoltage)
 - 40cm cable - Black housing

Rear ☒ Stop ☒ Indicator ☐ Fog ☐ Reverse ☐ Licence plate ☐ Reflector ☒ 12 Volt ☒ 24 Volt



Article number: **200CRME**
 - 2 Function LED stop/tail light - 12/24v (multivoltage)
 - 40cm cable - Chrome housing

☒ ☒ ☐ ☐ ☐ ☐ ☐ ☒ ☒



Article number: **200AME**
 - 1 Function LED indicator - 12/24v (multivoltage)
 - 40cm cable - Black housing

☐ ☐ ☒ ☐ ☐ ☐ ☐ ☒ ☒



Article number: **200CAME**
 - 1 Function LED indicator - 12/24v (multivoltage)
 - 40cm cable - Chrome housing

☐ ☐ ☒ ☐ ☐ ☐ ☐ ☒ ☒



Article number: **200FME**
 - 1 Function LED fog light - 12/24v (multivoltage)
 - 40cm cable - Black housing

☐ ☐ ☐ ☒ ☐ ☐ ☐ ☒ ☒



Article number: **200CFME**
 - 1 Function LED fog light - 12/24v (multivoltage)
 - 40cm cable - Chrome housing

☐ ☐ ☐ ☒ ☐ ☐ ☐ ☒ ☒



Article number: **200WME**
 - 1 Function LED reverse light - 12/24v (multivoltage)
 - 40cm cable - Black housing

☐ ☐ ☐ ☐ ☒ ☐ ☐ ☒ ☒



Article number: **200CWME**
 - 1 Function LED reverse light - 12/24v (multivoltage)
 - 40cm cable - Chrome housing

☐ ☐ ☐ ☐ ☒ ☐ ☐ ☒ ☒



Article number: **200B1B** (black housing) **200B1C** (chrome housing)
 - Bracket available in black and chrome
 - Suitable for single units
 - Comes standard with the above lamps.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐



Article number: **200B2B** (black housing) **200B2C** (chrome housing)
 - Bracket available in black and chrome
 - Suitable for 2 single units

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐



Article number: **200B3B** (black housing) **200B3C** (chrome housing)
 - Bracket available in black and chrome
 - Suitable for 2 single units

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐




TRALEART®

BETTER LIGHT - WORK SAFER

LED Slimline rear lights 12 or 24v



235-serie



380-serie



Specifications

- Universal super slimline design LED rear light
- Available in 2 lengths, 237mm & 383mm
- 12V or 24V Voltage Range
- IP67 Waterproof
- European homologation
- EMC suppressed
- 5 years warranty
- Designed to be recess mounted, or surface mounted with bracket

Current draw (13,8v/28v)

	235-serie	380-serie
Tail:	0,04A / 0,05A	0,04A / 0,01A
Stop:	0,16A / 0,13A	0,16A / 0,12A
Indicator:	0,18A / 0,12A	0,18A / 0,10A
Reverse:	0,24A / 0,07A	0,14A / 0,09A

Tail/stop/indicator slimline version

- 3 function slimline LED combination rear light
- Black lens
- Recess version
- Available in 2 lengths, 237mm & 383mm
- 40cm cable



Version	Art.nr
235-serie 12v	235BSTI12
235-serie 24v	235BSTI24
380-serie 12v	380BSTI12
380-serie 24v	N/A

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☐
☒	☒	☒	☐	☐	☐	☐	☐	☒
☒	☒	☒	☐	☐	☐	☐	☒	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐

Tail/stop/indicator in slimline version

- 3 function slimline LED combination rear light
- White lens
- Recess version
- Available in 2 lengths, 237mm & 383mm
- 40cm cable



Version	Art.nr
235-serie 12v	235WSTI12
235-serie 24v	235WSTI24
380-serie 12v	380WSTI12
380-serie 24v	Niet beschikbaar

☒	☒	☒	☐	☐	☐	☐	☒	☐
☒	☒	☒	☐	☐	☐	☐	☐	☒
☒	☒	☒	☐	☐	☐	☐	☒	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐

Tail/stop in slimline version

- 2 function slimline LED combination rear light
- Red lens
- Recess version
- Available in 2 lengths, 237mm & 383mm
- 40cm cable



Version	Art.nr
235-serie 12v	235R12E
235-serie 24v	235R24E
380-serie 12v	380R12E
380-serie 24v	380R24E

☒	☒	☐	☐	☐	☐	☐	☒	☐
☒	☒	☐	☐	☐	☐	☐	☐	☒
☒	☒	☐	☐	☐	☐	☐	☒	☐
☒	☒	☐	☐	☐	☐	☐	☐	☒



TRALERT®

BETTER LIGHT - WORK SAFER

235 & 380-Serie

Indicator slimline version

- 1 function slimline LED indicator
- Amber lens
- Recess version
- Available in 2 lengths, 237mm & 383mm
- 40cm cable



Version

Art.nr

235-serie 12v **235A12E**

235-serie 24v **235A24E**

380-serie 12v **380A12E**

380-serie 24v **380A24E**

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☐	☐	☒	☐	☐	☐	☐	☒	☐
☐	☐	☒	☐	☐	☐	☐	☐	☒
☐	☐	☒	☐	☐	☐	☐	☒	☐
☐	☐	☒	☐	☐	☐	☐	☐	☒

Reverse light slimline version

- 1 function slimline LED reverse light
- White lens
- Recess version
- Available in 2 lengths, 237mm & 383mm
- 40cm cable



Version

Art.nr

235-serie 12v **235W12E**

235-serie 24v **235W24E**

380-serie 12v **380W12E**

380-serie 24v **380W24E**

☐	☐	☐	☐	☒	☐	☐	☒	☐
☐	☐	☐	☐	☒	☐	☐	☐	☒
☐	☐	☐	☐	☒	☐	☐	☒	☐
☐	☐	☐	☐	☒	☐	☐	☐	☒

Mounting bracket for the 235-series slimline single lights



- Dimensions: 258 x 45 x 16mm


Version

Art.nr

235-serie black **235B1B**

235-serie chrome **235C1B**

235-serie white **235W1B**



Mounting bracket for the 380-series slimline single lights



- Dimensions: 404 x 45 x 16mm


Version

Art.nr

380-serie black **380B1B**

380-serie chrome **380C1B**

380-serie white **380W1B**



Mounting bracket for the 235-series slimline single double lights



- Dimensions: 258 x 82 x 16mm


Version

Art.nr

235-serie black **235B2B**

235-serie chrome **235C2B**

235-serie white **235W2B**



Mounting bracket for the 380-series slimline single double lights



- Dimensions: 404 x 82 x 16mm


Version

Art.nr

380-serie black **380B2B**

380-serie chrome **380C2B**

380-serie white **380W2B**



Mounting bracket for the 380-series slimline single lights



- Dimensions: 430 x 35 x 35mm

Version

Art.nr

380-serie chrome **380ELCB**

380-serie white **380ELWB**





TRALERT®

BETTER LIGHT - WORK SAFER

LED Slimline rear lights 12/24v

VC-100 Serie



Lamp layout VC-100




Lamp layout VC-140



Lamp layout VC-110 / VC-120



VC100-serie



Specifications

- Universal super slimline design LED rear lights
- This serie is available in the following versions:
 - Tail/stop/indicator (clear lens)
 - Tail/stop (clear lens)
 - Tail/stop (red lens)
 - Dynamic indicator (clear lens)
 - Fog & reverse combination (clear lens)
- Multivoltage 12/24v
- IP68 Waterproof
- European homologation
- EMC suppressed
- 2 years warranty

Current draw (13,8v/28v)

Tail:	0,02A / 0,02A
Stop:	0,13A / 0,14A
Indicator:	0,16A / 0,08A
Indicator (dynamic):	0,23A / 0,14A
Fog:	0,21A / 0,13A
Reverse:	0,13A / 0,13A

Tail/stop/indicator slimline version



- 3 function LED slimline combinatie rear light
- Clear lens
- 1m. cable

Article number: **VC-100**

Tail/stop/indicator in slimline version



- 2 function LED slimline combinatie rear light
- Clear lens
- 1m. cable

Article number: **VRM-110**

Tail/stop/indicator in slimline version



- 2 function LED slimline combinatie rear light
- Red lens
- 1m. cable

Article number: **VRM-120**

Dynamic indicator in slimline version



- 1 function LED slimline dynamic indicator
- Clear lens
- 1m. cable

Article number: **VDK-130**

Fog & reverse slimline version



- 2 function LED slimline fog - reverse combination light
- Clear lens
- 1m. cable

Article number: **VMR-140**

Rear	Stop	Indicator	Fog	Reverse	Licence plate	Reflector	12 Volt	24 Volt
☒	☒	☒	☐	☐	☐	☐	☒	☒

☒	☒	☐	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☒	☒	☐	☐	☐	☐	☐	☒	☒
-------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☐	☐	☒	☐	☐	☐	☐	☒	☒
--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------

☐	☐	☐	☒	☒	☐	☐	☒	☒
--------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------	--------------------------	--------------------------	-------------------------------------	-------------------------------------



TRALERT®

BETTER LIGHT - WORK SAFER


LED High mount stop lights

High mount stop lamp



High mount stop recess lamp. In addition to the installation, you can also opt for surface mounting with the mounting brackets below in black, chrome and white.

- EMC suppressed
- European homologation
- 12V or 24V Voltage Range IP67
- Waterproof
- 5 years warranty
- Dimensions: 237 x 25 x 16mm



Version	Art.nr
12v version	235RHM12E
24v version	235RHM24E

Version	Art.nr
Black housing	235B1B

Version	Art.nr
Chrome housing	235C1B

Version	Art.nr
White housing	235W1B




High mount stop lamp



High mount stop LED lamp version for surface mounting with screw mounting.

- EMC suppressed
- European homologation
- Multivoltage 12/24v
- IP68 Waterproof
- 2 years warranty
- Dimensions: 133,8 x 26,8 x 14,3mm




Version	Art.nr
12/24v version	V3R-133

High mount stop lamp



High mount stop LED lamp version for surface mounting with screw mounting and backed with super strong 3M™ tape for fully water resistant and secure permanent fastening.

- EMC suppressed
- European homologation
- Multivoltage 12/24v
- IP68 Waterproof
- 2 years warranty
- Dimensions: 225 x 28 x 13mm



Version	Art.nr
0,5m. cable / 12/24v	V3R-190
3,8m. cable / 12/24v	V3R-191

LED Control box



LED Control Box

Electronic module presented in an aluminium housing with 13 or 7PIN socket, plug and 2,5 m cable. The product enables the proper LED lighting solutions cooperation with 12V installations.

Due to the very simple plug & play mounting, costs are saved for mounting resistors.

Specifications

- Aluminium housing
- Reverse polarity protection
- Thermal protection
- Maximum current output overload
- Cable 7 x 0,75mm² & 1 x 1mm² (ground)
- Length input cable 2,5m.
- Length output cable 0,5m.
- With a 7- or 13-PIN plug
- Weight 1750 gram
- 2 years warranty

Light functions simulation

- Tail: 2 x 17 Watt
- Stop: 2 x 4 Watt
- Indicator: 1 x 35 Watt
- Reverse: 1 x 17 Watt
- Fog: 1 x 17 Watt


Warning!



The aluminium housing of the LED control box also performs the function of the heat sink and may become very hot.



Warning!
Putting the bulb on the output is strikingly forbidden.



V10AC-CTRL7

- LED Control Box with a 7-PIN plug
- Cable length to the vehicle is 2,5m.
- 12 Volt only

V10AC-CTRL13

- LED Control Box with a 13-PIN plug
- Cable length to the vehicle is 2,5m.
- 12 Volt only



TRALEAT®

BETTER LIGHT - WORK SAFER

LED Dynamic Indicator Module



D.I.M. Module

With the D.I.M. Module you create the scrolling effect when using multiple indicators next to each other. This effect is also known as a dynamic indicator.

This module must be connected according to the electrical diagram. You can choose to connect 2 or 3 indicators per side to create the scrolling effect.

Technische specificaties

- 24 Volt
- Max. 3 x 5 Watt
- Only suitable for LED
- Possibility to connect 2 or 3 indicators
- Waterproof
- Dimensions: 35 x 28 x 25mm
- 40cm cable
- Cable 4 x 0,75mm²
- 2 years warranty



Article number: **D.I.M.-Module**

- 24 Volt Dynamic Indicator Module
- 1 module per side
- Maximum of 3 indicators

- Maximale load of 3 x 5 Watt
- 40cm cable
- 2 years warranty

LED Canbus solutions



Load resistors

The dummy load resistor is designed to be used on vehicles that have electronic components that are not LED compatible.

Correct fitting

Using the cable terminals supplied ensure that when the wires are connected they provide a completely waterproof connection to ensure safe operation of the vehicle. Make sure the load resistor is secured firmly to an appropriate surface by using the screws provided. If in doubt of the correct fitting procedure of this product please consult a qualified automotive electrician.



Article number: **LR12**

- 12 Volt load resistors
- 50 Watt / 6 Ω


Article number: **LR24**

- 24 Volt load resistors
- 50 Watt / 24 Ω



Warning!

Must be mounted on metal surfaces. The resistor can reach up to 170°C, do not mount the resistor on any surface that can melt by the heat of the resistor, this includes plastics, hoses or painted surfaces



ILS Microprocessor

The i-LS Microprocessor prevents unreliable failure signals being generated from indicator lamps, which can be caused by the extremely low current draws used by LED lamps when installed on traditional bulb lighting systems.


Specifications

- Multivoltage 12/24 Volt
- EMC suppressed
- Does not generate heat
- IP67 waterproof
- Use 1 unit per indicator unit



Article number: **ILS.12/24**

- Microprocessor unit multivoltage 12/24





TRALERT®

BETTER LIGHT - WORK SAFER

LED Canbus solutions

Knipperlicht relais

- Our i-LS Relay has been designed to be used in conjunction with our i-LS.Microprocessor, allowing the reliable detection of an LED indicator failure. The system alerts the driver when an indicator has failed by increasing the flash rate, or terminating an indicator light on the dashboard.
- 12 or 24 Volt
- ISO 13207-1:2012 compliance
- Maximum load 140watts



Article number:	ILS.3P12	
	- 12 Volt 3-pin i-LS Relay - For rigid vehicles (Max 90W)	- 3-PIN
Article number:	ILS.3P24	
	- 24 Volt 3-pin i-LS Relay - For rigid vehicles (Max 90W)	- 3-PIN
Article number:	ILS.4P12	
	- 12 Volt 4-pin i-LS Relay - For vehicles w/ trailers (Max 140W)	- 4-PIN
Article number:	ILS.4P24	
	- 24 Volt 4-pin i-LS Relay - For vehicles w/ trailers (Max 140W)	- 4-PIN

ZS CANBUS

- European universal wiring kit for vehicles with fault detection
- Kit includes: control box, 7-pin socket, wiring kit, fixings and full instructions
- Built-in audible driver warning device
- Universal wiring kit is compatible with:
 - BSI systems with multiplexed cable
 - Can Bus systems
 - LED and/or bulbs



The set contains:

- Control unit
- 7-PIN's socket
- Wiring kit
- Fixings
- Instructions



Article number:	ZSCANBUS
	- European universal wiring kit for vehicles with fault detection

Adapter cables

Adapter cable 7 PIN's AMP - 7 PIN ASS2 Aspöck

Art.nr: **VAC-AMPASP**

With this adapter cable you can easily connect rear lights to the 7-PIN ASS-2 Aspöck system. The rear light must meet the following specifications:

- The article number of the lamp in question must end with **B7**
- This cable can be used on the left and right side

This adapter cable can be used on models from the following series:

VC-320 serie	☐	500-serie	☒	600-serie	☐	700-serie	☐	800-serie	☐	VC-2000 serie	☒	Kingpoint	☒
--------------	--------------------------	-----------	-------------------------------------	-----------	--------------------------	-----------	--------------------------	-----------	--------------------------	---------------	-------------------------------------	-----------	-------------------------------------

Adapter cable left 7 PIN's AMP - 8 PIN's bayonet

Art.nr: **VAC-7-8L**

With this adapter cable you can easily connect rear lights to the 8-PIN bayonet Aspöck system. The rear light must meet the following specifications:

- The article number of the lamp in question must end with **B7**
- The lamp must be for the left side
- For the right cable please see item **VAC-7-8R**
- this cable is not suitable for the VC-2000 series even though it is equipped with 7 PIN'S AMP connector

This adapter cable can be used on models from the following series:

VC-320 serie	☐	500-serie	☒	600-serie	☐	700-serie	☐	800-serie	☐	VC-2000 serie	☐	Kingpoint	☒
--------------	--------------------------	-----------	-------------------------------------	-----------	--------------------------	-----------	--------------------------	-----------	--------------------------	---------------	--------------------------	-----------	-------------------------------------

Adapter cable rechts 7 PIN's AMP - 8 PIN's bayonet

Art.nr: **VAC-7-8R**

With this adapter cable you can easily connect rear lights to the 8-PIN bayonet Aspöck system. The rear light must meet the following specifications:

- The article number of the lamp in question must end with **B7**
- The lamp must be for the right side
- For the left cable please see item **VAC-7-8L**
- this cable is not suitable for the VC-2000 series even though it is equipped with 7 PIN'S AMP connector

This adapter cable can be used on models from the following series:

VC-320 serie	☐	500-serie	☒	600-serie	☐	700-serie	☐	800-serie	☐	VC-2000 serie	☐	Kingpoint	☒
--------------	--------------------------	-----------	-------------------------------------	-----------	--------------------------	-----------	--------------------------	-----------	--------------------------	---------------	--------------------------	-----------	-------------------------------------

Adapter cable left 5 PIN's bayonet - 8 PIN's bayonet

Art.nr: **VAC-5-8L**

With this adapter cable you can easily connect rear lights to the 8-PIN bayonet Aspöck system. The rear light must meet the following specifications:

- The article number of the lamp in question must end with **B5**
- The lamp must be for the left side
- the left version is equipped with the following functions:
 - Tail light
 - Indicator
 - Stop light
 - Fog light

This adapter cable can be used on models from the following series:

VC-320 serie	☒	500-serie	☒	600-serie	☒	700-serie	☒	800-serie	☒	VC-2000 serie	☐	Kingpoint	☐
--------------	-------------------------------------	-----------	-------------------------------------	-----------	-------------------------------------	-----------	-------------------------------------	-----------	-------------------------------------	---------------	--------------------------	-----------	--------------------------

Adapter cable right 5 PIN's bayonet - 8 PIN's bayonet

Art.nr: **VAC-5-8R**

With this adapter cable you can easily connect rear lights to the 8-PIN bayonet Aspöck system. The rear light must meet the following specifications:

- The article number of the lamp in question must end with **B5**
- The lamp must be for the right side
- the right version is equipped with the following functions
 - Tail light
 - Indicator
 - Stop light
 - Reverse light

This adapter cable can be used on models from the following series:

VC-320 serie	☒	500-serie	☒	600-serie	☒	700-serie	☒	800-serie	☒	VC-2000 serie	☐	Kingpoint	☐
--------------	-------------------------------------	-----------	-------------------------------------	-----------	-------------------------------------	-----------	-------------------------------------	-----------	-------------------------------------	---------------	--------------------------	-----------	--------------------------

**TRALERT®**

BETTER LIGHT - WORK SAFER

Adapterkabel & accessoires

5 PIN's bayonet adapter cable (from 1 to 2)

Art.nr: **V10AC-301**

With this adapter cable (1 per side) you can easily connect 1 rear light and 1 fog and / or reversing light from the 700 & 800 series. Lamps you choose from these 2 series must end in B5. The cable are constructed as follows:

- The green connector contains the following functions:
 - Tail light function
 - Stop light function
 - Indicator function
- The yellow connector contains the following functions:
 - Tail light function
 - Fog or reverse light function



This adapter cable can be used on models from the following series:

VC-320 serie ☐ 500-serie ☐ 600-serie ☒ 700-serie ☒ 800-serie ☐ VC-2000 serie ☐ Kingpoint ☐

5 PIN's bayonet adapter cable (from 1 to 3)

Art.nr: **V10AC-302**

With this adapter cable (1 per side) you can easily connect 2 rear lights and 1 fog and / or reversing light from the 700 & 800 series. Lamps you choose from these 2 series must end in B5. The cable are constructed as follows:

- The green connector contains the following functions:
 - Tail light function
 - Stop light function
 - Indicator function
- The yellow connector contains the following functions:
 - Tail light function
 - Fog or reverse light function



This adapter cable can be used on models from the following series:

VC-320 serie ☐ 500-serie ☐ 600-serie ☒ 700-serie ☒ 800-serie ☐ VC-2000 serie ☐ Kingpoint ☐

5 PIN's bayonet adapter cable (from 1 to 4)

Art.nr: **V10AC-303**

With this adapter cable (1 per side) you can easily connect 3 rear lights and 1 fog and / or reversing light from the 700 & 800 series. Lamps you choose from these 2 series must end in B5. The cable are constructed as follows:

- The green connector contains the following functions:
 - Tail light function
 - Stop light function
 - Indicator function
- The yellow connector contains the following functions:
 - Tail light function
 - Fog or reverse light function



This adapter cable can be used on models from the following series:

VC-320 serie ☐ 500-serie ☐ 600-serie ☒ 700-serie ☒ 800-serie ☐ VC-2000 serie ☐ Kingpoint ☐

License plate light with a 1P-connector

- License plate light with connection which can be used with the lamp series: 100-, 150-, 250-, EU200-, EU390-serie

Article number: **41BLM1P**

Dimensions: 70 x 42 x 40mm 1m. cable



License plate light with a 1P-connector

- License plate light with connection which can be used with the lamp series: 100-, 150-, 250-, EU200-, EU390-serie

Article number: **35BLM1P**

Dimensions: 76 x 41 x 30mm 1m. cable



Bayonet connector left

- 5 PIN's bayonet connector left side

V10AC-101B5

Bayonet connector right

- 5 PIN's bayonet connector right side

V10AC-102B5

2m. cable with a left bayonet connector

- Extension cable with a 5-PIN's bayonet or 7-PIN's AMP connector for left side

To be used with article numbers ending with: B5 or B7
Article numbers:

5-PIN's
V10AC-201B57-PIN's
V10AC-201B7

2m. cable with a right bayonet connector

- Extension cable with a 5-PIN's bayonet or 7-PIN's AMP connector for left side

To be used with article numbers ending with: B5 or B7
Article numbers:

5-PIN's
V10AC-202B57-PIN's
V10AC-202B7



LED WORK LIGHTS



LED FLASHERS



LED REAR LIGHTS



LED MARKER LIGHTS



LED INTERIOR LIGHTS



LED WARNING LIGHTS



HARNESS SYSTEMS

Your supplier: