


FRANKLY
AMSTERDAM






ON RETURN

Manufacturing	Machine woven
Pile surface	Tip sheared
Material	100% Recycled Plastic
Pile height	± 9 mm
Pile weight	± 1.900 g/m
Carpet weight	± 2.800 g/m
Carpet thickness	± 11,0 mm
Roll width	2 or 4 meters
Backing	Jute + Latex
Fire classification	Cfl-s1
Colors	12 standard + custom on request
Delivery time	1 - 6 weeks
Advantages	+ suitable for residential and contract + available as stair runner + long-lasting + custom colors available
Installation	Please reference our digital contract brochure

This carpet is eco-friendly by using recycled nylon, made from plastic waste recovered from the world's oceans and marine industries.

Woven in a loop pile with tip-shear the textured surface gives a random look of cut & loop yarns. The carpet is soft to the touch and due to the superior durability suited for soft commercial applications such as hotel rooms or executive offices. Available in 12 standard colors.



Classification EN 1307:2014 and EN 14041:2004



6001



6002




6003




6004




6005



6006




6007




6008




6009



6010



6011



6012

CARE INSTRUCTIONS

Prevention

Use large walk-off mats at all entrances to trap dirt, moisture, and grease. Clean or replace them regularly.

Change HVAC filters to reduce airborne dust.

Regular Maintenance

Vacuuming

Vacuum weekly in low-traffic areas, daily in high-traffic zones.

Use a suction-only vacuum for loop-pile carpets.

Keep vacuum filters clean and bags/cylinders less than half full.

Cleaning

Regular vacuuming and stain removal reduce deep cleaning needs.

Use Woolsafe®-approved cleaners and ensure carpets dry fully before use. Keep a cleaning kit with a spatula, cloths, brushes, and stain removers.

Stain Removal

Act fast—blot (don't rub) stains, working from the edges inward.

Use appropriate cleaners based on stain type and rinse thoroughly.

High-Traffic Areas

Rubber wheel marks from trolleys or wheelchairs attract dirt—remove them with a Woolsafe® solvent and rinse.

Interim Cleaning

If vacuuming isn't enough, use low-moisture cleaning methods to refresh carpets between deep cleans.

Deep Cleaning

Periodic hot water extraction removes deep-seated dirt.

Use warm (not hot) water on wool carpets to prevent shrinkage.

General Maintenance Tips

Inspect carpets regularly for damage.

Clean barrier mats per manufacturer instructions.

Use only carpet-compatible cleaning products.

Protect carpets when moving wheeled furniture.

Ensure proper ventilation when using cleaning solutions.

Disclaimer, Moquetas Rols provides this guide as general advice and is not responsible for maintenance-related claims. Always follow proper cleaning practices for best results.

WARRANTY

- Frankly Amsterdam **guarantees** its carpets for 2 years of normal use.
- All our products are made with care. In case a **manufacturing defect** escaped our attention, please inform us within 14 days after delivery and leave the product unused.
- Small differences or **irregularities** in color, weft or size may occur. This is to be accepted when within normal commercial tolerances
- Frankly Amsterdam will not accept any complaint if shading is concerned.
- Due to the nature of the shaving process, patterns in cut-loop pile qualities will appear irregular. Each rug is individually unique, with no two pieces exactly alike.

