



# Examination gloves Nitrile Sense

REF: 210258 XS/S/M/L/XL

**Examination gloves Nitrile Sense** waterproof personal protective gloves against minimal chemical risks and microorganisms (Complex Design).

## Key Features:

- ▶ Thin powder-free nitrile glove, ambidextrous and with rolled rim for extra cuff strength
- ▶ Good viral barrier properties, protects against variety of chemicals
- ▶ Excellent tactile sensitivity, enhanced wet and dry grip with microtextured fingertips
- ▶ Excellent fit, easy to don and remove
- ▶ Free of latex, powder and proteins, good alternative to those suffering from type I allergies
- ▶ The gloves are suitable for all food contact



## Recommendations for use:



Basic Procedures and wards



Cleaning



Food Handling

MEDICAL	93/42/EEC	CLASS I	EN 455	AQL 1,5
PPE	89/686/EEC	CATEGORY III	EN 374 EN 420	AQL <1,5

REF	DESCRIPTION	OVERALL LENGTH	PACK COUNT dispenser/carton
210258 XS	Examination gloves, Nitrile Sense, blue	240 mm	200/2000
210258 S	Examination gloves, Nitrile Sense, blue	240 mm	200/2000
210258 M	Examination gloves, Nitrile Sense, blue	240 mm	200/2000
210258 L	Examination gloves, Nitrile Sense, blue	240 mm	200/2000
210258 XL	Examination gloves, Nitrile Sense, blue	240 mm	180/1800

**Sales Unit:** Transport Carton

# Technical Summary

## Regulations

The product complies with legal requirements for medical devices and personal protective equipments.



[NATURAL LATEX FREE]

<b>REACH regulation:</b>	The products covered by this data sheet do not contain carcinogenic, mutagenic or toxic for reproduction substances, including any of the Substances of Very High Concern (SVHC) as listed in the latest available version of the Candidate List published by European Chemicals Agency (ECHA).
<b>Freedom of holes:</b> EN 455-1	AQL 1.5
<b>Force at break (N):</b> EN 455-2	≥ 6.0 before ageing ≥ 6.0 after ageing
<b>Biological evaluation:</b> EN 455-3	Total quantity of powder residues for powder-free glove < 2 mg/glove
<b>Compliance with legal requirements:</b>	Medical Devices Directive 93/42/EEC, Class I Personal protective equipment Directive 89/686/EEC, CAT III
<b>Compliance with product standards:</b>	EN 455: 1 – 4
<b>Chemical resistance:</b>	EN 374-3, EN 16523-1
<b>Food safety:</b>	Regulation (EC) No 1935/2004 on materials and articles intended to come into contact with food
<b>Other tests performed:</b>	Air leak and Water leak according to EN 374-2 (Level 2) Allergy skin irritation Allergy skin sensitization Chemicals residue Cytotoxicity Dexterity, length and pH according to EN 420 Mechanical performance according to EN 388 Microbiological quality RoHS compliance Resistance to degradation by chemicals according to EN 374-4 Viral penetration
<b>Quality standards:</b>	EN ISO 13485
<b>Label information and packaging compliance:</b>	EN ISO 15223-1, EN 1041 and EN 420

## Material

Product Part	Raw Material & Characteristic
Palm	Acrylonitrile-butadiene (Nitrile), blue, single wall thickness min. 0.05mm
Finger	Acrylonitrile-butadiene (Nitrile), blue, single wall thickness min. 0.08mm











## Warnings and Recommendations

<b>Warnings:</b>	The product is single use. If reused, the performance of product may deteriorate and cross contamination may occur. The product contains dithiocarbamates – not to be used in case of hypersensitivity to these substances.
<b>Storage Recommendation</b>	Recommended storage in clean, dry space in ambient temperature. Products should be protected from direct sunlight, other intensive light sources and ozone
<b>Disposal Recommendation</b>	Dispose in accordance with local regulations.
<b>Shelf Life</b> EN 455-4	5 Years

## Packing Information

Package	Material	Size ( L x W x H ) mm
Single Pack	N/A	N/A
Dispenser Pack	Cellulose , TCF quality	242 x 122 x 75 mm
Transport Carton	Cellulose , TCF quality	385 x 252 x 252 mm
Packing Tape	Transparent, PVC-free	N/A

## Barcodes

REF	Single Pack	Dispenser	Transport Carton
210258 XS	N/A	 6 438129 353617	 6 438129 553611
210258 S	N/A	 6 438129 353624	 6 438129 553628
210258 M	N/A	 6 438129 353631	 6 438129 553635
210258 L	N/A	 6 438129 353648	 6 438129 553642
210258 XL	N/A	 6 438129 353655	 6 438129 553659