

Examination gloves, Vinyl STRETCH

REF: 6325, 6326, 6327, 6328 and 6329

Stretchable powder-free vinyl examination glove for single use.

Key Features:

- ▶ Stretchable and flexible
- ▶ Ambidextrous and with rolled rim for extra cuff strength
- ▶ Powder free and latex free
- ▶ Good alternative to those suffering from type I and accelerator related type IV allergies



Recommendations for use:








Basic procedures and ward



Wash



Basic cleaning

REF	DESCRIPTION	SIZE CODE	OVERALL LENGTH	PACK COUNT dispenser/carton
6325	Examination gloves, Vinyl STRETCH, XS		240 mm	100/1000
6326	Examination gloves, Vinyl STRETCH, S		240 mm	100/1000
6327	Examination gloves, Vinyl STRETCH, M		240 mm	100/1000
6328	Examination gloves, Vinyl STRETCH, L		240 mm	100/1000
6329	Examination gloves, Vinyl STRETCH, XL		240 mm	100/1000

Sales Unit: Transport Carton

Technical Summary

Regulations

The product complies with legal requirements for medical devices.



LATEX FREE

EN 455

REACH regulation:	The products covered by this data sheet does not contain any substances classified as carcinogenic, mutagenic or toxic for reproduction (CMR), including any of the Substances of Very High Concern (SVHC) as listed in the latest available version of the Candidate List published by European Chemicals Agency (ECHA).
Freedom of holes: EN 455-1	AQL 1.5
Force at break (N): EN 455-2	During shelf life ≥ 3.6 N After challenge testing ≥ 3.6 N
Biological evaluation: EN 455-3	Total quantity of powder residue: < 2 mg/glove
Compliance with legal requirements:	Medical Devices Directive 93/42/EEC, Class I
Compliance with product standards:	EN 455: 1 – 4
Food safety:	Approved for use in food industry in accordance with EU regulations 1935/2004 and 10/2011 and its amendments. Suitable for handling dry and aqueous foods – not for handling fatty foodstuffs.
Quality standards:	EN ISO 13485
Label information and packaging compliance:	EN ISO 15223-1 and EN 1041

Material

Product Part	Raw Material & Characteristic
Palm	Polyvinyl chloride, single wall thickness min. 0.08 mm
Finger	Polyvinyl chloride, single wall thickness min. 0.08 mm











Warnings and Recommendations

Warnings:	The product is single use. If reused, the performance of product may deteriorate and cross contamination may occur.
Storage Recommendation	Recommended storage in clean, dry space in ambient temperature. Products should be protected from direct sunlight, other intensive light sources and ozone.
Disposal Recommendation	Dispose in accordance with local regulations.
Shelf Life EN 455-4	5 Years

Packing Information

Package	Material	Size (L x W x H) mm
Single Pack	N/A	N/A
Dispenser Pack	Cellulose, TCF quality	240 x 120 x 65 mm
Transport Carton	Cellulose, TCF quality	250 x 250 x 340 mm
Packing Tape	Transparent, PVC-free	N/A

Barcodes

REF	Single Pack	Dispenser	Transport Carton
6325	N/A	 6 438129 310900	 6 438129 510904
6326	N/A	 6 438129 310917	 6 438129 510911
6327	N/A	 6 438129 310924	 6 438129 510928
6328	N/A	 6 438129 310931	 6 438129 510935
6329	N/A	 6 438129 310948	 6 438129 510942