





C LINE III




BUILT IN 15 STOP DIMMER.

The new C line version III has a slow start and down function and built-in dimming that can adjust the brightness in 15 steps you want.



C LINE DESIGN.

It completed beautiful design with tropical green and functions.



DENSE RGB LED.

New C line is 20% brighter and has 40% higher RGB ratio than Version II for vivid color.

C LINE COLOR GRADING.

More bright and richer RGB light bring more vivid colors in the aquarium.

600C II

33

RGB LED

1625

Brightness (lm)

600C III

56

RGB LED

2056

Brightness (lm)

C LINE III SPECIFICATION

MODEL	TANK SIZE (mm)	GLASS THICKNESS (mm)	NUMBER OF LED		POWER CONSUMPTION (W)	BRIGHTNESS (lm)
			WHITE	RGB		
200C	200x200x200	5	21	22	16	1028
300C	300x180x240	5	21	22	16	1028
450C	450x270x300	6	30	30	24	1542
600C	600x300x360	8	42	50	32	2056
900C	900x450x450	12	70	82	45	2891
1200C	1200x450x450	12	84	106	62	3984

TWINSTAR

A. #2102, Centurm Sky Biz, Heanda Gu, Busan, Korea.
T. +82 911 3939 E. sales@twinstar.kr W. www.twinstar.kr