



ABOUT US

Modern Flames was established in 2008 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has skyrocketed with many firsts to market which include; the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first steam electric fireplace. Modern Flames' products have gained notoriety with architects, designers,

builders and homeowners for its unbelievable life-like flame appearance,

ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, Modern Flames' new FusionFire™ technology allows consumers to achieve the look of a fireplace without sacrificing the realism of a real fire. With a new corporate headquarters and expanded warehouse in Phoenix, Arizona, along with it's new steam technology, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.

CONTENTS

8-11 Landscape FullView 2 Series Electric Fireplace with Unique Frameless Design

12-15 Landscape Pro Slim Series Electric Fireplace with Unique Frameless Design

4-7 Ambiance CLX2 Series Framed Recessed Wall Mount Electric Fireplace

16-19 Landscape Pro MultiView Series Built-in Clean Face Electric Fireplace

20-23 Spectrum Linear Series Linear Electric Fireplace with 12 Flame Colors

24-27 Spectrum Conventional Series Conventional Electric Fireplace with 12 Flame Colors 28-31 Sedona Series Built-in Flush Mount Electric Fireplace

32-33 Sunset Charred Oak Logs Electric Log Set - Li-ion Battery or Plug-in

34-35 ZCR2 Series Electric Fireplace Insert






AMBIANCE CLX2 SERIES Recessed or Wall Mount Electric Fireplace

The popular Ambiance CLX2 electric fireplace offers the ultimate combination of versatility and design. This award winning, upgraded product series has an improved look offering simple customization.

STANDARD FEATURES

AMBIANCE CLX2 SERIES Available in 5 Linear Widths with More Ways to Customize





Fireplace Height 25.5" with 5 Widths Available:








Orange Flames with Standard Coal Bed

Orange Flames with Standard Glacier Glass Ember Bed Blue Flames with Standard Glacier Glass Ember Bed



UPGRADE OPTION - HALO BACKLIGHT KIT





AMBIANCE CLX2 SERIES

Technical Specs



NEW REMOTE CONTROL Separate controls for on/off

variable heat and variable flame.



TOUCH SCREEN TECHNOLOGY

A user-friendly series of touch controls operate power, heat (on/off) and light intensity.

Press light intensity for 5 sec. and the flame changes from orange to blue.

The up/down arrows and digital readout indicate and control the temperature setting.


All touch controls fade to black after 4 sec.

With the metal face upgrades you will no longer be able to have the ability to operate the touchscreen on the face of the fireplace. A touchscreen can be mounted in the wall within 3' of the fireplace.

MODEL #	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
AL45CLX2-G	AC 120V / 60Hz	1,520	5,000	30" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL60CLX2-G	AC 120V / 60Hz	1,530	5,000	45" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL80CLX2-G	AC 120V / 60Hz	1,550	5,000	65" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL100CLX2-G	AC 120V / 60Hz	1,570	5,000	85" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL144CLX2-G	AC 120V / 60Hz	1,610	5,000	131 1/2" L x 19 1/2" H x 4" D	Recessed ONLY

AL6oCLX2 TECHNICAL DRAWING SHOWN

				-	-		
MODEL #	A	В	С	D	E	F	G
AL45CLX2-G	10"	27"	5 1/8"	29 1/4"	19 1/4"	45"	25 1/2"
AL60CLX2-G	10"	42"	5 1/8"	44 1/4"	19 1/4"	60"	25 1/2"
AL80CLX2-G	10"	62"	5 1/8"	64 1/4"	19 1/4"	80"	25 1/2"
AL100CLX2-G	10"	82"	5 1/8"	84 1/4"	19 1/4"	100"	25 1/2"
AL144CLX2-G	10"	126"	5 1/8"	122 1/2"	19 1/4"	144"	25 1/2"



LANDSCAPE FULLVIEW 2 SERIES

Available in 5 Linear Widths with Orange or Blue Changeable Flames



Fireplace Height 15" with 5 Widths Available:



40"

Blue Flames shown with Standard Media – Standard & Dusted w/paint

Orange Flames shown with Standard Media – Standard & Dusted w/paint

MEDIA UPGRADES



LFV2-40/15-SH with DWLS-4015



LFV2-40/15-SH with GC-4015 & BGC-40/15 Can be Ordered Separately









LANDSCAPE FULLVIEW 2 SERIES

٢

٨

 \odot





Separate controls and variable flame.

TOUCH SCREEN TECHNOLOGY Touch control panel can be wall mounted within ten feet of the fireplace. The 3 stacked icons (in order) operate

the power, heat (on/off) and light intensity. Hold the light intensity for five seconds to change the flame color from orange to blue. All touch controls fade to black after 4 seconds.

MODEL #	VOLTS	WATTS	BTU's	FRAMING (ROUGH OPENING)	INSTALLATION TYPE
LFV2-40/15-SH	AC 120V / 60Hz	1,530	5,000	55 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-60/15-SH	AC 120V / 60Hz	1,530	5,000	75 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-80/15-SH	AC 120V / 60Hz	1,550	5,000	95 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-100/15-SH	AC 120V / 60Hz	1,600	5,000	115 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-120/15-SH	AC 120V / 60Hz	1,600	5,000	135 3/4" L x 12" D x 23" H	Built-In Clean Face

LFV2-60/15-SH TECHNICAL DRAWING SHOWN

MODEL #	Α	В	С	D	E	F
LFV2-40/15	15″	40″	111⁄2″	221⁄2″	54¾″	57¼″
LFV2-60/15	15″	60″	11½″	221⁄2″	74¾″	77¼″
LFV2-80/15	15″	80″	11½″	221⁄2″	94¾"	97¼″
LFV2-100/15	15″	100″	11½″	221⁄2″	114¾″	117¼″
LFV2-120/15	15″	120″	11½″	221⁄2″	134¾″	137¼″



LANDSCAPE PRO SLIM SERIES Built-in Clean Face Electric Fireplace

The Landscape Pro Slim built-in electric fireplace is the perfect option for any consumer looking to build in an electric fireplace into any 2 x 6 framed wall. This new Slim model in the Landscape Series features a unique frameless design for a true edge to edge viewing area. A new relocated top mount heater allows for a larger viewing area and new LED light technology give this Slim model a crisp multi-color flame. The Landscape Pro Slim features a 5000 BTU heater, Remote & wireless wall tether control & 4 convenient sizes (42", 54", 66" & 78").

Landscape Pro Slim 54"

STANDARD FEATURES 12 Different Flame & Ember Bed Color Options Back Flame & Ember Bed Controlled Independently or Together 3 Different Ember Bed Stone Styles Full Flame Viewing Area K Fully Finished Clean Face Installation Finish Trim Kit Included 5,000 BTU Variable Heater Variable Flames AND CONTRACT Remote Control Wireless Tether Controls


LANDSCAPE PRO SLIM SERIES Fireplace Available in 4 Standard Widths





Available in 4 Standard Widths with Stone Ember Bed:





12 Flame Colors - 4 Primary Colors Shown



Comes Standard With 3 Different Types of Stone Media: Clear, Gray and White



LANDSCAPE PRO SLIM SERIES

Technical Specs



۰		
	(4))
	٨)
	Ý)

TOUCH SCREEN TECHNOLOGY


Touch control panel can be wall mounted within ten feet of the fireplace. The 3 stacked icons (in order) operate the power, heat (on/off) and light intensity. Hold the light intensity for five seconds to change the flame color from orange to blue. All touch controls fade to black after 4 seconds.

LANDSCAPE PRO SLIM DIMENSIONS

MODEL #	А	В	С	D	E	Framing (WxHxD)
LPS-4214	13 1/2"	42"	6"	23 7/8"	44 1/2"	45"W x 24 1/4"H x 5 1/2"D
LPS-5414	13 1/2"	54"	6"	23 7/8"	56 1/2"	57"W x 24 1/4"H x 5 1/2"D
LPS-6614	13 1/2"	66"	6"	23 7/8"	68 1/2"	69"W x 24 1/4"H x 5 1/2"D
LPS-7814	13 1/2"	78"	6"	23 7/8"	80 1/2"	81"W x 24 1/4"H x 5 1/2"D

LANDSCAPE PRO SLIM 54" DRAWING SHOWN














LANDSCAPE PRO MULTIVIEW SERIES Built-in Clean Face Electric Fireplace


The Landscape Pro MultiView is the industry's first 3-sided customizable length built-in electric fireplace on the market today and comes in 4 standard sizes (42", 54", 66", 78"). With removable side panels, custom installations can now range from a right corner, left corner or bay application with seamless glass edges. The Landscape Pro MultiView features a true edge to edge viewing area for a unique frameless design. A new relocated top mount heater allows for a larger viewing area and new LED light technology give this MultiView model a crisp multi-color flame. The Landscape Pro Multiview also has the ability to be wired 110V for 5,000 BTU heater OR 220V for 10,000 BTU heater & includes 3 different standard media options in the box. An active ember bed gives your media a pulsating effect & unique downlighting allow you to illuminate your logs when the back flame is off. This fully featured built-in electric fireplace is full of customizations & options.





LANDSCAPE PRO MULTIVIEW SERIES Fireplace Available in 4 Standard Widths





Available in 4 Standard Widths with Stone Ember Bed:

12 Flame Colors - 4 Primary Colors Shown



Comes Standard With 3 Different Types of Stone Media: Clear, Gray and White



54"

Upgrade Option Driftwood Log Set

18

LANDSCAPE PRO MULTIVIEW SERIES

Technical Specs






TOUCH SCREEN TECHNOLOGY


Touch control panel can be wall mounted within ten feet of the fireplace. The 3 stacked icons (in order) operate the power, heat (on/off) and light intensity. Hold the light intensity for five seconds to change the flame color from orange to blue. All touch controls fade to black after 4 seconds.

LANDSCAPE PRO MULTIVIEW DIMENSIONS

MODEL #	A	В	С	D	E	Framing (WxHxD)
LPM-4216	15 7/8"	42"	10 1/2"	24 3/4"	44"	44 1/2"W x 25 1/4"H x 10 1/2"D
LPM-5416	15 7/8"	54"	10 1/2"	24 3/4"	56"	56 1/2"W x 25 1/4"H x 10 1/2"D
LPM-6616	15 7/8"	66"	10 1/2"	24 3/4"	68"	68 1/2"W x 25 1/4"H x 10 1/2"D
LPM-7816	15 7/8"	78"	10 1/2"	24 3/4"	80"	80 1/2"W x 25 1/4"H x 10 1/2"D

LANDSCAPE PRO MULTIVIEW 54" DRAWING SHOWN










SPECTRUM LINEAR SERIES Electric Fireplace Built-in Flush Mount

Modern Flames Linear Spectrum Series Built-In Flush Mount Electric Fireplace brings the flame versatility and size options. Our award winning flame appearance now features 12 different flame color combinations to choose from. A gray back screen allows the colors to shimmer and shine, dancing off multicolor glacier diamond glass, creating a crisp, clean flame and contemporary look. Add our realistic Driftwood Logs for a more traditional look. The Spectrum Linear Series is available in 2 different widths: 50" or 74" models. A thermostat, touch control and remote completes this innovative series.



SPECTRUM LINEAR SERIES 12 Flame Color Combinations at the Push of a Button

The 6 button control panel is located at the top right of fireplace including the digital readout thermostat. Button #1 turns the fireplace on or off. Button #2 turns on the heater. Button #3 turns the heater temperature up and #4 turns the heat down. Button #5 cycles through the 12 different flame color combinations, and button #6 adjusts the flame intensity.


















Green



Ice Blue



Magenta
















Red





White





MODEL SL50-B SL74-B

Spectrum Linear Upgrade Options




Optional Canyon Driftwood Logs (CDL-50L & CDL-74L)

Spectrum Linear Technical Specs

L #	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
	AC 120V / 60Hz	1,530	5,000	48 1/2" L x 18 1/4" H x 8" D	Fully Recessed
	AC 120V / 60Hz	1,530	5,000	72 1/2" L x 18 1/4" H x 8" D	Fully Recessed

MODEL #	A	В	С	D	E	F	G
SL50-B	13 1/4"	46 1/4"	7 5/8"	47 7/8"	18"	49 3/4"	19"
SL74-B	13 1/4"	70 1/2"	7 5/8"	72 1/8"	18"	74"	19"










Modern Flames Conventional Spectrum Series Built-In Flush Mount Electric Fireplace brings flame versatility with 12 different flame color combinations to choose from. A gray back screen allows the colors to shimmer and shine, dancing off multicolor glacier diamond glass, creating a crisp, clean flame and contemporary look along with our realistic Driftwood Logs. The Spectrum Conventional Series is available in a 36" wide model. A thermostat, touch control and remote completes this innovative series.

SPECTRUM CONVENTIONAL SERIES Electric Fireplace Built-in Flush Mount





SPECTRUM CONVENTIONAL SERIES 12 Flame Color Combinations at the Push of a Button

The 6 button control panel is located at the top right of fireplace including the digital readout thermostat. Button #1 turns the fireplace on or off. Button #2 turns on the heater. Button #3 turns the heater temperature up and #4 turns the heat down. Button #5 cycles through the 12 different flame color combinations, and button #6 adjusts the flame intensity.







Cvan



Fmerald



Gold



Green

Orange



Ice Blue



Magenta














White






SPECTRUM SERIES Technical Specs - Conventional




MODEL #	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
SC36-B	AC 120V / 60Hz	1,530	5,000	35 1/2" L x 24 1/4" H x 8" D	Fully Recessed

SC36-B DIMENSIONS







SEDONA SERIES Built-in Flush Mount Electric Fireplaces

SEDONA SERIES Traditional or Contemporary

STANDARD FEATURES



Standard Sedona Firebox with Canyon Driftwood Logs & Herringbone Brick Side Panels

UPGRADE OPTION



Upgrade: Contemporary Glacier Kit & Black Glass Side Panels

EMBER BED WITH CHANGEABLE COLORS - Shown Below with Upgrade Contemporary Glacier Kit










MODE SDF-36 SDF-42



Multiple Ember Bed Colors - 4 Colors Shown

SEDONA SERIES Technical Specs





TOUCH SCREEN TECHNOLOGY


Directly above the flame on the right hand side you will find a series of touch controls. The 3 icons (in order) operate the power, heat (on/off) and light intensity. All touch controls fade to black after 4 seconds.


SEDONA FRAMING DIMENSIONS

EL #	Framing Dimensions(WxHxD)
6C	35 3/4"W x 25"H x 12"D
2C	41 1/2"W x 29"H x 14"D

SEDONA 36" DIMENTIONAL DRAWING

SEDONA 42" DIMENTIONAL DRAWING





SUNSET CHARRED OAK LOGS Electric Log Set






The Sunset Charred Oak Electric Logs set is the industries first battery powered and Wi-Fi enabled electric logs. This electric log set is designed to simply be unpackaged and installed into any existing wood burning fireplace without the hassle of running a electrical line. The Sunset Charred Oak features High Definition resin log detail, unsurpassed bark detail, 8 color paint scheme, Realistic LED ember bed, 6 stage lighting intensity and flame settings, hidden manual controls & Wi-Fi capability. Never has it been easier to add a full featured electric log set to your wood burning fireplace.

HIGH DEFINITION RESIN LOG & BARK DETAIL










26" LOG DIMENSIONS: 12.25" Height 25.5" Width 13.5" Depth

20" LOG SET ALSO AVAILABLE


20" LOG DIMENSIONS: 10" Height 19.5" Width 10" Depth

STANDARD FEATURES









ZCR2 INSERT Electric Fireplace Insert

The ZCR2 Series is specifically designed to insert into an existing 30" – 42" wood burning fireplace and provide a beautiful and economical substitute to a gas log set or gas insert. Simply run power to your fireplace & insert the ZCR2 into the firebox without the need of screws or attaching hardware. The ZCR2 comes standard with new canyon driftwood logs & contemporary glacier glass for a traditional or contemporary look. A standard 4800 BTU heater & touch screen controls with a remote are all included. Finish off the ZCR2 with one of five different trim options to fit a plethora of unique firebox openings.

OPTIONAL TRIM KITS




Trim Kit: TK-ZCR2-3222






Trim Kit: TK-ZCR2-4326

ZCR2 DIMENSIONS



REMOTE CONTROL Separate controls for on/off variable heat and variable flame.



MODERN FLAMES



ModernFlames.com 3515 E. Atlanta Ave. Phoenix, AZ 85040 (602) 268-9353 • (877) 246-9353



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW