

CONDITIONS DE TRAVAIL

Température -30°C à 100°C
 Vitesse ≤ 0,8 m/s
 Fluides huiles minérales

MATIERES


10DSR NBR 90 ShA

MONTAGE

Introduire le racleur dans le logement

AVANTAGES

Montage simple



Racleurs pour logements fermés

10DSR					
ARTICLE	d	D	L	C	E
10DSR 04	4.00	12.00	4.00	10.00	1.00
10DSR 08	8.00	16.00	4.00	14.00	1.00
10DSR 10	10.00	18.00	4.00	16.00	1.00
10DSR 12	12.00	20.00	4.00	18.00	1.00
10DSR 14	14.00	22.00	4.00	20.00	1.00
10DSR 15	15.00	23.00	4.00	21.00	1.00
10DSR 16	16.00	24.00	4.00	22.00	1.00
10DSR 18	18.00	26.00	4.00	24.00	1.00
10DSR 20	20.00	28.00	4.00	26.00	1.00
10DSR 22	22.00	30.00	4.00	28.00	1.00
10DSR 24	24.00	32.00	4.00	30.00	1.00

10DSR 25	25.00	33.00	4.00	31.00	1.00
10DSR 28	28.00	36.00	4.00	34.00	1.00
10DSR 30	30.00	38.00	4.00	36.00	1.00
10DSR 32	32.00	40.00	4.00	38.00	1.00
10DSR 35	35.00	43.00	4.00	41.00	1.00
10DSR 36	36.00	44.00	4.00	42.00	1.00
10DSR 38	38.00	46.00	4.00	44.00	1.00
10DSR 40	40.00	48.00	4.00	46.00	1.00
10DSR 42	42.00	50.00	4.00	48.00	1.00
10DSR 45	45.00	53.00	4.00	51.00	1.00
10DSR 48	48.00	56.00	4.00	54.00	1.00
10DSR 50	50.00	58.00	4.00	56.00	1.00
10DSR 52	52.00	60.00	4.00	58.00	1.00
10DSR 55	55.00	63.00	4.00	61.00	1.00
10DSR 56	56.00	64.00	4.00	62.00	1.00
10DSR 60	60.00	68.00	4.00	66.00	1.00
10DSR 62	62.00	70.00	4.00	68.00	1.00
10DSR 63	63.00	71.00	4.00	69.00	1.00
10DSR 65	65.00	73.00	4.00	71.00	1.00
10DSR 70	70.00	78.00	4.00	76.00	1.00
10DSR 75	75.00	83.00	4.00	81.00	1.00
10DSR 80	80.00	88.00	4.00	86.00	1.00
10DSR 85	85.00	93.00	4.00	91.00	1.00
10DSR 90	90.00	98.00	4.00	96.00	1.00
10DSR 95	95.00	103.00	4.00	101.00	1.00
10DSR 100	100.00	108.00	4.00	106.00	1.00
10DSR 105	105.00	117.00	5.50	114.00	1.50
10DSR 110	110.00	122.00	5.50	119.00	1.50
10DSR 120	120.00	132.00	5.50	129.00	1.50
10DSR 125	125.00	137.00	5.50	134.00	1.50
10DSR 130	130.00	142.00	5.50	139.00	1.50
10DSR 140	140.00	152.00	5.50	149.00	1.50
10DSR 150	150.00	162.00	5.50	159.00	1.50
10DSR 155	155.00	167.00	5.50	159.00	1.50
10DSR 160	160.00	172.00	5.50	169.00	1.50
10DSR 170	170.00	182.00	5.50	179.00	1.50
10DSR 180	180.00	192.00	5.50	189.00	1.50
10DSR 190	190.00	202.00	5.50	199.00	1.50
10DSR 200	200.00	212.00	5.50	209.00	1.50

10DSR 210	210.00	225.00	6.50	221.00	2.00
10DSR 220	220.00	235.00	6.50	231.00	2.00
10DSR 240	240.00	255.00	6.50	251.00	2.00
10DSR 250	250.00	265.00	6.50	261.00	2.00
10DSR 300	300.00	315.00	6.50	311.00	2.00
10DSR 340	340.00	355.00	6.50	351.00	2.00
10DSR 450	450.00	465.00	6.50	461.00	2.00