



# Ledvion

## LED STRIP

Non-Smart

Habraken 1205  
5507 TB Veldhoven  
The Netherlands  
[www.ledvion.com](http://www.ledvion.com)

LVS20001, LVS20002, LVS20003, LVS20004, LVS20005 & LVS20006

### EN INSTALLATION INSTRUCTIONS:

**Attention**

Installation should only be done by persons with electro technical knowledge and experience. These products are not suitable for installation at locations near the sea or in other environments with a corrosive atmosphere.

### DE INSTALLATIONSANLEITUNG

**Beachtung**

Die Installation sollte nur durch Personen mit elektronischen Kenntnissen und Erfahrungen ausgeführt werden. Nicht geeignet für die Installation an Orten nahe am Meer oder in anderen Bereichen mit einer korrosiven Atmosphäre.

### NL INSTALLATIE INSTRUCTIES

**Attentie**

Installatie dient door een erkende installateur te worden verricht in overeenstemming met plaatselijke en (inter)nationale voorschriften voor elektrische installaties. Niet geschikt voor installatie op locaties dicht bij de zee of in overige omgevingen met een corrosieve atmosfeer.

### FR NOTICE D'INSTALLATION


**Attention**

L'installation ne doit être effectuée que par des personnes possédant des connaissances et de l'expérience en électrotechnique. Ne convient pas pour une installation dans des endroits à proximité de la mer ou dans d'autres zones avec une atmosphère corrosive.

### ES INSTRUCCIONES DE INSTALACIÓN

**Atención**

Instalación sólo para personas con conocimientos técnicos de electricidad y experiencia. No es adecuado para su instalación en lugares cercanos al mar o en otros ambientes con una atmósfera corrosiva.



# Ledvion

LED STRIP

**Ledvion**  
Habranken 1205  
5507 TB Veldhoven  
The Netherlands

www.ledvion.com

## INSTALLATION INSTRUCTION

### WARNINGS!

1. The LED strip should be stored in a dry and sealed environment. It is recommended that the storage period should not be too long. Please unpack before use. Working environment temperature: -25°C ~ 40°C, storage temperature degree: 60°C, please use the non-waterproof light strip indoors, and the relative humidity should not be higher than 70
2. Please pay attention to the operation, when the power is turned on, do not touch the AC power terminal to prevent electric shock
3. In the installation process, pay attention to the positive and negative poles of the power cord, and do not connect wrongly. Whether the voltage of the power supply and the product are the same, so as to avoid damage to the product
4. It is strictly forbidden to use any acidic or alkaline adhesive to fix products (including but not limited to glass, glue, etc.)
5. In order to ensure the life of the light strip and the environment in which it is used, the power cord cannot be pulled forcefully during use, and collisions are forbidden to avoid damage to the LED light

### PACKING:


- LED Strip: 3m, 5m or 2\*5m
- Mounting Clips: 3m - 5 clips | 5m - 10 clips | 2\*5m - 15 clips
- Remote
- Adapter

## TECHNICAL DATA:

Model	LEDs/M	Color	Strip Length	Voltage	Power(W)/set	Cuttable	Dimmable
LVS20001	60	CCT	3m	24V	12	Yes, per 20cm	Yes
LVS20002	60	RGB WW	3m	24V	12	Yes, per 20cm	Yes
LVS20003	60	CCT	5m	24V	24	Yes, per 20cm	Yes
LVS20004	60	RGB WW	5m	24V	24	Yes, per 20cm	Yes
LVS20005	60	CCT	2*5m	24V	24	Yes, per 20cm	Yes
LVS20006	60	RGB WW	2*5m	24V	24	Yes, per 20cm	Yes


## REMOTE CONTROL:

Model: LVS20001, LVS20003 and LVS20005



1. Brightness +
2. Brightness -
3. OFF
4. ON
5. CCT change
6. Static color
7. Cold white jump | Warm white jump | Alternate flash
8. Cold white gradient | Warm white gradient | Alternate CCT
9. Speed +
10. Speed -

Model: LVS20002, LVS20004 and LVS20006



1. Brightness +
2. Brightness -
3. OFF
4. ON
5. Static color mode
6. RGB color jump
7. RGB color gradient
8. Multicolour gradient
9. Multicolour jump to change

## INSTALLATION OF LED STRIP:

**1**

LVS20001 - LVS20004

1x

OR

1x

LVS20005  
LVS20006

OR

1x

Mounting clips  
5/10/15x

1

OFF

**2**

Driver: 24VA

200mm

**3**

\*Clean surface before use

$r \geq 30mm$

$r < 30mm$

$a \geq 60^\circ$

$a < 60^\circ$

**4**

5m

120°

5m

5m

1

2

3

2x AAA  
Not incl.

**5**

Driver: 24VA

LVS20001 - LVS20004

LVS20005, LVS20006

