

STAINLESS STEEL
COFFEE & TEA
BREWING & DISPENSING MACHINES



BLISS[®]

by **PRADEEP**[®]

Stainless Steel Coffee & Tea Brewing & Dispensing Machines



COFFEE BREWER WITH AUTOMATIC DISPENSING

ITEM NO	WxHxD (mm)	Pcs / Ctn	CBM
111521	610x670x410	1	0.321
111523	470x550x380	1	0.189

Fill Type: Automatic
Fill Temperature: Normal
Dispensing Options: Decoction, Milk, Water.

Independent brewing
basket with lid



IMPROVED PERFORMANCE



COFFEE BREWER WITH MANUAL DISPENSING

ITEM NO	WxHxD (mm)	Pcs / Ctn	CBM
111520	610x680x565	1	0.368
111522	510x600x545	1	0.255

Fill Type: Automatic
Fill Temperature: Normal
Dispensing Options: Decoction, Milk, Water.

Independent brewing
basket with lid



IMPROVED PERFORMANCE



COFFEE BREWER

ITEM NO	WxHxD (mm)	Pcs / Ctn	CBM
111500	250x595x495	1	0.129
111501 (With Glass Container)	250x545x495	1	0.095
111502	200x440x428	1	0.058

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Decoction Independent brewing basket with lid



INSULATED COFFEE BREWER

ITEM NO	Capacity(Lt)	Pcs / Ctn	CBM
111508	3	6	0.146



COFFEE BREWER WITH WARMER PLATE

Capacity(Lt)	Pcs / Ctn	CBM	ITEM NO
3	6	0.118	111503
5	6	0.178	111504

Fill Type: Manual
Fill Temperature: Boiling Hot
Dispensing Options: Decoction



Stainless Steel Coffee & Tea Brewing & Dispensing Machines



TEA & COFFEE BREWER WITH AUTOMATIC DISPENSING

ITEM NO	WxHxD (mm)	Pcs / Ctn	CBM
111530	(470x550x380)	(1)	(0.189)
111603	(Dia365x300)	(1)	(0.042)
111531	(610x670x410)	(1)	(0.321)
111608	(Dia365x440)	(1)	(0.047)

Fill Type: Automatic for Coffee / Manual for Tea
 Fill Temperature: Normal
 Dispensing Options: Decoction, Milk, Water.



Independent brewing basket



MANUAL BREWER* WITH AUTOMATIC DISPENSING

ITEM NO	WxHxD (mm)	Pcs / Ctn	CBM
111540	310x652x400	1	0.167

*Manual Brewer to be ordered separately

Refer item number : (111503 / 111504 / 111508 / 111505 / 111506 / 111603 / 111608)

Fill Type: Automatic for Milk / Manual for Brewing
 Fill Temperature: Normal for Milk / Boiling Hot for Brewing
 Dispensing Options: Decoction, Milk, Water.



TEA BREWER WITH AUTOMATIC DISPENSING

ITEM NO	WxHxD (mm)	Pcs / Ctn	CBM
111512	540x735x405	1	0.302

Fill Type: Automatic
 Fill Temperature: Normal
 Dispensing Options: Decoction, Milk, Water.



Independent brewing basket



TEA BREWER WITH WARMER PLATE

ITEM NO	Capacity(Lt)	Pcs / Ctn	CBM
111505	3	6	0.118
111506	5	6	0.178

Fill Type: Manual
 Fill Temperature: Boiling Hot
 Dispensing Options: Decoction

Stainless Steel Coffee & Tea Brewing & Dispensing Machines




TEA BREWER

ITEM NO	Capacity(Lt)	Pcs / Ctn	CBM
111301	5	1	0.058
111313	12	1	0.089

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Tea decoction / Indian Tea, Water.

Independent brewing basket




AUTOMATIC HOT WATER DISPENSER

ITEM NO	WxHxD (mm)	Pcs / Ctn	CBM
111550	187x555x525	1	0.135
111551			

Fill Type: Automatic
Fill Temperature: Normal
Dispensing Options: Water

111551



HOT WATER DISPENSER

ITEM NO	Capacity(Gallon)	Capacity(Lt)	Pcs/Ctn	CBM
7226/1G	1	4.50	2	0.064
7226/2G	2	9.00	2	0.086
7226/4G	4	18.00	2	0.142
7226/6G	6	27.00	2	0.175
7226/9G	9	40.00	2	0.240

CE, ECAS, IECEE, CB SCHEME, SAA, SASO



INSULATED HOT WATER DISPENSER

ITEM NO	Capacity(Gallon)	Capacity(Lt)	Pcs/Ctn	CBM
7227/1G	1	4.50	1	0.031
7227/2G	2	9.00	1	0.041
7227/4G	4	18.00	1	0.068
7227/6G	6	27.00	1	0.086
7227/9G	9	40.00	1	0.129

Eco Green Saves Electricity upto 50%

Double wall construction with 'PUF' filled in between
CE, IECEE, CB SCHEME, SAA, SASO

Stainless Steel Coffee & Tea Brewing & Dispensing Machines



AUTOMATIC HOT LIQUID DISPENSER

ITEM NO	WxHxD (mm)	Pcs / Ctn	CBM
111541	270x593x448	1	0.171

Fill Type: Automatic
Fill Temperature: Normal
Dispensing Options: Milk



HOT LIQUID DISPENSER

ITEM NO	Capacity(Lt)	Pcs/Ctn	CBM
9228/5	5.00	1	0.054
9228/12	12.00	1	0.083
9228/20	20.00	1	0.106
9228/30	30.00	1	0.131

Indirect Heating - Water Level Indicator - Easy Cleaning
Double Dispenser
CE, IECEE, CB SCHEME, SAA, SASO



* optional attachment
With Valve Dispenser also available



INSULATED HOT LIQUID DISPENSER

ITEM NO	Capacity(Lt)	Pcs/Ctn	CBM
9229/5	5.00	1	0.054
9229/12	12.00	1	0.083
9229/20	20.00	1	0.106
9229/30	30.00	1	0.131

Eco Green Saves Electricity upto 50%
Indirect Heating - Water Level Indicator - Easy Cleaning
Double Dispenser
CE, IECEE, CB SCHEME, SAA, SASO




HOT LIQUID DISPENSER

ITEM NO	Capacity(Lt)	Pcs / Ctn	CBM
111301	5	1	0.033
111310	10	1	0.060


Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Milk



Ceramic



Electric



Induction



Gas



iBrew®

by **PRADEEP**



Tea Brewer

Tea & Coffee Brewer with Automatic Dispensing




Coffee Brewer with Manual Dispensing

Coffee Brewer

Model Number	Tea Brewer		Tea & Coffee Brewer with Automatic Dispensing		Coffee Brewer with Automatic Dispensing		Coffee Brewer with Manual Dispensing		Coffee Brewer	
	111301	111313	Tea 111603 / 111608	Coffee 111530 / 111531	111523	111521	111522	111520	111502	111500
Brew options	Manual		Manual	User Defined	User Defined		Factory Set		Manual	
Maximum allowed water input for brewing	4 litres	10 litres	2.5 / 6.75 litres	1 litres / 2 litres	1 litres	2 litres	1 litres	2 litres	1 litres	2 litres
Brew storage capacity @ Max level	4 litres	10 litres	2.5 / 6.75 litres	2.25 / 3.25 litres	2.25 litres	3.25 litres	2.25 litres	3.25 litres	3.25 litres	5.5 litres
Fresh milk capacity	5 litres*	12 litres*	5 / 12 litres		5 litres	12 litres	5 litres	12 litres	Not Applicable	Not Applicable
Water tank capacity	4.70 litres	9.15 litres	6.5 / 13.75 litres	6.5 / 13.75 litres	6.5 litres	13.75 litres	10 litres	13.75 litres	1 litres	2 litres
Initial machine set up time	15 Minutes	25 Minutes	15 / 25 Minutes	20 / 40 Minutes	20 Minutes	40 Minutes	20 Minutes	40 Minutes	Ready to use	
No. Of Cups per minute (100 ml cups)	Manual		6 to 8 Cups		6 to 8 Cups		Manual		Manual	
No. of output options	2		6		4		3		1	
Required power supply	220 ~ 240V AC, 50HZ $\frac{1}{1}$, 15A (Single Phase)		220 ~ 240V AC, 50HZ $\frac{1}{1}$, 15A (Single Phase)		220 ~ 240V AC, 50HZ $\frac{1}{1}$, 15A (Single Phase)		220 ~ 240V AC, 50HZ $\frac{1}{1}$, 15A (Single Phase)		220 ~ 240V AC, 50HZ $\frac{1}{1}$, 15A (Single Phase)	
Power Consumption	2400 Watts		3000 Watts	3000 Watts	3000 Watts		3000 Watts		2300 Watts	

Machine settings password protected	Not Applicable	Yes	Yes	Yes	Yes	Yes	Not Applicable	Not Applicable	Not Applicable
Automatic water filling	No	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Machine cleaning options	Manual	Manual	Manual	Yes	Yes	Yes	Yes	Yes	Yes
Dispensing ratio (mixing volume) control	Manual	Manual	Yes	Yes	Yes	Yes	Manual	Manual	Manual
Temperature control available	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No
Cup count	Not Applicable	Yes	Yes	Yes	Yes	Yes	Not Applicable	Not Applicable	Not Applicable
Cup count password protected	Not Applicable	Yes	Yes	Yes	Yes	Yes	Not Applicable	Not Applicable	Not Applicable
Password setting options	Not Applicable	Yes	Yes	Yes	Yes	Yes	Not Applicable	Not Applicable	Not Applicable
Dispensing while sub-sequent brews	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
Food grade silicone tubes	Not Applicable	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Drip tray	Optional	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Optional

* If used independently as milk dispenser instead of tea brewer.



Removable and easy to clean milk container, fine filter, shower cap

Specification

Features