



Track Surfaced & Pendant 1000mm

Low voltage Track Surfaced & Pendant 1000mm Black

Technical features

Structure material: Aluminium

Structure finish: Black

Equipment necessary but not included

Voltage / frequency: 48 VDC

Warranty: 5 years

Easily recyclable luminaire



Luminotechnic features

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
-	1	-	-





Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Track Surfaced & Pendant 1000mm

Low voltage Track Surfaced & Pendant 1000mm Black

Logistics



x 1

Net weight (kg): 1

Packaged weight (kg): 1.3

Packaging: 60mm x 64mm x 1020mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Track Surfaced & Pendant 1000mm

Low voltage Track Surfaced & Pendant 1000mm Black


Optional accessories



71-7639-60-00

"I" joint for Surface Track

Structure material: PVC, Aluminium
Dimensions: 16 x 142.5 x 18
Net weight (kg): 0.03



71-7627-60-00

"L" joint for Surface / pendant Track

Structure material: PVC, Aluminium
Dimensions: 72 x 72 x 53.65
Net weight (kg): 0.18



71-7637-60-00

Low Voltage track power connector

Structure material: PVC, Aluminium
Dimensions: 16 x 112 x 18
Net weight (kg): 0.03



71-7705-00-00

End cap for Low Voltage track

Structure material: Aluminium
Dimensions: 2 x 26.2 x 53.65
Net weight (kg): 0.04



71-8030-60-00

1000mm black cap

Structure material: PVC
Dimensions: 24.6 x 1000 x 5
Net weight (kg): 0.05

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

Optional accessories



71-8031-60-00

2000mm black cap

Structure material: PVC

Dimensions: 24.6 x 2000 x 5

Net weight (kg): 0.25



71-8032-60-00

3000mm black cap

Structure material: PVC

Dimensions: 24.6 x 3000 x 5

Net weight (kg): 0.16




71-A244-60-00

"L" vertical joint for Surface / pendant Track

Structure material: Aluminium

Dimensions: 26 x 50 x 50

Net weight (kg): 0.76



71-A245-60-00

"L" vertical joint for Surface / pendant Track

Structure material: Aluminium

Dimensions: 26 x 50 x 50

Net weight (kg): 0.76



71-A246-60-00

"T" joint for Surface / pendant Track

Structure material: Aluminium

Dimensions: 124 x 78 x 54

Net weight (kg): 0.28



71-A247-60-00

"X" joint for Surface / pendant Track

Structure material: Aluminium

Dimensions: 124 x 124 x 54

Net weight (kg): 0.25



71-8115-00-00

Casambi to DALI converter for low-voltage track systems. Up to 64 DALI devices. Allows simultaneous "broadcast" control or up to 8 groups with additional DALI addressing. 48 V

Image may not match reference. LedsC4 does not assume any liability for the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

Optional accessories



71-7676-00-00

Suspension installation kit

Structure material: Aluminium

Dimensions: 22.7 x 35 x 35

Net weight (kg): 0.15



71-7629-60-00

"I" joint for Pendant Track

Structure material: PVC, Aluminium

Dimensions: 16 x 142.5 x 18

Net weight (kg): 0.03




71-7520-60-00

Black suspended ceiling rose power outlet

Structure material: Aluminium

Dimensions: 50 x 82.5 x 50

Net weight (kg): 0.3



71-A334-00-00

Structure material: PVC

Dimensions: 2 x 26.2 x 52.25

Net weight (kg): 0.04



71-7521-60-00

Black suspended ceiling rose power outlet DALI

Structure material: Aluminium

Dimensions: 50 x 147.5 x 50

Net weight (kg): 0.63



71-B440-60-00

Structure material: Polycarbonate

Dimensions: 16 x 297 x 19

Net weight (kg): 0.15



71-B441-60-00

Power Supply On-Off 48V 250W

Structure material: Polycarbonate

Dimensions: 22 x 268 x 43

Net weight (kg): 0.32

71-B502-60-00

reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be made by the manufacturer.

Structure material: Steel

Dimensions: 40 x 40 x 1000

Net weight (kg): 0.42



Image be su
Track
71-7629-60-00

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

Optional accessories




71-B504-60-00

Structure material: Steel
Dimensions: 6 x 6 x 1000
Net weight (kg): 0.34



71-B245-14-00

Structure material: Aluminium
Dimensions: NA x NA x NA
Net weight (kg): 0.22



71-B245-60-00

Structure material: Aluminium
Dimensions: NA x NA x NA
Net weight (kg): 0.22



71-7520-14-00

White suspended ceiling rose power outlet

Structure material: Aluminium
Dimensions: 50 x 82.5 x 50
Net weight (kg): 0.4



71-7521-14-00

White suspended ceiling rose power outlet DALI

Structure material: Aluminium
Dimensions: 50 x 147.5 x 50
Net weight (kg): 0.63



71-C091-60-00

Surface rosette with DALI power outlet, black, for three-phase track

Structure material: Aluminium
Dimensions: 95 x NA x 46



71-C091-14-00

Surface rosette with DALI power outlet, white, for three-phase track

Structure material: Aluminium
Dimensions: 95 x NA x 46

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.