





CHROME STEEL FINISHING TROWELEXTRA LIGHT – EXTRA STRONG AND DURABLE





Secure handle mounting thanks to M8 nuts.



The true blade with the newly ground pre-worn edges, the Trowel has been perfected for an even better finish: ideal for concrete, plaster, dry lining, stucco and pool coatings.




Alternatively with ergonomic **BiKo** GRIFF SOFT.

- The true blade with the newly ground pre-worn edges, the Trowel has been perfected for an even better finish: ideal for concrete, plaster, dry lining, stucco and pool coatings
- **BiKo**GRIP® in CORK and SOFT. A perfectly designed Ergonomic handle designed on comfort and performance.
- Ultra-lightweight aluminium mounting made from a robust special alloy: for ultra-high stability and easy handling.
- Attached with special bolts made from a high-quality stainless material.
- Blade made from hardened, stainless chrome steel: more flexibility and durability.

CHROME STEEL FINISHING TROWEL

Length x Width	Dimensions mm	ArtNo.
11 x 4.75 inch	280 x 120 mm	1040 2812BK/BS
12 x 4.75 inch	305 x 120 mm	1040 3012BK/BS
12.6 x 4.75 inch	320 x 120 mm	1040 3212BK/BS
13 x 4.75 inch	330 x 120 mm	1040 3312BK/BS
14 x 4.75 inch	355 x 120 mm	1040 3512BK/BS
14.8 x 4.75 inch	375 x 120 mm	1040 3712BK/BS
16 x 4.75 inch	405 x 120 mm	1040 4012BK/BS



NELAFLEX® FINISHING TROWELEXTRA LIGHT – SUPER FLEXIBILITY



Secure handle mounting thanks to M8 nuts.



High-strength bond between both blades thanks to a special tape that withstands both solvents and extreme temperatures.



Alternatively with ergonomic **BiKo**GRIFF® SOFT.




- Perfect for burr-free fillings thanks to lightly rounded edges and versatile double-blade technology.
- **BiKo** GRIP[®] in CORK and Soft. A perfectly designed Ergonomic handle designed on comfort and performance.
- Attached with special bolts made from a high-quality stainless material.
- High-strength bond between both blades thanks to a special tape that withstands both solvents and extreme temperatures.

NELAFLEX® FINISHING TROWEL

Length x Width	Dimensions mm	ArtNo.
8 x 3 inch	200 x 80 mm	1085 2008BK/BS
11 x 4.3 inch	280 x 110 mm	1085 2811BK/BS
12 x 4.3 inch	305 x 110 mm	1085 3011BK/BS
13 x 4.3 inch	330 x 110 mm	1085 3311BK/BS
14 x 4.3 inch	355 x 110 mm	1085 3511BK/BS
16 x 4.3 inch	405 x 110 mm	1085 4011BK/BS
18 x 4.3 inch	455 x 110 mm	1085 4511BK/BS
Thickmann of the	blode 0.2 mm	

Thickness of the blade 0,3 mm



NELAFLEX® II GOLD FINISHING TROWELEXTRA LIGHT – SUPER FLEXIBILITY





Secure handle mounting thanks to M8 nuts.



Perfect for burr-free fillings thanks to lightly rounded edges and versatile double-blade technology.



High resistance foil secures best protection for the connection between blade and mounting.

- Perfect for burr-free fillings thanks to lightly rounded edges and versatile double-blade technology.
- **BiKo**GRIP® in CORK and SOFT. A perfectly designed Ergonomic handle designed on comfort and performance.
- Ultra-lightweight aluminium mounting made from a robust special alloy: for ultra-high stability and easy handling.
- Attached with special bolts made from a high-quality stainless material.
- High-strength bond between both blades thanks to a special tape that withstands both solvents and extreme temperatures.
- High resistance foil secures best protection for the connection between blade and mounting.

NELAFLEX® II GOLD FINISHING TROWEL

Length x Width	Dimensions mm	ArtNo.
8 x 3 inch	200 x 80 mm	1088 2008BK/BS
11,8 x 4.3 inch	300 x 110 mm	1088 3011BK/BS
14 x 4.3 inch	355 x 110 mm	1088 3511BK/BS
16 x 4.3 inch	405 x 110 mm	1088 4011BK/BS
18 x 4.3 inch	455 x 110 mm	1088 4511BK/BS
Thickness of the	blade 0.3 mm	





MEDIFLEX FINISHING TROWELEXTRA LIGHT – MEDIUM FLEXIBILITY



Secure handle mounting thanks to M8 nuts.



High-strength bond between both blades thanks to a special tape that withstands both solvents and extreme temperatures. Alternatively with sharp corners. (BKS)



Alternatively with ergonomic **BiKo**GRIFF® SOFT.




- Perfect for burr-free fillings thanks to lightly rounded edges and versatile double-blade technology.
- **BiKo**GRIP[®] in CORK and SOFT. A perfectly designed Ergonomic handle designed on comfort and performance.
- Ultra-lightweight aluminium mounting made from a robust special alloy: for ultra-high stability and easy handling.
- Attached with special bolts made from a high-quality stainless material.
- High-strength bond between both blades thanks to a special tape that withstands both solvents and extreme temperatures.

MEDIFLEX FINISHING TROWEL

Length x Width		Dimensions mm	ArtNo.	
8	x 3.5 inch	200 x 90 mm	1089 2012BK/BS/BKS	
11	x 4.9 inch	280 x 125 mm	1089 2812BK/BS/BKS	
13	x 4.9 inch	330 x 125 mm	1089 3312BK/BS/BKS	
14	x 4.9 inch	355 x 125 mm	1089 3512BK/BS/BKS	
16	x 4.9 inch	405 x 125 mm	1089 4012BK/BS/BKS	
18	x 4.9 inch	455 x 125 mm	1089 4512BK/BS/BKS	
Thi	ckness of the	blade 0,4 mm		





PLASTICFLEX FINISHING TROWELEXTRA LIGHT – EXTRA FLEXIBILITY





Secure handle mounting thanks to M8 nuts.



Pre-worn edges due to a fine sanding



Alternatively with ergonomic **BiKo**GRIFF® SOFT.

- **BiKo**GRIP* CORK. Ergonomically perfect handle design.
- Ultra-lightweight aluminium mounting made from a roabust special alloy: for ultra-high stability and easy handling.
- Attached with special bolts made from a high-quality stainless material.
- High-strength bond between both blades thanks to a special tape that withstands both solvents and extreme temperatures.
- Blade made from special high impact resistant plastic.

PLASTICFLEX FINISHING TROWEL

Length x Width	Dimensions mm	ArtNo.
8 x 3 inch	200 x 80 mm	1081 2008BK/BS
11 x 4.3 inch	280 x 110 mm	1081 2811BK/BS
12 x 4.3 inch	305 x 110 mm	1081 3011BK/BS
13 x 4.3 inch	330 x 110 mm	1081 3311BK/BS
14 x 4.3 inch	355 x 110 mm	1081 3511BK/BS
16 x 4.3 inch	405 x 110 mm	1081 4011BK/BS
18 x 4.3 inch	455 x 110 mm	1081 4511BK/BS
T1 1 6 11		

Thickness of the blade 1 mm



CARBON STEEL FINISHING TROWELEXTRA LIGHT – EXTRA STRONG AND DURABLE





Secure handle mounting thanks to M8 nuts.



Beveled edges for optimum finishing of all common materials.




Alternatively with ergonomic **BiKo**GRIFF® SOFT.

- **BiKo**GRIP® in CORK and SOFT. A perfectly designed Ergonomic handle designed on comfort and performance.
- Ultra-lightweight aluminium mounting made from a robust special alloy: for ultra-high stability and easy handling.
- Attached with special bolts made from a high-quality stainless material.
- Highest grade hardened and tempered spring steel blade, bright polished, properly shaped.
- Beveled edges for optimum finishing of all common materials.

CARBON STEEL FINISHING TROWEL

Length x Width		Dimensions mm	ArtNo.
8	x 3 inch	200 x 80 mm	1340 2008BK
11	x 4.75 inch	280 x 120 mm	1340 2812BK
12	x 4.75 inch	305 x 120 mm	1340 3012BK
13	x 4.75 inch	330 x 120 mm	1340 3312BK
14	x 4.75 inch	355 x 120 mm	1340 3512BK
16	x 4.75 inch	405 x 120 mm	1340 4012BK
18	x 4.75 inch	455 x 120 mm	1340 4512BK
20	x 4.75 inch	508 x 120 mm	1340 5112BK
22	x 4.75 inch	559 x 120 mm	1340 5612BK
24	x 4.75 inch	610 x 120 mm	1340 6112BK

Thickness of the blade 0,67 mm



NELAMAX FINISHING TROWELTHE EXCHANGEABLE ONE



Removal



Bend blade at the beginning of the mounting



Slide mounting forward while bending the blade downward at the beginning of the mounting



Take hold of the blade and slide it off completely

NELAMAX CARRIER TROWEL

Length x Width	Dimensions mm	ArtNo.
10.6 x 5.4 inch	270 x 49 mm	1510 2705BK
16 x 5.4 inch	405 x 49 mm	1510 4005BK

SET OF 2 NELAMAX FLEXIBLE PLASTIC BLADE

Len	gth x Width	Dimensions mm	ArtNo.
11	x 5.4 inch	280 x 138 mm	1520 2814
12	x 5.4 inch	305 x 138 mm	1520 3014
13	x 5.4 inch	330 x 138 mm	1520 3314
14	x 5.4 inch	355 x 138 mm	1520 3514
16	x 5.4 inch	405 x 138 mm	1520 4014
18	x 5.4 inch	455 x 138 mm	1520 4514
20	x 5.4 inch	508 x 138 mm	1520 5114
22	x 5.4 inch	559 x 138 mm	1520 5614
24	x 5.4 inch	610 x 138 mm	1520 6114

NELAMAX FLEXIBLE PLASTIC BLADE, SET OF NELAMAX CARRIER TROWEL AND 1 BLADE

Length x Width		Dimensions mm	ArtNo.	
12	x 5.4 inch	305 x 138 mm	1522 3014BK	
14	x 5.4 inch	355 x 138 mm	1522 3514BK	
16	x 5.4 inch	405 x 138 mm	1522 4014BK	
18	x 5.4 inch	455 x 138 mm	1522 4514BK	

Placing



Place mounting in position



Bend blade at the beginning of the mounting



Take hold of the blade and slide it in your preferred position



VENETIAN PLASTIC TROWELEXTRA LIGHT – EXTRA STRONG AND DURABLE





- BIKOGRIP® in CORK and SOFT
- Blade made from white PVC. Thickness of the blade 1,0 mm
- Trapezoidal shape, rounded corners, edges finely grinded

VENETIAN PLASTIC TROWEL

 Length x Width
 Dimensions mm
 Art.-No.

 9.4
 x 3.9/3.5 inch
 240 x 100/90 mm
 1889 2410BK/BS

VENETIAN TROWEL SUPREMEEXTRA LIGHT – EXTRA STRONG AND DURABLE





- Ideal for polishing of marmorino and Venetian Plaster.
- **BiKo**GR/P[®] in CORK and SOFT. A perfectly designed Ergonomic handle designed on comfort and performance.
- Ultra-lightweight aluminium mounting made from a robust special alloy: for ultra-high stability and easy handling.
- Attached with special bolts made from a high-quality stainless material.
- Secure handle mounting thanks to M8 nuts.
- Blade made from hardened, stainless chrome steel for more flexibility and durability.
- Edges especially rounded and micro polished.

VENETIAN TROWEL SUPREME

Length x Width		x Width	Dimensions mm	ArtNo.	
8	Х	3/2.75 inch	200 x 80/70 mm	1028 2008BK	
9.5	Х	4.3/3.5 inch	240 x 110/90 mm	1028 2411BK	
11	Х	4.75/3.9 inch	280 x 120/100 mm	1028 2812BK	



VENETIAN TROWEL SUPREMEEXTRA LIGHT – EXTRA STRONG AND DURABLE





- BIKOGRIP® CORK small. Also available with BIKOGRIP® SOFT
- Ultra-lightweight aluminium mounting made from a robust special alloy for ultra-high stability and easy handling.
- Attached with special bolts made from a high-quality stainless material.
- Secure handle mounting thanks to M8 nuts.
- Blade made from hardened, stainless chrome steel for more flexibility and durability.
- Edges especially rounded and micro polished.
- Ideal for polishing of marmorino and Venetian Plaster.

Trapezoidal shape

Length x Width		Width	Dimensions mm	ArtNo.	
	9.4/5.3	x 3.9 inch	240/135 x 100 mm	1029 2413BK	
	10.8/5.7	x 4.75 inch	275/145 x 120 mm	1029 2714BK	
	14/7.8	x 4.75 inch	355/200 x 120 mm	1029 3520BK	



Oval shape (ellipse)

Length x Width 9 x 4 inch

Dimensions mm 230 x 102 mm

Art.-No. 1015 2310BK



Trapezoidal shape round front

 Length x Width
 Dimensions mm
 Art.-No.

 9.4 x 3.7/2 inch
 240 x 95/50 mm
 1016 2495BK

 7.9 x 2 inch
 200 x 50 mm
 1017 2005BK



Trapezoidal shape front pointed

Length x Width 8.3 x 2.4/2 inch Dimensions mm 210 x 60/53 mm **Art.-No.** 1018 2106BK



Trapezoidal shape, small trowel

Length x Width
5.5 x 3/2.2 inch

Dimensions mm 140 x 77/55 mm

Art.-No. 1019 1477BK



VENETIAN FINISHING TROWEL SUPREME FLEX GOLDEXTRA LIGHT – EXTRA STRONG AND DURABLE

ZNE ORIGINA PLANT



- BiKoGRIP® CORK small
- Ultra-lightweight aluminium mounting made from a robust special alloy for ultra-high stability and easy handling.
- Attached with special bolts made from a high-quality stainless material.
- Secure handle mounting thanks to M8 nuts.
- High quality blades made from stainless spring steel.
- Blade finely burred all round. Thickness of the blade 0,3 mm.
- High-strength bond between both blades thanks to a special tape that withstands both solvents and extreme temperatures.
- Edges especially rounded and micro polished

Trapezoidal shape

Length x	Width	Dimensions mm	ArtNo.	
9.4/5.3	x 3.9 inch	240/135 x 100 mm	1087 2413BK	
10.8/5.7	x 4.75 inch	275/145 x 120 mm	1087 2714BK	
14/7.8	x 4.75 inch	355/200 x 120 mm	1087 3520BK	



Oval shape (ellipse)

Length x	Width
9 x 4 inch	

Dimensions mm 230 x 102 mm

Art.-No. 1092 2310BK



Trapezoidal shape front round

Length x Width	Dimensions mm	ArtNo.
9.4 x 3.7/2 inch	240 x 95/50 mm	1093 2495BK
7.9 x 2 inch	200 x 50 mm	1094 2005BK



Trapezoidal shape pointed at the front

Length x Width 8.3 x 2.4/2 inch Dimensions mm 210 x 60/53 mm **Art.-No.** 1096 2106BK



Trapezoidal shape, small trowel

Length x Width
5.5 x 3/2.2 inch

Dimensions mm 140 x 77/55 mm **Art.-No.** 1097 1477BK

POOL TROWELSHORT BRACKET – FLEXIBLE







Leng	gth x Width	Dimensions mm	ArtNo.
11	x 4 inch	280 x 100 mm	1050 2810BK
12	x 4 inch	305 x 100 mm	1050 3010BK
13	x 4 inch	330 x 100 mm	1050 3310BK
14.5	x 4 inch	355 x 100 mm	1050 3510BK
16	x 4 inch	405 x 100 mm	1050 4010BK
16	x 4.75 inch	405 x 120 mm	1050 4012BK

CEMENT TROWELLONG BRACKET – STIFF





Length x Width	Dimensions mm	ArtNo.
11 x 4 inch	280 x 100 mm	1052 2810BK
12 x 4 inch	305 x 100 mm	1052 3010BK
13 x 4 inch	330 x 100 mm	1052 3310BK
14.5 x 4 inch	355 x 100 mm	1052 3510BK
16 x 4 inch	405 x 100 mm	1052 4010BK
16 x 4.75 inch	405 x 120 mm	1052 4012BK

MIDGET TROWEL





 Length x Width
 Dimensions mm
 Art.-No.

 8 x 3 inch
 200 x 80 mm
 1064 2008BK

PIPE TROWEL





• BiKoGRIP® CORK

 Length x Width
 Dimensions mm
 Art.-No.

 10.6 x 3 inch
 270 x 80 mm
 1080 2708BK

ALUMINIUM HAWK







Len	gth x Width	Dimensions mm	ArtNo.
8	x 8 inch	200 x 200 mm	4070 20BK
10	x 10 inch	250 x 250 mm	4070 25BK
12	x 12 inch	305 x 305 mm	4070 30BK
13	x 13 inch	330 x 330 mm	4070 33BK
14	x 14 inch	355 x 355 mm	4070 35BK
16	x 16 inch	400 x 400 mm	4070 40BK



Length x Width	Dimensions mm	ArtNo.
7 inch	170 mm	4056 17BKR
8 inch	200 mm	4056 20BKR
10 inch	250 mm	4056 25BKR
12 inch	300 mm	4056 30BKR
16 inch	400 mm	4056 40BKR
20 inch	500 mm	4056 50BKR
24 inch	600 mm	4056 60BKR
31.5 inch	800 mm	4056 80BKR
Thickness of the	blade 0.4 mm	



Length x Width	Dimensions mm	ArtNo.	
7 inch	170 mm	4056 17BK	
8 inch	200 mm	4056 20BK	
10 inch	250 mm	4056 25BK	
12 inch	300 mm	4056 30BK	
16 inch	400 mm	4056 40BK	
20 inch	500 mm	4056 50BK	
24 inch	600 mm	4056 60BK	
31.5 inch	800 mm	4056 80BK	
Thickness of the blade 0,4 mm			





Length x Width
9 inch

Dimensions mm229 mm

Art.-No. 3898 0023

- Wet & Dry Felt Brush holds up to 40% more water than a standard Splash Brush as well as less dripping
- The Felt pads allows for a more even spread of water
- Can also be used to remove water from newly finished surfaces
- Replacement Pads available (one pair) Art.-No.3898 0024



MARGIN TROWEL





POINTING TROWEL



- BiKoGRIP" CORK
- American type
- Forged from one piece of high quality carbon steel



POINTING TROWEL

x 2 inch

200 x 50 mm

2108 5025BK

Length x Width	Dimensions mm	ArtNo.
4.5 inch	115 mm	2105 5011BK
5 inch	127 mm	2105 5013BK
5.5 inch	140 mm	2105 5014BK
6 inch	150 mm	2105 5015BK
7 inch	180 mm	2105 5018BK



BUCKET TROWEL





- American type
- Forged from one piece of high quality carbon steel



BUCKET TROWEL

Length x Width 6.3 inch

Dimensions mm Art.-No. 160 mm

2023 5016BK

MASON'S TROWEL



- BIKOGRIP® CORK
- German type
- Swans neck
- Forged from one piece of high quality carbon steel



MASON'S TROWEL

Length x Width	Dimensions mm	ArtNo.
6.3 inch	160 mm	2024 5016BK
7 inch	180 mm	2024 5018BK
7.9 inch	200 mm	2024 5020BK
8.7 inch	220 mm	2024 5022BK







- BiKoGRIP® CORK
- German type
- Swans neck



BUCKET TROWEL

Length x Width	Dimensions mm	ArtNo.
6.3 inch	160 mm	2025 5016BK
7 inch	180 mm	2025 5018BK
7.9 inch	200 mm	2025 5020BK
8.7 inch	220 mm	2025 5022BK

PHILADELPHIA TROWEL







Length x Width	Dimensions mm	ArtNo.
10 inch	254 mm	2070 5010BK
11 inch	280 mm	2070 5011BK
12 inch	305 mm	2070 5012BK



WIDE LONDON TROWEL





 Forged from one piece of high quality carbon steel



WIDE LONDON TROWEL

Length x Width	Dimensions mm	ArtNo.
10 inch	254 mm	2075 5010BK
11 inch	280 mm	2075 5011BK
12 inch	305 mm	2075 5012BK

NARROW LONDON TROWEL






- American type
- Forged from one piece of high quality carbon steel



Length x Width	Dimensions mm	ArtNo.
10 inch	254 mm	2076 5010BK
11 inch	280 mm	2076 5011BK
12 inch	305 mm	2076 5012BK







STAINLESS STEEL PUTTY KNIVEWITH ANTISLIP COATED HANDLE, CONICALLY FLEXIBEL GRINDED



 Blade and handle made of stainless steel. The one-piece construction ensures stability and longevity. This scraper is available in 8 sizes and is ideal for all painting and drywall applications. The ergonomic handle is comfortable, easy to grip and has an anti-slip paint finish.

STAINLESS STEEL PUTTY KNIVE

Length x Width	Dimensions mm	ArtNo.
1.5 inch	38 mm	3230 040
2 inch	50 mm	3230 050
3 inch	75 mm	3230 080
4 inch	100 mm	3230 100
5 inch	127 mm	3230 130
6 inch	152 mm	3230 150
8 inch	202 mm	3230 200
10 inch	250 mm	3230 250



2 OR 5 YEAR WARRANTY ON WORKMANSHIP AND MATERIALS WITH NORMAL USE