



MEDIFRIDGE®

Medgree line

MLRA700-S DIN



MLRA700-S Medicine refrigerator Medgree Line

General specifications

| | |
|------------------------------|---------------------|
| DIN 58345 | Yes |
| Dimensions outside (bxdxh) | 720 x 840 x 2020 mm |
| Dimensions inside (bxdxh) | 560 x 690 x 1440 mm |
| Air circulation | Forced |
| Cool system | Compressor cooling |
| Defrost system | Automatic |
| Temperature range | 2 - 8 °C |
| Standard temp. setting | 5 °C |
| Material | Steel / White |
| Material inside | Steel |
| Material door | Steel |
| Type of control | Electronic |
| Type of controlpanel | Push button |
| Type read out | Digital |
| Potential-free alarm contact | Yes |
| Light inside | Yes |

Alarms

| | |
|----------------|-----|
| Opendoor alarm | Yes |
| High/low alarm | Yes |
| Fault signal | Yes |

Storage

| | |
|-------------------|-----------|
| Volume | 560 litre |
| Number of shelves | 4 pieces |

Functions

| | |
|---------------------------------------|--------------------|
| Frost protection | Yes |
| Evaporator protection | Yes |
| Porthole | Yes |
| Placeable against wall | Yes |
| Noise level | < 50 dB(A) |
| Lock with key | Yes |
| Door hinge | Right (changeable) |
| Temperature datalogger | Yes |
| Type readout logger | Via USB |
| Calibration | 6 point |
| Power failure detector | No |
| Battery backup | Yes |
| Temp. registration after powerfailure | Yes |
| Netto weight | 135 Kg |
| Feet | No (wheels) |
| Refrigerant | R290 |
| Connection value | 230 Volt 50 Hz |

Options

Articlenumber

| | |
|-------|------------|
| Shelf | 521455_008 |
|-------|------------|

Technical drawings

