

### 1.4 Noise level


(1) Sound power level

**Model SCM50ZS-W**

Noise Level	Cooling	62 dB(A)
	Heating	64 dB(A)

Condition	ISO15042 T1/H1
Mode	Rated capacity value

x ..... Cooling, ○ — Heating




**Model SCM60ZS-W**

Noise Level	Cooling	62 dB(A)
	Heating	64 dB(A)

Condition	ISO15042 T1/H1
Mode	Rated capacity value

x ..... Cooling, ○ — Heating




(2) Sound pressure level

(a) Rated capacity value

Model SCM50ZS-W

Noise Level	Cooling	49 dB(A)
	Heating	52 dB(A)


Condition	ISO15042 T1/H1
Mode	Rated capacity value



Model SCM60ZS-W

Noise Level	Cooling	50 dB(A)
	Heating	52 dB(A)

Condition	ISO15042 T1/H1
Mode	Rated capacity value




(b) Silent mode

Model SCM50ZS-W

Noise Level	Cooling	43 dB(A)
	Heating	44 dB(A)

Condition	ISO15042 T1/H1
Mode	Silent



Model SCM60ZS-W

Noise Level	Cooling	43 dB(A)
	Heating	44 dB(A)

Condition	ISO15042 T1/H1
Mode	Silent

