

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 09-04-2019 Revision date: 09-06-2022 Supersedes version of: 21-10-2021 Version: 6.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1. Product identifier**

Product form	: Mixture
Product name	: HYDROLUX PRIMER - MIDCOAT BASE TR
Product code	: 17-0535-000
Type of product	: Paint
Product group	: Trade product

### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category

: Professional use, Industrial use

Title	Use descriptors
HYDROLUX PRIMER - MIDCOAT BASE TR	PC9a, PROC7

Full text of use descriptors: see section 16

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer Anker Stuy Verven B.V.

Hellingwal , 1 NL– 8407 EM Terwispel Netherlands T +31(0)513-465000 info@ankerstuy.nl - www.ankerstuy.nl

#### 1.4. Emergency telephone number

No additional information available

#### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2.	La	bel	e	lem	nents	5
------	----	-----	---	-----	-------	---

Labelling according to Regulation (EC) No. 127	72/2008 [CLP]
EUH-statements	: EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5).
	May produce an allergic reaction.
	EUH210 - Safety data sheet available on request.
Extra phrases	: The bottom under and around the object to be treated must be covered with plastic while
	applying this product.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

## Not applicable

# 3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
talc (Mg3H2(SiO3)4) substance with national workplace exposure limit(s) (ES, NL, PL)	CAS-No.: 14807-96-6 EC-No.: 238-877-9	10 – 25	Not classified
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3- one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540- 60	< 0,1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

Name Produ	luct identifier	Specific concentration limits
		opecific concentration mints
one EC-N EC In	-No.: 2634-33-5 No.: 220-120-9 ndex-No.: 613-088-00-6 CH-no: 01-2120761540-	( 0,05 ≤C ≤ 100) Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>
4.2. Most important symptoms and effects, both acute and delayed	
No additional information available	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

according to Regulation (EC) No. 1907/2006 (REACH)		
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective ec	uipment and emergency procedures	
General measures	: PBM-code: B.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containme	ent and cleaning up	
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	<ul><li>Ensure good ventilation of the work station. Wear personal protective equipment.</li><li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li></ul>	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store in a well-ventilated place. Keep cool.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/personal pro	tection	
8.1. Control parameters		

## 8.1.1 National occupational exposure and biological limit values

talc (Mg3H2(SiO3)4) (14807-96-6)	
Netherlands - Occupational Exposure Limits	
Local name	Talk
TGG-8u (OEL TWA)	0,25 mg/m <sup>3</sup> (respirabel)
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Talk
NDS (OEL TWA)	4 mg/m³ frakcja wdychalna 1 mg/m³ frakcja respirabilna

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

talc (Mg3H2(SiO3)4) (14807-96-6)	
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Frakcja respirabilna – frakcja aerozolu wnikająca do dróg oddechowych, która stwarza zagrożenie dla zdrowia po zdeponowaniu w obszarze wymiany gazowej. Obowiązuje jednoczesne oznaczanie stężeń włókien respirabilnych azbestu.
Regulatory reference	Dz. U. 2018 poz. 1286
Spain - Occupational Exposure Limits	
Local name	Talco (con fibras de amianto)
VLA-ED (OEL TWA) [1]	0,1 fibers/cm <sup>3</sup>
Remark	p (Sin embargo, no debe exceder de 2mg/m3 de partículas respirables).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

talc (Mg3H2(SiO3)4) (14807-96-6)		
DNEL/DMEL (Workers)		
Acute - systemic effects, inhalation	2,16 mg/m <sup>3</sup>	
Acute - local effects, inhalation	3,6 mg/m <sup>3</sup>	
Long-term - systemic effects, dermal	43,2 mg/kg bodyweight/day	
Long-term - local effects, dermal	4,54 mg/cm <sup>2</sup>	
Long-term - systemic effects, inhalation	2,16 mg/m³	
Long-term - local effects, inhalation	3,6 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	1,08 mg/m³	
Acute - systemic effects, oral	160 mg/kg bodyweight/day	
Acute - local effects, inhalation	1,8 mg/m³	
Long-term - systemic effects,oral	160 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1,08 mg/m³	
Long-term - systemic effects, dermal	21,6 mg/kg bodyweight/day	
Long-term - local effects, dermal	2,27 mg/cm <sup>2</sup>	
Long-term - local effects, inhalation	1,8 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	597,97 mg/l	
PNEC aqua (marine water)	141,26 mg/l	
PNEC aqua (intermittent, freshwater)	597,97 mg/l	
PNEC aqua (intermittent, marine water)	141,26 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	31,33 mg/kg dwt	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

talc (Mg3H2(SiO3)4) (14807-96-6)	
PNEC sediment (marine water)	3,13 mg/kg dwt
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothia	zolin-3-one (2634-33-5)
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0,966 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	6,81 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	1,2 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0,345 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	4,03 µg/l
PNEC aqua (marine water)	0,403 µg/l
PNEC aqua (intermittent, freshwater)	1,1 µg/l
PNEC aqua (intermittent, marine water)	110 ng/l
PNEC (Sediment)	
PNEC sediment (freshwater)	49,9 μg/kg dw
PNEC sediment (marine water)	4,99 μg/kg dw
PNEC (Soil)	
PNEC soil	3 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1,03 mg/l

# 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

# Personal protective equipment:

Protective goggles. Gloves.

Personal protective equipment symbol(s):



## 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

Hand protection: Protective gloves

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
рН	: 8-9
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 60 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1,03 – 1,08
Density	: 1,03 – 1,08 kg/l
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
VOC content	: 7 g/l

#### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### **10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **10.5. Incompatible materials**

## No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

(Acute Oral toxicity - Acute T         LD50 dermal rat       > 2000 mg/kg bodyweight Ar         Toxicity)       > 2,1 mg/l air Animal: rat, Gu         LC50 Inhalation - Rat       > 2,1 mg/l air Animal: rat, Gu         Guideline: EU Method B.2 (A         (Acute inhalation toxicity)         1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)         LD50 oral rat       490 mg/kg	mal: rat, Guideline: OECD Guideline 402 (Acute Dermal deline: OECD Guideline 403 (Acute Inhalation Toxicity),
talc (Mg3H2(SiO3)4) (14807-96-6)LD50 oral rat> 5000 mg/kg bodyweight Ar (Acute Oral toxicity - Acute TLD50 dermal rat> 2000 mg/kg bodyweight Ar Toxicity)LC50 Inhalation - Rat> 2,1 mg/l air Animal: rat, Gu Guideline: EU Method B.2 (A (Acute inhalation toxicity)1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)LD50 oral rat490 mg/kgLD50 dermal rat> 2000 mg/kg bodyweight Ar Toxicity)Skin corrosion/irritation: Not classified pH: 8 – 9Serious eye damage/irritation: Not classified pH: 8 – 9Serious eye damage/irritation: Not classified pH: 8 – 9Germ cell mutagenicity: Not classified carcinogenicityCarcinogenicity: Not classified vice	mal: rat, Guideline: OECD Guideline 402 (Acute Dermal deline: OECD Guideline 403 (Acute Inhalation Toxicity),
LD50 dermal rat> 2000 mg/kg bodyweight Ar Toxicity)LC50 Inhalation - Rat> 2,1 mg/l air Animal: rat, Gu Guideline: EU Method B.2 (A (Acute inhalation toxicity)1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)LD50 oral rat490 mg/kgLD50 dermal rat> 2000 mg/kg bodyweight Ar Toxicity)Skin corrosion/irritation: Not classified pH: 8 – 9Serious eye damage/irritation: Not classified pH: 8 – 9Respiratory or skin sensitisation: Not classified pH: 8 – 9Germ cell mutagenicity: Not classified pH: 8 – 9Carcinogenicity: Not classified pH: 8 – 9	oxic Class Method) mal: rat, Guideline: OECD Guideline 402 (Acute Dermal
Toxicity)LC50 Inhalation - Rat> 2,1 mg/l air Animal: rat, Gu Guideline: EU Method B.2 (A (Acute inhalation toxicity)1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)LD50 oral rat490 mg/kgLD50 dermal rat> 2000 mg/kg bodyweight Ar Toxicity)Skin corrosion/irritation: Not classified 	deline: OECD Guideline 403 (Acute Inhalation Toxicity),
Guideline: EU Method B.2 (A (Acute inhalation toxicity)         1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)         LD50 oral rat       490 mg/kg         LD50 dermal rat       > 2000 mg/kg bodyweight Ar Toxicity)         Skin corrosion/irritation       : Not classified pH: 8 - 9         Serious eye damage/irritation       : Not classified pH: 8 - 9         Respiratory or skin sensitisation       : Not classified Germ cell mutagenicity         Carcinogenicity       : Not classified	
LD50 oral rat       490 mg/kg         LD50 dermal rat       > 2000 mg/kg bodyweight Ar         Toxicity)       Skin corrosion/irritation       : Not classified         pH: 8 – 9       Serious eye damage/irritation       : Not classified         pH: 8 – 9       : Not classified       pH: 8 – 9         Respiratory or skin sensitisation       : Not classified       Serious eye classified         Germ cell mutagenicity       : Not classified       Serious eye classified	
LD50 dermal rat       > 2000 mg/kg bodyweight Ar         Toxicity)       Skin corrosion/irritation       : Not classified         pH: 8 - 9       Serious eye damage/irritation       : Not classified         pH: 8 - 9       Serious eye damage/irritation       : Not classified         pH: 8 - 9       : Not classified       Serious eye damage/irritation         carcinogenicity       : Not classified       Serious eye damage/irritation         carcinogenicity       : Not classified       Serious eye damage/irritation         carcinogenicity       : Not classified       Serious eye damage/irritation	
Toxicity)         Skin corrosion/irritation         Serious eye damage/irritation         Serious eye damage/irritation	
pH: 8 – 9         Serious eye damage/irritation       : Not classified         pH: 8 – 9         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified	mal: rat, Guideline: OECD Guideline 402 (Acute Dermal
Serious eye damage/irritation       : Not classified         pH: 8 – 9         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified	
Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified	
Carcinogenicity : Not classified	
Reproductive toxicity : Not classified	
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
NOAEL (animal/female, F1) 56,6 mg/kg bodyweight Anim (Reproduction and Fertility E	al: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 rects)
STOT-single exposure : Not classified	
STOT-repeated exposure : Not classified	
talc (Mg3H2(SiO3)4) (14807-96-6)	
NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Anim Studies)	

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term : Not classified (chronic) Not rapidly degradable		
talc (Mg3H2(SiO3)4) (14807-96-6)		
LC50 - Fish [1]	89581,02 mg/l Test organisms (species): other:	
LC50 - Fish [2]	110000 mg/l Test organisms (species): other:	
EC50 - Crustacea [1]	36,812 g/l	
EC50 96h - Algae [1]	7202,7 mg/l Test organisms (species): other:	
NOEC (chronic)	1459798 mg/l Test organisms (species): other: Duration: '30 d'	
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)		
LC50 - Fish [1]	≈ 16,7 mg/l Test organisms (species): Cyprinodon variegatus	
LC50 - Fish [2]	2,15 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	2,94 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2]	2,9 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	110 µg/l	

# 12.2. Persistence and degradability

## No additional information available

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
Partition coefficient n-octanol/water (Log Kow) 0,7 @ 20 °C	

# 12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment	
Component	
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3- one (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group		·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards	· · · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary informatic	n available			

### 14.6. Special precautions for user

Overland transport

Not applicable

### Transport by sea

Not applicable

#### Air transport

Not applicable

# Inland waterway transport

Not applicable

#### Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

### Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 7 g/l

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# DIRECTIVE 2004/42/EC on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products:

EU limit value for HYDROLUX PRIMER - MIDCOAT BASE TR (cat. A/d): 130 g/l.

HYDROLUX PRIMER - MIDCOAT BASE TR Contains max 7,00 g/l VOC.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

## 15.1.2. National regulations

France		
Occupational diseases		
Code	Description	
RG 65	RG 65 Eczematiform lesions of allergic mechanism	
RG 66	Occupational rhinitis and asthma	

#### Germany

Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids
CH - VOC (SR 814.018)	: 0,5835014 %

## **15.2. Chemical safety assessment**

A chemical safety assessment has been carried out

### **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:		
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development, OECD	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5). May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H400	Very toxic to aquatic life.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of use descriptors	
PC9a	Coatings and paints, thinners, paint removers
PROC7	Industrial spraying

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.