

EUROPEAN HOME OF **Marshall** CAMERAS



MarCam
EUROPE

MINI, COMPACT &
ZOOM BLOCK CAMERA
CATALOGUE

2024
2nd EDITION

EMEA Master Distributor for all Marshall cameras, lenses & accessories

Visit www.MarCamEurope.com
or call +44 [0] 1784 450 506

Mini Camera Model Comparison

IP67 Weatherproof Camera
(3G-SDI)



CV228

IP67 Weatherproof Camera
(3G-SDI)



CV504-WP

Mini Camera
(3G-SDI)



CV504

Mini Camera
(3G-SDI & HDMI)



CV508

Resolutions & Frame Rates

| | | | | |
|---------------|-------------------------------|--|--|--|
| HD 1920x1080p | 25, 29.97, 30, 50, 59.94 & 60 | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 |
| HD 1920x1080i | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 |
| HD 1280x720p | 25, 29.97, 30, 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 |

Video Output Connectors

| | | | | |
|--------|---|---|---|---|
| 3G-SDI | ✓ | ✓ | ✓ | ✓ |
| HDMI | - | - | - | ✓ |

Lens (Supplied Lens)

| | | | | |
|--------------|-------|-------|-------|-------|
| Mount Type | M12 | M12 | M12 | M12 |
| Focal Length | 4mm | 4mm | 4mm | 4mm |
| Max Aperture | f/2.0 | f/2.0 | f/2.0 | f/2.0 |

Other

| | | | | |
|-----------------|------|------|--------------|--------------|
| Rolling Shutter | ✓ | ✓ | ✓ | ✓ |
| Global Shutter | - | - | - | - |
| Genlock | - | - | - | - |
| RS-485 | ✓ | ✓ | ✓ | ✓ |
| Audio Input | - | - | 3.5mm Stereo | 3.5mm Stereo |
| IP Rating | IP67 | IP67 | - | - |

Mini Genlock Camera
(3G-SDI & HDMI)



CV566

Mini Genlock & Global Shutter
Camera (3G-SDI & HDMI)



CV568

NDI|HX3 Mini Camera
(HDMI, IP & NDI|HX3)



CV570

4K UHD NDI|HX3 Mini Camera
(HDMI, IP & NDI|HX3)



CV574

Resolutions & Frame Rates

| | | | | |
|----------------|--|--|-------------------------------|-------------------------------|
| UHD 3840x2160p | - | - | - | 25, 29.97, 30, 50, 59.94 & 60 |
| HD 1920x1080p | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 25, 29.97, 30, 50, 59.94 & 60 | 25, 29.97, 30, 50, 59.94 & 60 |
| HD 1920x1080i | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 |
| HD 1280x720p | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 |

Video Output Connectors

| | | | | |
|--------------------|---|---|---|---|
| 3G-SDI | ✓ | ✓ | - | - |
| HDMI | ✓ | ✓ | ✓ | ✓ |
| IP Ethernet (RJ45) | - | - | ✓ | ✓ |
| NDI HX3 (RJ45) | - | - | ✓ | ✓ |

Lens (Supplied Lens)

| | | | | |
|--------------|-------|-------|-------|-------|
| Mount Type | M12 | M12 | M12 | M12 |
| Focal Length | 4mm | 4.4mm | 4mm | 4mm |
| Max Aperture | f/2.0 | f/2.0 | f/2.0 | f/2.0 |

Other

| | | | | |
|-----------------|--------------|--------------|--------------|--------------|
| Rolling Shutter | ✓ | - | ✓ | ✓ |
| Global Shutter | - | ✓ | - | - |
| Genlock | ✓ | ✓ | - | - |
| RS-485 | ✓ | ✓ | ✓ | ✓ |
| Audio Input | 3.5mm Stereo | 3.5mm Stereo | 3.5mm Stereo | 3.5mm Stereo |
| IP Rating | - | - | - | - |

Mini Cameras

CV228

IP67 Weatherproof Lipstick-Style Broadcast Camera with 4mm Interchangeable Lens - 3G-SDI



Weatherproof Lipstick Camera

- 3G-SDI video output
- 1920x1080 up-to 60p
- M12 interchangeable lens mount
- IP 67 dust and water protection rating
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV228

CV504-WP

IP67 Weatherproof Mini Broadcast Camera with 4mm Interchangeable Lens - 3G-SDI



Weatherproof Mini Broadcast Camera

- 3G-SDI video output
- 1920x1080 up-to 60p
- M12 interchangeable lens mount
- IP 67 dust and water protection rating
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV504-WP

CV504

Mini Broadcast Camera with 4mm Interchangeable Lens - 3G-SDI



Mini Broadcast Camera

- 3G-SDI video output
- 1920x1080 up-to 60p
- M12 interchangeable lens mount
- 3.5mm audio input
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV504

CV508

Mini Broadcast Camera with 4mm Interchangeable Lens - 3G-SDI & HDMI



Mini Broadcast Camera

- 3G-SDI & HDMI video outputs
- 1920x1080 up-to 60p
- M12 interchangeable lens mount
- 3.5mm audio input
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV508

Mini Cameras

CV566

Genlock Mini Broadcast Camera with 4mm Interchangeable - 3G-SDI & HDMI



Genlock Mini Broadcast Camera

- 3G-SDI & HDMI video outputs with genlock
- 1920x1080 up-to 60p
- M12 interchangeable lens mount
- 3.5mm audio input
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV566

CV568

Global Shutter & Genlock Mini Broadcast Camera with 4.4mm Interchangeable - 3G-SDI & HDMI



Global Shutter & Genlock Mini Broadcast Camera

- 3G-SDI & HDMI video outputs with genlock
- 1920x1080 up-to 60p
- 1/1.8" global shutter sensor with 25% larger pixel size
- M12 interchangeable lens mount
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV568

CV570

NDI Mini Broadcast Camera with 4mm Interchangeable - HDMI, IP & NDI|HX3



NDI|HX3 Mini Broadcast Camera

- HDMI, IP Ethernet & NDI video outputs
- 1920x1080 up-to 60p
- PoE support for power, control and output over 1 cable
- M12 interchangeable lens mount
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV570

CV574

4K UHD NDI Mini Broadcast Camera with 4mm Interchangeable - HDMI, IP & NDI|HX3



UHD NDI|HX3 Mini Broadcast Camera

- HDMI, IP Ethernet & NDI video outputs
- 3840x2160 up-to 60p
- PoE support for power, control and output over 1 cable
- M12 interchangeable lens mount
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV574

HD Compact Camera Model Comparison

Compact Camera
(3G-SDI)



CV344

Compact Camera
(3G-SDI & HDMI)



CV346

Compact Genlock Camera
(3G-SDI & HDMI)



CV366

Compact Genlock &
Global Shutter Camera
(3G-SDI & HDMI)



CV368

Compact NDI|HX3
Broadcast Camera
(HDMI, IP & NDI|HX3)



CV370

Resolution & Frame Rates

| | | | | | |
|---------------|--|--|--|--|-------------------------------|
| HD 1920x1080p | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 25, 29.97, 30, 50, 59.94 & 60 |
| HD 1920x1080i | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 |
| HD 1280x720p | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 |

Video Output Connectors

| | | | | | |
|--------------------|---|---|---|---|---|
| 3G-SDI | ✓ | ✓ | ✓ | ✓ | - |
| 6G-SDI | - | - | - | - | - |
| HDMI | - | ✓ | ✓ | ✓ | ✓ |
| IP Ethernet (RJ45) | - | - | - | - | ✓ |
| NDI HX3 (RJ45) | - | - | - | - | ✓ |

Other

| | | | | | |
|-----------------|--------------|--------------|--------------|--------------|--------------|
| Lens Mount Type | CS | CS | CS | CS | CS |
| Audio Input | 3.5mm Stereo | 3.5mm Stereo | 3.5mm Stereo | 3.5mm Stereo | 3.5mm Stereo |
| Rolling Shutter | ✓ | ✓ | ✓ | - | ✓ |
| Global Shutter | - | - | - | ✓ | - |
| Genlock | - | - | ✓ | ✓ | - |
| RS-485 | ✓ | ✓ | ✓ | ✓ | ✓ |

4K Compact Camera Model Comparison

UHD NDI|HX3 Compact Camera
(HDMI, IP & NDI|HX3)



CV374

4K Compact Broadcast Camera
(6G-SDI & HDMI)



CV380-CS

UHD ePTZ Camera
(IP, HDMI & USB 3.0)



CV420e

UHD ePTZ Camera
(IP, HDMI, USB 3.0 & NDI|HX3)



CV420Ne

Resolution & Frame Rates

| | | | | |
|----------------|-------------------------------|--|-------------------------------|-------------------------------|
| 4K 4096x2160p | - | 23.98, 24, 25, 29.94 & 30 | - | - |
| UHD 3840x2160p | 25, 29.97, 30, 50, 59.94 & 60 | 23.98, 24, 25, 29.94 & 30 | 25, 29.97, 30, 50, 59.94 & 60 | 25, 29.97, 30, 50, 59.94 & 60 |
| HD 1920x1080p | 25, 29.97, 30, 50, 59.94 & 60 | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 25, 29.97, 30, 50, 59.94 & 60 | 25, 29.97, 30, 50, 59.94 & 60 |
| HD 1920x1080i | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 | 50, 59.94 & 60 |
| HD 1280x720p | 50, 59.94 & 60 | 50, 59.94 & 60 | 25, 29.97, 30, 50, 59.94 & 60 | 25, 29.97, 30, 50, 59.94 & 60 |

Video Output Connectors

| | | | | |
|--------------------|---|---|---|---|
| 3G-SDI | - | ✓ | - | - |
| 6G-SDI | - | ✓ | - | - |
| HDMI | ✓ | ✓ | ✓ | ✓ |
| USB 3.0 (Type B) | - | - | ✓ | ✓ |
| IP Ethernet (RJ45) | ✓ | - | ✓ | ✓ |
| NDI HX3 (RJ45) | ✓ | - | - | ✓ |

Other

| | | | | |
|-----------------|--------------|--------------|--------------|--------------|
| Lens Mount Type | CS | CS | - | - |
| Audio Input | 3.5mm Stereo | 3.5mm Stereo | 3.5mm Stereo | 3.5mm Stereo |
| Rolling Shutter | ✓ | ✓ | ✓ | ✓ |
| Global Shutter | - | - | - | - |
| Genlock | - | - | - | - |
| RS-485 | ✓ | ✓ | - | - |

HD Compact Cameras

CV344

Compact Broadcast Camera with CS Lens Mount - 3G-SDI



Compact Broadcast Camera

- 3G-SDI video output
- 1920x1080 up-to 60p
- Interchangeable lens mount for CS lenses
- 1/2.8" 2.5 megapixel sensor
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV344

CV346

Compact Broadcast Camera with CS Lens Mount - 3G-SDI & HDMI



Compact Broadcast Camera

- 3G-SDI & HDMI video outputs
- 1920x1080 up-to 60p
- Interchangeable lens mount for CS lenses
- 1/2.8" 2.5 megapixel sensor
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV346

CV366

Genlock Compact Broadcast Camera with CS Lens Mount - 3G-SDI & HDMI



Genlock Compact Camera

- 3G-SDI & HDMI video outputs with genlock
- 1920x1080 up-to 60p
- Interchangeable lens mount for CS lenses
- 1/2.8" 2.2 megapixel sensor
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV366

CV368

Global Shutter & Genlock Compact Broadcast Camera with CS Lens Mount - 3G-SDI & HDMI



Global Shutter & Genlock Compact Camera

- 3G-SDI & HDMI video outputs with genlock
- 1920x1080 up-to 60p
- Interchangeable lens mount for CS lenses
- 1/1.8" global shutter sensor with 25% larger pixel size
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV368

IP/PoE Compact Cameras

CV370

NDI Compact Broadcast Camera with CS Lens Mount - HDMI, IP & NDI|HX3



NDI|HX3 Compact Broadcast Camera

- HDMI, IP & NDI|HX3 video outputs
- 1920x1080 up-to 60p
- Interchangeable lens mount for CS lenses
- PoE support for power, control and output over 1 cable
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV370

CV374

4K UHD NDI Compact Broadcast Camera with CS Lens Mount - HDMI, IP & NDI|HX3



UHD NDI|HX3 Compact Broadcast Camera

- HDMI, IP & NDI|HX3 video outputs
- 3840x2160 up-to 60p
- Interchangeable lens mount for CS lenses
- PoE support for power, control and output over 1 cable
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV374

CV420e

4K Mini Camera with HD ePTZ functionality - HDMI, USB & IP Ethernet



CV420e



Compact UHD Camera with ePTZ functionality

- HDMI, USB & IP Ethernet video outputs
- 1920x1080 up-to 60p with ePTZ or UHD ultra wide
- Up to 12x digital zoom
- Supports PoE
- Remote control using UVC, CGI, Ethernet (VISCA over IP) or with included IR remote



See price and more at www.marcameurope.com/CV420e

CV420Ne

4K UHD Mini Camera with HD ePTZ functionality - HDMI, USB, IP Ethernet & NDI|HX3



CV420Ne



Compact UHD Camera with ePTZ functionality

- HDMI, USB, NDI|HX3 & IP Ethernet video outputs
- 1920x1080 up-to 60p with ePTZ or UHD ultra wide
- Up to 12x digital zoom
- Supports PoE
- NDI|HX3 capable
- Remote control using UVC, CGI, Ethernet (VISCA over IP) or with included IR remote



See price and more at www.marcameurope.com/CV420Ne

4K Compact Camera

CV380-CS

True 4K Compact Broadcast Camera with CS Lens Mount - 6G-SDI & HDMI



True 4K30 Compact Camera

- 6G-SDI & HDMI video outputs
- DCI-4K (4096x2160) & UHD (3840x2160) up-to 30p
- Interchangeable lens mount for CS lenses
- 1/2.5" 8.5 megapixel sensor
- Remote adjust/match via CV-RCP-V2 or free camera control software



See price and more at www.marcameurope.com/CV380-CS

Lens Options

CS-3816

3.8-16mm
F1.4
8MP
AOV approx. 112-30°



See price and more at www.marcameurope.com/CS-3816-8MP

CS-2.8

2.8mm
F1.6
10MP
AOV approx. 160°



See price and more at www.marcameurope.com/CS-2-8-10MP

CS-3.2

3.2mm
F2.0
12MP
AOV approx. 131°



See price and more at www.marcameurope.com/CS-3-2-12MP

CV-RCP-V2

Camera Control Unit for Mini & Compact Cameras with 5" Touchscreen



- 5" touchscreen with intuitive operation
- Control up to 7 Marshall cameras
- Up to 300m distance using 3-pin XLR cable
- Save and load camera presets with global and individual adjustments
- Dials allow for precise adjustments

See price and more at www.marcameurope.com/CV-RCP-V2

CV-PT-HEAD

Micro Remote Pan/Tilt Head for Marshall Miniature Cameras with Camera Link Cable



See price and more at www.marcameurope.com/CV-PT-HEAD

CV-MICRO-J2

3-axis Joystick Remote Controller for CV-PT-HEAD



See price and more at www.marcameurope.com/CV-MICRO-J2

HD Zoom Block Camera Model Comparison

Compact HD Zoom Block Camera
(3G-SDI & HDMI / 10x Optical)



CV355-10X

HD Zoom Block Camera
(IP, 3G-SDI & HDMI / 30x Optical)



CV355-30X-IP

HD Zoom Block Camera
(NDI|HX2, 3G-SDI & HDMI / 30x Optical)



CV355-30X-NDI

| Resolution & Frame Rates | | | |
|--------------------------|--|-----------------------|-----------------------|
| HD 1920x1080p | 23.98, 24, 25, 29.97, 30, 50, 59.94 & 60 | 25, 29.97, 50 & 59.94 | 25, 29.97, 50 & 59.94 |
| HD 1920x1080i | 50, 59.94 & 60 | - | - |
| HD 1280x720p | 50, 59.94 & 60 | 25, 29.97, 50 & 59.94 | 50 & 59.94 |
| Video Output Connectors | | | |
| 3G-SDI | ✓ | ✓ | ✓ |
| HDMI | ✓ | ✓ | ✓ |
| IP Ethernet (RJ45) | - | ✓ | ✓ |
| NDI HX2 (RJ45) | - | - | ✓ |
| Lens | | | |
| Focal Length | 4.7mm to 47mm | 4.6mm to 135mm | 4.6mm to 135mm |
| Optical Zoom Ratio | 10x | 30x | 30x |
| Digital Zoom Ratio | 12x | - | - |
| Angle of View | 6° to 60° | 3° to 68° | 3° to 68° |
| Other | | | |
| Audio In | 3.5mm Stereo | 3.5mm Stereo | 3.5mm Stereo |
| RS-232 | - | ✓ | ✓ |
| RS-485 | ✓ | - | - |
| PoE Support | - | PoE (10.5W) | PoE (10.5W) |

4K Zoom Block Camera Model Comparison

4K (UHD) Zoom Block Camera
(IP, 12G-SDI & HDMI / 30x Optical)



CV420-30X

4K (UHD) Zoom Block Camera
(IP & HDMI / 30x Optical)



CV420-30X-IP

4K (UHD) Zoom Block Camera
(NDI|HX2 & HDMI / 30x Optical)



CV420-30X-NDI

| Resolutions & Frame Rates | | | |
|---------------------------|-----------------------|-----------------------|-----------------------|
| UHD 3840x2160p | 25, 29.97, 50 & 59.94 | 25, 29.97, 50 & 59.94 | 25, 29.97, 50 & 59.94 |
| HD 1920x1080p | 25, 29.97, 50 & 59.94 | 25, 29.97, 50 & 59.94 | 25, 29.97, 50 & 59.94 |
| HD 1280x720p | 25, 29.97, 50 & 59.94 | 25, 29.97, 50 & 59.94 | 25, 29.97, 50 & 59.94 |
| Video Output Connectors | | | |
| 12G-SDI | ✓ | - | - |
| HDMI | ✓ | ✓ | ✓ |
| IP Ethernet (RJ45) | ✓ | ✓ | ✓ |
| NDI HX2 (RJ45) | - | - | ✓ |
| Lens | | | |
| Focal Length | 4.6mm to 135mm | 4.6mm to 135mm | 4.6mm to 135mm |
| Optical Zoom Ratio | 30x | 30x | 30x |
| Digital Zoom Ratio | - | - | - |
| Angle of View | 3° to 68° | 3° to 68° | 3° to 68° |
| Other | | | |
| Audio In | 3.5mm Stereo | 3.5mm Stereo | 3.5mm Stereo |
| RS-232 | ✓ | ✓ | ✓ |
| RS-485 | - | - | - |
| PoE Support | PoE+ (19W) | PoE (10.5W) | PoE (10.5W) |

HD Zoom Block Cameras

CV355-10X

Compact HD Zoom Block Camera with 4.7mm-47mm
10x Zoom Lens - 3G-SDI & HDMI



Compact 10x Zoom Block Camera

- 3G-SDI & HDMI video outputs
- 1920x1080 up-to 60p
- 10x optical zoom (4.7mm-47mm) with 12x digital zoom
- 1/2.8" 2 megapixel sensor



See price and more at www.marcomeurope.com/CV355-10X

CV355-30X-IP

HD Zoom Block Camera with 4.6mm-135mm
30x Zoom Lens - 3G-SDI, HDMI & IP Ethernet



30x Zoom Block IP Camera

- 3G-SDI, HDMI & IP Ethernet video outputs
- 1920x1080 up-to 59.94p
- 30x optical zoom (4.6mm-135mm)
- 1/2.5" 8 megapixel sensor
- Supports PoE for video, control & power over one cable



See price and more at www.marcomeurope.com/CV355-30X-IP

CV355-30X-NDI

HD Zoom Block Camera with 4.6mm-135mm
30x Zoom Lens - 3G-SDI, HDMI & NDI|HX2



30x Zoom Block NDI|HX2 Camera

- 3G-SDI & HDMI & NDI|HX2 video outputs
- 1920x1080 up-to 59.94p
- 30x optical zoom (4.6mm-135mm)
- 1/2.5" 8 megapixel sensor
- Supports PoE for video, control & power over one cable



See price and more at www.marcomeurope.com/CV355-30X-NDI

CV-H20-HF

Weatherproof Housing with Fan & Heater
for Compact & Zoom Block Cameras



- IP68 rain and dust protection
- IK-10 vandal-proof
- Built-in heater, fan and attachable sun hood
- Wall mount arm with 360° swivel and 90° tilt
- Top open access for easy installation and service

See price and more at www.marcomeurope.com/CV-H20-HF

4K Zoom Block Cameras

CV420-30X-IP

4K (UHD) Zoom Block Camera with 4.6mm-135mm
30x Zoom Lens, HDMI & IP Ethernet



30x UHD Zoom Block IP Camera

- Simultaneously stream IP & HDMI video outputs
- 3840x2160 up-to 59.94p
- 30x optical zoom (4.6mm to 135mm)
- 1/2.5" 8 megapixel sensor
- Supports PoE for video, control & power over one cable



See price and more at www.marcameurope.com/CV420-30X-IP

CV420-30X-NDI

UHD Zoom Block Camera with 4.6mm-135mm
30x Zoom Lens - HDMI & NDI|HX2



30x UHD Zoom Block NDI|HX2 Camera

- NDI|HX2 & HDMI video outputs
- 3840x2160 up-to 59.94p
- 30x optical zoom (4.6mm to 135mm)
- 1/2.5" 8 megapixel sensor
- Supports PoE for video, control & power over one cable



See price and more at www.marcameurope.com/CV420-30X-NDI

CV420-30X

4K (UHD) Zoom Block Camera with 4.6mm-135mm
30x Zoom Lens - 12G-SDI, HDMI & IP Ethernet



30x UHD Zoom Block 12G-SDI & IP Camera

- 12G-SDI, HDMI & IP Ethernet video outputs
- 3840x2160 up-to 59.94p
- 30x optical zoom (4.6mm to 135mm)
- 1/2.5" 8 megapixel sensor
- Supports PoE+ for video, control & power over one cable



See price and more at www.marcameurope.com/CV420-30X

VAC-23SHUC

HDMI & 3G-SDI to USB-C Computer Format Converter



- Connect 3G-SDI & HDMI devices to a PC via USB-C
- USB powered - no separate cable required

See price and more at www.marcameurope.com/VAC-23SHUC

VAC-12HUC

HDMI to USB-C Computer Format Converter



- Connect HDMI devices to a PC via USB-C
- Computer control interface via UVC

See price and more at www.marcameurope.com/VAC-12HUC

EUROPEAN HOME OF **Marshall** CAMERAS

MarCam



EUROPE

EMEA Master Distributor for all Marshall cameras, lenses & accessories

MarCam
EUROPE

Visit www.MarCamEurope.com
or call +44 (0) 1784 450 506

Marshall
CAMERAS

Unit 10, Sky Business Park, Eversley Way, Egham, Surrey, TW20 8RF, United Kingdom

All specifications and design images subject to change without notice