Light up your
Christmas with
Xmas Starlight®

XMAS®
STARLiGHT
ORIGINAL DUTCH COMPANY

Collection 2025

Contents

Introduction

Xmas Starlight® is led by industry professionals within the field of (flagpole) Christmas tree lighting for a combined 50 years experience. This expertise alongside a carefully built network enables us to develop innovative and high-quality solutions, bringing flagpole Christmas lighting products the end customers demand. Xmas Starlight® is always looking for new possibilities and responds to customer needs by continuously innovating and improving our range.

In 2025 Xmas Starlight® will be launching their most important innovation - the patented Flexbelt lighting. This innovative lighting offers a solution to the most common irritation with flagpole Christmas trees, it no longer gets confused so quickly. In addition, the LEDS are integrated into the light cord, which means that they are 100% waterproof. By using sustainable materials, the Xmas Starlight® trees are also long-term protected against most weather influences. This innovation combines ease of use with top quality, guaranteeing a 3-year product warranty.

Easy Set Up & Storage

The power of Xmas Starlight® lies in our high-quality, patented Flexbelt lighting. This innovative lighting is specially designed to prevent the tree from becoming tangled, making setting up your Christmas tree quick and effortless. Thanks to the easy-to-use tensioning system, you can set up the Flexbelt trees in no time, without any technical knowledge, so that you can enjoy a beautifully illuminated Christmas tree in no time. With Xmas Starlight® we combine the convenience of a simple installation with a magical Christmas decoration in your garden.

XMAS STARLiGHT

FLEXBELT

The new generation of flagpole Christmas Trees

is launching a new series of flagpole Christmas trees with the Flexbelt LED lighting.

The Flexbelt LED solution is known for its versatility, energy efficiency and ease of use.

100% Waterproof

Pre-connected system

Plug & Play

Webbings replaceable

Tension system

Main features

+ LED lights integrated into the wire
+ Available Warm White, Warm White Twinkle and Multi color
+ Quick and easy to set up.
  (storage in a Xmas Starlight® bag)
+ Anti-wirwar draad
+ Minimal risk of damage during set-up.
+ Pre connectors. Plug and Play
+ 5M lead cord (for BS Plug 10M lead cord)
+ All models equipped with a timer and/or smart plug

Set up

+ All Xmas Starlight® flagpole Christmas trees are modular
+ All webbings (light compartments) are connected by press snaps
+ All parts are replaceable and available from stock
+ Available in different heights. From 1.50 meters to 12 meters

Weather and water resistant

+ 100% waterproof; no corrosion can occur
+ Resistant to various weather conditions

Sustainability

+ No corrosion due to waterproof LED lights
+ Flexbelt LED lights lasts longer
+ Low energy consumption thanks to efficient LED lights
+ Packaging made of recycled cardboard

Warranty

+ 3 year warranty
+ Service support by our own Helpdesk specialists
+ The best value for money
+ Largest collection of flagpole Christmas trees in Europe
+ The entire collection meets the highest European standards

XMAS STARLiGHT® FLEXBELT

LED trees incl. pole

Xmas Starlight® offers the right solution for LED Christmas trees up to 6 meters for situations where a flagpole is not available. With the included pole you can easily set up the Xmas Starlight® Flexbelt Christmas tree, without the need for a flagpole. We also offer models from 5 meters to 14 meters, which are suitable for existing flagpoles.

This makes it possible (with or without a flagpole) to enjoy the easy-to-install Xmas Starlight® Flexbelt lighting. This system ensures that the lighting is always neat and tidy, regardless of the setup. This system is designed to always provide the same appearance.

LED Tree 150 cm 2x80 LED
Set of 2, incl. poles

Type LED	Warm white, 2x80 LED
Height	150 cm
Diameter	50 cm
Operation	Timer plug
Article nr.	250011-WW
EAN code	8785287744336

LED Tree 180 cm 300 LED
Hanging tree, incl. pole

Type LED	Warm white, 300 LED
Height	180 cm
Diameter	80 cm
Operation	Timer plug
Article nr.	250012-WW
EAN code	8785287744343

2x 150 cm
incl. poles

XMAS STARLIGHT

180 cm
incl. pole

XMAS STARLIGHT

included

Timer plug
+
Ground pegs

included

Timer plug
+
Facade pole

LED Tree 200cm 300 LED
incl. pole

Type LED	Warm white, 300 LED
Height	200 cm
Diameter	100 cm
Operation	Timer plug
Article nr.	250021-WW
EAN code	8785287744350

LED Tree 300 cm 480 LED
incl. pole

Type LED	Warm wit, 480 LED
Height	300 cm
Diameter	150 cm
Operation	Timer plug
Article nr.	250031-WW
EAN code	8785287744367

incl. pole, with Twinkle

Type LED	Warm white, 480 LED
Height	300 cm
Diameter	150 cm
Operation	Timer plug
Article nr.	250032-WWT
EAN code	8785287744374

200 cm
incl. pole

XMAS STARLIGHT

300 cm
incl. pole

XMAS STARLIGHT

included

Timer plug

+

Pole 200 cm

+

Ground pegs

included

Timer plug

+

Pole 300 cm

+

Ground pegs

LED Tree 400 cm 800 LED
incl. pole

Type LED	Warm white, 800 LED
Height	400 cm
Diameter	200 cm
Operation	Timer plug
Article nr.	250041-WW
EAN code	8785287744381

LED Tree 400 cm 1200 LED
incl. pole

Type LED	Warm white, 1200 LED
Height	400 cm
Diameter	200 cm
Operation	Timer plug
Article nr.	250043-WW
EAN code	8785287744404

incl. pole, with Twinkle

Type LED	Warm white, 1200 LED
Height	400 cm
Diameter	200 cm
Operation	Timer plug
Article nr.	250044-WWT
EAN code	8785287744411

400 cm
incl. pole

XMAS STARLIGHT

400 cm
incl. pole

included

Timer plug
+
Pole 400 cm
+
Ground pegs

included

Timer plug
+
Pole 400 cm
+
Ground pegs

XMAS STARLIGHT® FLEXBELT

LED flagpole trees

Next Generation Flagpole Christmas tree from Xmas Starlight® Flexbelt trees

Get to know the future of flagpole Christmas tree lighting by choosing the Next- Generation Xmas Starlight®. Due to the wide choice of models and colors, the Flexbelt from Xmas Starlight® is the ideal solution for masts up to 14 meters. The patented models are designed with the flexbelt LED lighting technology, which combines simplicity and durability with ease of maintenance.

The Next-Generation Xmas Starlight® flagpole features replaceable light compartments, which are designed to withstand all weather conditions. These new light compartments make maintenance even easier. Any damaged light compartments can be replaced in no time.

This Next-Generation flagpole Christmas tree is ideal for anyone looking for an impressive flagpole Christmas tree without difficult constructions. With the easy installation, uniform light distribution, the Xmas Starlight® brings the right look to any environment. With a Flexbelt flagpole Christmas tree you get a stylish, cost-efficient and easy-to-maintain flagpole Christmas tree that you will enjoy every year during the Christmas period.

LED Tree 500 cm 1000 LED
excl. pole

Type LED	Warm white, 1000 LED
Height	500 cm
Diameter	240 cm
Operation	Timer plug
Article nr.	250151-WW
EAN code	8785287744503

LED Tree 600 cm 1200 LED
excl. pole

Type LED	Warm white, 1200 LED
Height	600 cm
Diameter	300 cm
Operation	Timer plug
Article nr.	250161-WW
EAN code	8785287744510

500 cm
excl. pole

600 cm
excl. pole

included

Timer plug

+

Ground pegs

included

Timer plug

+

Ground pegs

LED Tree 600 cm 1500 LED
excl. pole

Type LED	Warm white, 1500 LED
Height	600 cm
Diameter	300 cm
Operation	Timer plug
Article nr.	250162-WW
EAN code	8785287744527

LED Tree 600 cm 2000 LED
excl. pole

Type LED	Warm white, 2000 LED
Height	600 cm
Diameter	300 cm
Operation	Timer plug
Article nr.	250165-WW
EAN code	8785287744558

excl. pole, with Twinkle

Type LED	Warm white, 2000 LED
Height	600 cm
Diameter	300 cm
Operation	Timer plug
Article nr.	250166-WWT
EAN code	8785287744565

600 cm excl. pole

XMAS STARLIGHT

600 cm excl. pole

XMAS STARLIGHT

included

Timer plug

+

Ground pegs

included

Timer plug

+

Ground pegs

LED Tree 700 cm 1800 LED
excl. pole

Type LED	Warm white, 1800 LED
Height	700 cm
Diameter	325 cm
Operation	Timer plug
Article nr.	250171-WW
EAN code	8785287744572

LED Tree 800 cm 2000 LED
excl. pole

Type LED	Warm white, 2000 LED
Height	800 cm
Diameter	370 cm
Operation	Timer plug
Article nr.	250181-WW
EAN code	8785287744589

excl. pole, with Twinkle

Type LED	Warm white, 2000 LED
Height	800 cm
Diameter	370 cm
Operation	Timer plug
Article nr.	250182-WWT
EAN code	8785287744596

700 cm
excl. pole

800 cm
excl. pole

included

Timer plug

+

Ground pegs

included

Timer plug

+

Ground pegs

LED Tree 1000 cm 4000 LED
excl. pole

Type LED	Warm white, 4000 LED
Height	1000 cm
Diameter	430 cm
Operation	Timer plug
Article nr.	250101-WW
EAN code	8785287744619

LED Tree 1200cm 5000 LED
excl. pole

Type LED	Warm white, 5000 LED
Height	1200 cm
Diameter	500 cm
Oparation	Timer plug
Article nr.	250120-WW
EAN code	8785287744626

included

Timer pole + Ground pegs

1000 cm
excl. pole

1200 cm
excl. pole
1400 cm

included

Timer plug + Ground pegs

LED Tree 1400cm 6000 LED
excl. pole

Type LED	Warm white, 6000 LED
Height	1400 cm
Diameter	580 cm
Operation	Timer pole
Article nr.	250140-WW
EAN code	8785287744633

included

Timer plug + Ground pegs

XMAS STARLiGHT® TWILIGHT FLEXBELT
LED flagpole trees

Two atmospheres in one Xmas Starlight® flagpole Christmas tree

With the Xmas Starlight® Twilight flagpole you can easily and quickly switch between different colors. With this innovation you can show the atmosphere of the Christmas season even better. This unique lighting offers the best of both worlds. This way you can choose between a trendy (multi) color(s) or a cozy atmosphere with warm white light. In short, a solution for everyone.

Flexibility and the right atmosphere for outside

Whether you have a small or large garden, the Xmas Starlight® Twilight always has the right size for you. Our Christmas tree is designed to stand out regardless of the space of the environment. The Xmas Starlight® Twilight ensures that your environment shines. Within a few steps, your mast will be transformed into a beautiful Christmas tree.

LED Tree 300 cm 480 LED
incl. pole

Type LED	Duo Warm White / Multicolor, 480 LED
Height	300 cm
Diameter	150 cm
Operation	Timer plug
Article nr.	250033-WWMD
EAN code	8785287744640

300 cm
incl. pole

XMAS STARLIGHT

included

Timer plug

+

Pole 300 cm

+

Ground pegs

LED Tree 400 cm 1200 LED
incl. pole

Type LED	Duo Warm White / Multicolor, 1200 LED
Height	400 cm
Diameter	200 cm
Operation	Timer plug
Article nr.	250045-WWMD
EAN code	8785287744428

400 cm
incl. pole

XMAS STARLIGHT

included

Timer plug

+

Pole 400 cm

+

Ground pegs

LED Tree 600 cm 1500 LED
excl. pole

Type LED	Duo Warm White / Multicolor, 1500 LED
Height	600 cm
Diameter	300 cm
Operation	Timer plug
Article nr.	250164-WWD
EAN code	8785287744541

LED Tree 800cm 2000 LED
excl. pole

Type LED	Duo Warm White / Multicolor, 2000 LED
Height	800 cm
Diameter	370 cm
Operation	Timer plug
Article nr.	250183-WWD
EAN code	8785287744602

included

Timer plug + Ground pegs

600 cm excl. pole

800 cm excl. pole
1000 cm

included

Timer plug
+
Ground pegs

LED Tree 1000 cm 4000 LED
excl. pole

Type LED	Duo Warm White / Multicolor, 4000 LED
Height	1000 cm
Diameter	430 cm
Operation	Timer plug
Article nr.	250102-WWD
EAN code	8785287745715

included

Timer plug + Ground pegs

Accessories & Spare parts

As the holidays approach, it's time to get out your Christmas lights. But what if your Xmas Starlight® flagpole Christmas tree no longer works as it should? Don't worry, because with us you will find all the parts you need to make your Xmas Starlight® shine in all its glory again. Ordering is quick and easy via our user-friendly website. In just a few steps you have selected the right parts and you can count on fast delivery, so that your tree shines as it should again. Make your holidays complete with a Xmas Starlight®!

Replaceable Light Compartments

Replacing the LED light compartment of your Xmas Starlight flagpole Christmas tree is easy with the compatible compartment, tailored to a specific height of your Xmas Starlight. By attaching these compartments with push buttons, replacement is quick and hassle-free. The compartment contains energy-efficient LED lighting, made from weather-resistant materials. All individual compartments can be ordered on our website xmasstarlight.nl.

XMAS STARLiGHT

Accessories & Spare parts

Extension Cable
10 meter

Art. nr.   320025-10M
EAN code   8785287744060

Pole 2 /3/ 4 meter black
Aluminium, consists of several parts

2 meter	3 meter	4 meter
Art nr. 320030-P4	Art nr. 320030-P6	Art nr. 320030-P8
EAN 8785287744138	EAN 8785287744145	EAN 8785287744152

Smart Plug
Controlled by App
Google Chrome & Amazon Alexa connectable

Art. nr.   320020-XSP
EAN code   8785287744053

Pole 5 meter black
Aluminium with ground pipe, consists of several parts

Art. nr.   320050-Z
EAN code   8785287744312

Ground pipe
for divisible Poles
from 6 to 8 meter

Art. nr.   320061-GR
EAN code   8785287744176

Pole 6 meter black
Aluminium with ground pipe, consists of several parts

Art. nr.   320060-Z
EAN code   8785287744169

Transformer plug
GS IP44 B   with 8 - 16 uur timer

31v 6 Watt	31v 9 Watt	31v 15 Watt
Art nr. TSX-GS-A	Art nr. TSX-GS-B	Art nr. TSX-GS-C
EAN 8785287744077	EAN 8785287744084	EAN 8785287744091

Pole 7 meter black
Aluminium with ground pipe, consists of several parts

Art. nr.   320070-Z
EAN code   8785287744329

Transformer plug
GS IP44 (C, for 10 and 12 meter models)

31v 12 Watt	31v 24 Watt
Art nr. TSX-GS-D	Art nr. TSX-GS-E
EAN 8785287744107	EAN 8785287744114

Flex Bottom Cross
from 2 to 12 meter
LED Christmas trees

Art. nr.   320030-BC
EAN code   8785287744046

Ground pegs
5 x 300 mm
Per set of 4 pieces

Art. nr.   250300-HG
EAN code   8785287744220

Distribution cable
(1 to 4 connections)
For all Xmas Starlight® models

Art. nr.   251410-CJ
EAN code   8785287744213

Xmas Starlight® Store Bag
For all models

Art. nr.   XMAS-B-75
EAN code   8785287744206

XMAS STARLIGHT

ORIGINAL DUTCH COMPANY

Ploeggang 12
8431 NG Oosterwolde (Frl)
Nederland
+31 (0) 513 62 64 72

For more information and
explanation, please visit our
website:
xmasstarlight.nl

All specifications in this brochure are subject to typographical and printing errors

® Xmasstarlight is a registered trademark of Elmersindustries BV