

DAS

SHEARING

GUILLOTINE



ABOUT US

Dener Makina was established in 1974 in Kayseri Old Industrial Zone. Since 2000, Dener Makina has focused on the production of CNC Sheet Metal Processing Machines and continues it production with a wide range of products including Guillotine Shears, Hydraulic Press Brakes, Ball Screw Press Brakes, Servo Electric Press Brakes, Plasma Cutting Machines and Fiber Laser Cutting Machines.

In 2016, the company made a significant investment by incorporating 155,000 m² factory buildings and 27,000 m² social facilities located on 1,300,000 m² of land owned by TAKSAN A.Ş. In the new period, Taksan Integrated Facilities started the production of CNC Metal Processing Machines such as Double Column Machining Centres, 5 Axis Simultaneous Machining Centres, Vertical Machining Centres, Lathes and Grinding Machines.

Dener Makina, CNC Sheet Metal Processing Machines and CNC Metal Processing Machines, with its wide range of machinery production, half a century of experience, qualified workforce and multinational R&D centre, is the first in the world by offering important investment products to the world industrial enterprises.



INDEX

- **04** DAS SERIES CNC GUILLOTINE SHEAR
- 06 STANDARD EQUIPMENTS
- 10 OPTIONAL EQUIPMENTS
- 12 DAS SERIES TECHNICAL SPECIFICATIONS



DAS SERIESCNC GUILLOTINE SHEAR



Dener CNC Guillotine Shears provide, rock solid mechanics, hydraulic, accurate ball screw back gauge, userfriendly CNC Controller high productive shearing machines. Dener Shears are starring form 6 mm up to 20 mm thickness cutting length from 3 mt up to 6 mt as a standard and according to the special demanded higher capacity machines are available.

Dener Guillotine Shears have strong welded steel construction suitable for long operation time. The design of the frame, cutting beam and back gauge to ensure highest rigidity and resistance to torsions and deformations. With the strong design customers can get maximum cutting quality.

With Easy to use CNC controller operator enters the thickness and the type of the material and controller automatically adjust the cutting angel and blade gap.

A Çevir





STANDARD **EQUIPMENT**



ESA 630 CONTROLLER

- 10" LCD Touch Screen
- Back gauge control
- Blade gap control

- Step repetition
- 2 USB (2.0) ports






FOOT PEDAL

Remote Foot Control Pedal with Emergency Stop Button





Ball Bearing Sheet Metal Slider



Motorized Back Gauge has±0,1 mm Accuracy



Front Protection Frame



Hold Down Pads





DAS SERIES

OPTIONAL EQUIPMENTS






Longer Front Support Arms 2m/3m



Spare Blade



Hydraulic Oil Cooler System



NC Sheet Support System



Laser Cutting Line




Light Curtain





| DAS SERIES CNC GUILLOTINE SHEAR | | DAS 3006 | DAS 4006 | DAS 3010 | |
|--|-----------|-------------|-------------|-------------|--|
| Cutting Lenght | (mm) | 3080 | 4050 | 3080 | |
| Cutting Capacity (Mild Steel) | (mm) | 6 | 6 | 10 | |
| Cutting Angle | degree | 0,5 - 2 | 0,5 - 2 | 0,5 - 2 | |
| Number of Pad Rollers | pcs | 16 | 22 | 16 | |
| Main Engine | kW | 11 | 11 | 22 | |
| Cutting Pcs. (0,5 - 3) | cuts/min. | 25-12 | 20-10 | 22-10 | |
| Oil Tank | lt | 180 | 180 | 200 | |
| Length | L (mm) | 3900 | 4940 | 3920 | |
| Throat Depth | E (mm) | 350 | 350 | 350 | |
| Width Without Ruler | B (mm) | 2150 | 2180 | 2230 | |
| Width | w (mm) | 3380 | 3380 | 3440 | |
| Height | H (mm) | 2165 | 2225 | 2290 | |
| Weight | kg | 8000 | 11000 | 10000 | |



NOTES









DENER MAKINA SAN. TIC. A.Ş

- **C** +90 352 321 13 50
- **6** +90 352 321 13 53
- ♥ Sultansazı OSB 6. Sk. No:12 38560 / İncesu / KAYSERİ / TR
- www.dener.com



